QUANTUM FOODSERVICE

SAME DAY SHIPPING

AQ

KCI

NSF



Utility Carts



Crystal Clear Bins



Wire/Solid Shelving



Wall Mounted Systems



Bussing Tubs



Polymer Shelving



Mobile Organizers



Pizza Dough Boxes



Security Units



Cantilever Systems

PRODUCT CATALOG

| Wire Shelving | Bussing Tubs & Proofing Boxes | Food Grade Totes
| Polymer Antibacterial Shelving | Plastic Bins | Transportation Carts
| FREE Freight Programs | CAD/Layout/Design Services



Located in Miami, Florida, Quantum is one of the largest injection molding companies with 75 molding presses. We offer **the largest selection of storage and organization products in the industry**. Injection molding the highest quality bins and containers in the industrial, material handling, healthcare, hospitality, food service & hardware industries, Quantum is the leader in providing organization and complete storage solutions.

- Our facility is 1.5 million square feet in manufacturing and distribution space with over 450 employees.
- Our manufacturing facility supports 275 full time employees and runs 24 hours a day, 7 days a week. We supply over 68,000,000 bins inside North America annually.
- Offering over 25,000 product skus to our customers, Quantum stocks each item in our Florida and Illinois warehouses. 99% of products are available to ship within 24 hours from receipt of order.
- Quantum plastic products are all manufactured using FDA approved materials as well as products meeting NSF requirements for the healthcare and food service industries.

OUR MISSION

First Class Quality

Product Always in Stock

Pre & Post Order Customer Care

Guaranteed Low Prices

SCAN TO VIEW CONTACT INFO.

COLOR/FINISHES OPTION ORDERING INSTRUCTIONS

In order to properly process your order, please include a color/finish code suffix to any model number available with color/finish options. Use one or two letter abbreviations listed below and add them to the end of the model number without any spaces or dashes. *(i.e. **QSB101** in Blue would be submitted as **QSB101BL**).*

BIN COLORS:

RD Red	**YL** Yellow	**BK** Black	**BN** Brown
BL Blue	**GN** Green	**IV** Ivory	**CL** Clear
SN Stone	**WT** White	**GY** Gray	**CC** Crystal Clear
OR Orange	**PU** Purple	**CM** Custom	

WIRE FINISHES:

P Green	**GY** Gray	**BK** Black	**SG** Galvanized
C Chrome*	**S** Stainless	**SS** Solid Stainless*	
WPM Green/Plastic Green			

*Some products do not require suffix to be included

ICON DESCRIPTIONS

NSF Approved

Dishwasher Safe

CA Prop 65 Approved

HACCP Approved

Ships All in One Box

Non-Stocked Items

Parcel Carrier (UPS, FedEx)

Made in the United States of America



STORAGE

10 Millenia Shelving
11 Millenia Shelving
12 Millenia Shelving - Shelves and Posts
13 Millenia Shelving - Vented Shelf Units
14 Millenia Shelving - Solid Shelf Units
15 Millenia Shelving - Mix Shelf Units
16 Millenia Shelving - Accessories
17 Millenia Shelving - Accessories & Platforms
18 Millenia Shelving - Drying Racks
19 Polymer Wire Shelving
20 Polymer Wire Shelving - Shelves & Posts
21 Polymer Wire Shelving - Units
22 Polymer Wire Shelving - Drying & Can Rack Units
23 Polymer Wire Shelving - Accessories
24 Wire Shelving - Shelves
25 Wire Shelving - Posts
26 54" Wire Shelving Units
27 63" Wire Shelving Units
28 74" Wire Shelving Units
29 86" Wire Shelving Units
30 Wire Shelving - Accessories
31 Wire Shelving - Accessories
32 Wire Shelving - Accessories
33 Wire Shelving - Accessories
34 Wire Shelving - Accessories
35 Wire Shelving - Accessories
36 Solid Shelving
37 Solid Shelving - Shelves and Posts
38 Solid Shelving - Galvanized Steel Units
39 Solid Shelving - Galvanized Steel Units
40 Solid Shelving - Stainless Steel Units
41 Solid Shelving - Stainless Steel Units
42 Stem Caster Carts
43 Stem Caster Carts
44 Enclosure Carts
45 Enclosure Carts
46 Cart Covers
47 Retail Units - 1 Box Wire Shelving
48 Retail Units - 1 Box Millenia Shelving
49 Retail Units - 1 Box Polymer Wire Shelving
50 Specialty Storage - Security Units
51 Specialty Storage - Corner Wire Shelving
52 Specialty Storage - Cantilever & Dunnage Shelves
53 Specialty Storage - Shelves & Frames
54 High Density Storage - Overhead Track System
55 High Density Storage - Overhead Track System
56 High Density Storage - Floor Track System
57 High Density Storage - Floor Track System

PREPARATION & COOKING

58 Store Grid Mounted Systems
59 Store Grid Mounted Systems
60 Store Grid Mounted Systems
61 Store Grid Mounted Systems
62 Store Grid Mounted Systems
63 Store Grid Mounted Systems
64 Store Grid Mounted Systems - Accessories
65 Wall Shelving - Cantilever Systems
66 Wall Shelving - Cantilever Systems
67 Wall Shelving - Cantilever Systems

TABLES & WORKSTATIONS

68 Tables & Drive-Thru Station
69 Stainless Steel Shelf Covers & Custom Stations

RECEIVING

70 Polymer Dunnage Racks
71 Dunnage & Platforms Racks
72 Dunnage & Platforms Racks
73 Keg Racks

HOUSEKEEPING / MERCHANDISING / DISPLAY

74 PARtition Wall Systems
75 PARtition Wall Systems
76 PARtition Wall Systems - *Accessories*
77 Bin Carts
78 Slanted Shelf Carts
79 Slanted Shelf Carts
80 Wine Cradle Shelves, Units & Carts
81 Wine Cantilevers, Bulk & Security Units
82 Garment Racks
83 Mobile To Go & Organizers

RESTAURANT CHAIN

84 Pizza Dough Boxes
85 Meat Lugs
86 Modular Trays & Tray Carts

CLEANING & SANITATION

87 Bussing Tubs & Utility Boxes
88 Utility Carts
89 Polymer & Push Handle Wire Utility Carts
90 Drying Racks
91 Tool Caddy, Tool Box, Nesting Parts Bin & Wrench Holder

PLASTIC STORAGE

92 Ultra Stack & Hang Bins
93 Ultra Stack & Hang Bins
94 Giant Open Hopper Steel Shelving Systems
95 Giant Open Hopper Wire Shelving Systems
96 Crystal Clear Ultra Hang & Stack Bins
97 Super Tuff Euro Drawers
98 Mesh Stack & Hang Bins
99 Wire Louvered Panels
100 Stackable Shelf Bins
101 Stackable Shelf Bin Shelving Systems
102 HULK 24" Containers
103 HULK 24" Containers Wire Shelving Systems
104 HULK 30" & 36" Containers
105 HULK 30" Container Wire Shelving Systems
106 HULK 36" Container Wire Shelving Systems
107 Collapsable Bulk Box
108 RackBin 42" Containers
109 RackBin 42" Container Wire Shelving Systems
110 Giant Stack Containers
111 Giant Stack Containers Wire Shelving Systems
112 MAGNUM Bins
113 MAGNUM Bin Wire Shelving Systems
114 Economy 4" Shelf Bins
115 Economy 4" Shelf Bin Wire Shelving Systems
116 High Density Wire Shelving Systems
117 Store-More 6" Shelf Bins
118 Store-More 6" Shelf Bin Wire Shelving Systems
119 Store-Max 8" Shelf Bins
120 Store-Max 8" Shelf Bin Wire Shelving Systems
121 QuickPick Bins & Wire Shelving Systems

BULK CONTAINERS

122 Latch Containers & Wire Shelving System
123 Dividable Grid Containers
124 Genuine stack and nest totes
125 Wire Shelving Systems
126 Stacker Straight Wall Containers
127 Attached Top Distribution Containers
128 Labels

ORGANIZERS

129 Plastic Drawer Cabinets
130 Clear Compartment Storage Boxes
131 Organizers
132 Clear Tip Out Bins
133 Dividable & Individual Clear Tip Out Bins
134 Layout & Design Services
135 Terms and Conditions

WHY QUANTUM FOOD SERVICE?

- RELIABLE IN-STOCK INVENTORY
- SUPER FAST-SAME & NEXT DAY SHIPMENTS
- LAYOUT & DESIGN SERVICES INCLUDED
- LARGEST SELECTION OF WIRE & BINS

The most efficient, permanent, and economical solution to solve your exact storage needs!

NEW PRODUCTS

OUR PRODUCT OFFERING KEEPS GROWING!



MILLENIA DRYING RACKS
pg. 18





WINE CARTS & SECURITY UNITS
pgs. 80-81



BUSSING TUBS/UTILITY BOXES
pg. 87



POLYMER DUNNAGE RACKS
pg. 70



GREEN POLYMER DRYING RACKS & CAN RACKS
pg. 22



STORE GRID KITS
pgs. 60-63



PUSH HANDLE CARTS
pg. 89



PIZZA DOUGH BOXES
pg. 84



DRIVE-THRU STATION
pg. 68



CRYSTAL CLEAR ULTRA HANG BINS
pg. 96



MOBILE & COUNTER TOP INGREDIENT ORGANIZERS
pg. 83



MOBILE TO GO
pg. 83

SNEAK PEEK

of what's **COMING SOON** at **Quantum Food Service**!

FOOD PANS
Cold - Hot



BUCKETS/PAILS



FOOD STORAGE BOXES
Boxes - Lids - Colander/Drain Grate



TRASH CANS
Commercial - Space Savers
- Waste Baskets




INGREDIENT BINS
Bulk w/Lid & Dolly - Mobile w/Slant Top
- Shelf Ingredient Bin




AVAILABLE IN 8 FINISHES AND 3 LIMITED WARRANTIES

LIMITED 1 YEAR WARRANTY

Chrome - is a plating process which deposits hard chrome over a copper, nickel surface. This process is very durable and allows product to be used in any application in a dry storage environment. **1 year limited warranty to not rust or corrode when used in dry and non-humid environments.**




Galvanized Steel - is a manufacturing process where a coating of zinc is applied to steel to offer protection and prevent rusting. The zinc protects the base metal by acting as a barrier to corrosive elements. **1 year limited warranty to not rust or corrode when used in dry and non-humid environments.**




LIMITED 15 YEARS WARRANTY

Proform Green, Gray and Black Epoxy - are an ideal solution for high humidity, wet, or walk-in-cooler applications. The carbon steel is treated with an iron phosphate and the powder coated epoxy is electrostatically applied, baked and cured to a hard surface. All three colors are antimicrobial. **15 year limited warranty for antimicrobial finish to not rust or corrode.**




Proform Green Polymer - is an ideal solution for high humidity, wet, or walk-in-cooler applications. The carbon steel is treated with an iron phosphate and the powder coated epoxy is electrostatically applied, baked and cured to a hard surface. All three colors are antimicrobial. Plastic mats are virgin grade Polypropylene. **15 year limited warranty for antimicrobial finish to not rust or corrode. Limited lifetime on polymer shelf mats.**




LIMITED LIFETIME WARRANTY

Stainless Steel - 304 Stainless with an electro-polish finish represents the highest industry standard in the prevention of corrosion. This finish is highly effective for corrosive, high humidity or clean room environments. **Lifetime limited warranty for 304 stainless steel electro-polish finish to not rust or corrode.**



Millenia Polymer - all polymer, the best industry standard in the prevention of corrosion. This finish is highly effective for corrosive, high humidity or clean room environments. **Lifetime limited warranty to no rust or corrode.**



APPLICATION	CHROME & GALVANIZED FINISH	PROFORM GREEN, GRAY & BLACK EPOXY FINISH	PROFORM GREEN POLYMER FINISH	STAINLESS STEEL FINISH	ALL POLYMER FINISH
DRY STORAGE	YES	YES	YES	YES	YES
WET STORAGE	NO	YES	YES	YES	YES
COOLER STORAGE	NO	YES	YES	YES	YES
FREEZER STORAGE	NO	YES	YES	YES	YES
WARRANTY*	1 YEAR DRY	15 YEAR	15 YEAR WIRE/LIFETIME MATS	LIFETIME	LIFETIME

*Limited against rust and corrosion

MILLENIA
Most innovative, all polymer shelving system


- Vented Shelf
- Solid Shelf



PREMIUM
Exceptional hybrid shelving

- Vented Polymer
- Solid Polymer





CLASSICS PLUS
Most economical, corrosion resistant shelving

- Green Epoxy
- Gray Epoxy
- Black Epoxy









CLASSICS
Original wire and solid storage shelving

- Stainless
- Solid Stainless
- Chrome
- Solid Galvanized









QUANTUM CLASSICS
Chrome Wire Shelving

Good



LIMITED 1 YEAR WARRANTY CHROME

CHROME WIRE SHELVING

- 1 year limited warranty
- Up to 800 lb. load capacity per shelf
- Wire allows air to circulate and light to penetrate for increased product visibility and minimal dust buildup
- NSF Approved
- Chrome finish

WIDTHS (W): 12",14",18", 21", 24", 30", 36"
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 66", 72"
HEIGHTS (H): 6", 14", 34", 36", 39", 54", 63", 74", 86", 96"

QUANTUM CLASSICS
Stainless Wire Shelving

VERY Good



LIMITED LIFETIME WARRANTY STAINLESS

STAINLESS STEEL WIRE SHELVING

- Lifetime limited warranty
- Up to 800 lb. load capacity per shelf
- Smooth, vented, open grid surface allows for air circulation and minimal dust buildup
- NSF Approved
- Antimicrobial
- 100% rust proof

WIDTHS (W): 12",14",18", 21", 24", 30", 36"
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 72"
HEIGHTS (H): 6", 14", 34", 42", 54", 63", 74", 86", 96"

QUANTUM CLASSICS
Solid Shelving

SUPER Good



LIMITED 1 YEAR WARRANTY GALVANIZED

LIMITED LIFETIME WARRANTY STAINLESS

SOLID SHELVING SYSTEM

- 1 year limited warranty on Galvanized, Lifetime limited warranty on Stainless
- Up to 600 lb. load capacity per shelf
- NSF Approved
- Stainless Steel finish is antimicrobial and 100% rust proof

WIDTHS (W): 14", 18", 21", 24"
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 72"
HEIGHTS (H): 6", 14", 34", 38", 39", 42", 54", 63", 74", 86", 96"

QUANTUM CLASSICS PLUS
Epoxy Wire Shelving

Great



LIMITED 15 YEARS WARRANTY EPOXY

CORROSION RESISTANT EPOXY COATED WIRE SHELVING

- 15 year limited warranty
- Up to 800 lb. load capacity per shelf
- Wire allows air to circulate and light to penetrate for increased product visibility and minimal dust buildup
- NSF Approved
- Antimicrobial
- Resistant against corrosion

WIDTHS (W): 12",14",18", 21", 24", 30", 36"
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 66", 72"
HEIGHTS (H): 6", 14", 34", 39"(Only Black), 54", 63", 74", 86", 96"

QUANTUM PREMIUM
Polymer Wire Shelving

Better



LIMITED 15 YEARS WARRANTY EPOXY

LIMITED LIFETIME WARRANTY POLYMER

HYBRID POLYMER AND WIRE SHELVING

- 15 year limited warranty on Epoxy, Lifetime limited warranty on Polymer
- Up to 800 lb. load capacity per shelf
- Smooth, vented, open grid surface allows for air circulation and minimal dust buildup
- Easily removable and dishwasher safe shelf plates
- NSF Approved
- Antimicrobial
- Resistant against corrosion

WIDTHS (W): 14", 18", 21", 24"
LENGTHS (L): 30", 36", 42", 48", 54", 60", 72"
HEIGHTS (H): 6", 14", 34", 54", 63", 74", 86", 96"

MILLENIA
Polymer Shelving

Best



LIMITED LIFETIME WARRANTY POLYMER

ALL POLYMER SHELVING SYSTEM

- Lifetime limited warranty
- Up to 1000 lb. load capacity per shelf
- Smooth or vented, open grid surface allows for air circulation and minimal dust buildup
- Easily removable and dishwasher safe shelf plates
- NSF Approved
- 100% rust proof
- All Polymer

WIDTHS (W): 18", 21", 24"
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 72"
HEIGHTS (H): 14", 26", 38", 50", 62", 74", 86", 98"

MADE IN THE USA


Millenia Shelving

Millenia™ Shelving guarantees a premium storage option. This innovative new shelving system combines an easy to clean plus cost efficient technologies. System offers a multi-functional design and lifetime warranty against rust and corrosion. Unique dunnage add-on supports, add stability and increases weight capacity on the bottom shelf. Quantum expert shelving consultants can help you prepare a complimentary 2D or 3D layout to optimize your space.



EASY TO ASSEMBLE AND INSTALL


Shelves come preassembled for easier installation and can be adjusted on a 1" increment. No tools required.



EASY TO CLEAN

Shelf plates can be easily removed for cleaning by hand or industrial dishwasher.





TEMPERATURE RANGE

With a wide temperature range, Millenia Shelving can be used in all extreme environments:

- **Dry Storage**
- **Wet Storage**
- **Coolers**
- **Freezers**



RUST AND CORROSION FREE

All Millenia Shelving is supported by a lifetime warranty against rust and corrosion. Its polymer composition makes it resistant to abrasive chemicals and wet environments.

APPLICATIONS

Food service, walk-in coolers, healthcare storage, supermarket. Suitable to be used in wet, humid, or dry environments and applications.

PERFORMANCE FEATURES:

- Lifetime limited warranty
- Shelving unit materials:
  - Beams/Side Connectors/Adjustable Foot/Shelf Conus/Connector: Pultruded with glass fibers and thermoset resin composite
  - Shelf Plates: Polypropylene (available in vented or solid)
  - Bumper: Reinforced nylon
  - Post Cap: Polypropylene
- Up to 1,000 lb. load capacity per shelf evenly distributed and up to 2,000 lb. overall shelving unit **Dunnage stand recommended for units with 54" and longer shelves*
- No tools required for assembly
- National Sanitation Foundation *(NSF)* Approved
- Mobile capability available
- Shipped KD Class 92.5

WIDTHS (W): 18", 21", 24"
LENGTHS (L): 24", 30", 36", 42", 48", 54", 60", 72"
HEIGHTS (H): 14", 26", 38", 50", 62", 74", 86", 98"

CAD DESIGN

Design assistance is available for all your projects from room layouts to shelving or cart design. We'll create and develop an integrated system around your requirements. Layouts can be created to accommodate your space with the appropriate product mix.

Quantum Food Service offers the most complete package of storage products to satisfy all your requirements. Let us review your next project to maximize your storage space.

- **Industry Exclusive 3D Modeling**
- **Blueprint & AutoCAD Compatible**
- **Space Utilization & Maximization**
- **Plan-o-grams**


3D MODEL VIEW

2D PLAN VIEW



E-mail your inquiry to ***sales@quantumfoodservice.com***

Millenia Shelving




SHELF WITH VENTED SURFACE




PRIVATE LABEL CAPABILITY



SHELF WITH SOLID SURFACE



SOLID BOTTOM SHELF AIDS IN PROTECTING PRODUCT FROM DUST AND DIRT COMING FROM THE GROUND



UNIT CAN BE STATIONARY OR MOBILE

Maximum load capacity evenly distributed

*Extra reinforcement dunnage stand recommended for units with 54" and longer shelves

Up to 1,000 lb.
LOAD CAPACITY PER SHELF

Up to 2,000 lb.
OVERALL LOAD CAPACITY PER UNIT

TRANSFORMING THE WAY YOU WORK AND STORE

Optimized Space Utilization

By using various accessories, multiple shelving configurations become possible without compromising the maximum load capacity of the shelving system.



ADD-ON UNIT CAPABILITY
(SIDE TO SIDE)



ADD-ON UNIT CAPABILITY
(L-SHAPE)



ADD-ON UNIT CAPABILITY
(U-SHAPE)

Millenia Shelves

Each shelf includes 4 packs of split sleeves **QPSS** and 4 support gussets **QPG**.

MODEL NO.	NOMINAL DIMENSIONS W" x L"	SHIP WGT
Millenia Shelving Solid Shelves		
QP1824SS	18" x 24"	6 lbs
QP1830SS	18" x 30"	7 lbs
QP1836SS	18" x 36"	9 lbs
QP1842SS	18" x 42"	10 lbs
QP1848SS	18" x 48"	11 lbs
QP1854SS	18" x 54"	12 lbs
QP1860SS	18" x 60"	13 lbs
QP1872SS	18" x 72"	15 lbs
QP2124SS	21" x 24"	7 lbs
QP2130SS	21" x 30"	8 lbs
QP2136SS	21" x 36"	9 lbs
QP2142SS	21" x 42"	10 lbs
QP2148SS	21" x 48"	12 lbs
QP2154SS	21" x 54"	13 lbs
QP2160SS	21" x 60"	14 lbs
QP2172SS	21" x 72"	16 lbs
QP2424SS	24" x 24"	8 lbs
QP2430SS	24" x 30"	10 lbs
QP2436SS	24" x 36"	12 lbs
QP2442SS	24" x 42"	13 lbs
QP2448SS	24" x 48"	15 lbs
QP2454SS	24" x 54"	16 lbs
QP2460SS	24" x 60"	18 lbs
QP2472SS	24" x 72"	21 lbs
Millenia Shelving Vented Shelves		
QP1824VS	18" x 24"	6 lbs
QP1830VS	18" x 30"	7 lbs
QP1836VS	18" x 36"	8 lbs
QP1842VS	18" x 42"	9 lbs
QP1848VS	18" x 48"	10 lbs
QP1854VS	18" x 54"	11 lbs
QP1860VS	18" x 60"	12 lbs
QP1872VS	18" x 72"	14 lbs
QP2124VS	21" x 24"	6 lbs
QP2130VS	21" x 30"	8 lbs
QP2136VS	21" x 36"	9 lbs
QP2142VS	21" x 42"	10 lbs
QP2148VS	21" x 48"	11 lbs
QP2154VS	21" x 54"	12 lbs
QP2160VS	21" x 60"	13 lbs
QP2172VS	21" x 72"	15 lbs
QP2424VS	24" x 24"	8 lbs
QP2430VS	24" x 30"	9 lbs
QP2436VS	24" x 36"	11 lbs
QP2442VS	24" x 42"	12 lbs
QP2448VS	24" x 48"	13 lbs
QP2454VS	24" x 54"	15 lbs
QP2460VS	24" x 60"	16 lbs
QP2472VS	24" x 72"	19 lbs

Millenia Posts

Each post includes post cap **QPPC** and floor adapter **QPFA**.

MODEL NO.	NOMINAL DIMENSIONS H"	SHIP WGT
Millenia Shelving Posts		
QPP14	14"	1 lb
QPP26	26"	1 lb
QPP38	38"	2 lbs
QPP50	50"	2 lbs
QPP62	62"	2 lbs
QPP74	74"	3 lbs
QPP86	86"	3 lbs
QPP98	98"	3 lbs

Up to 1,000 lb.
LOAD CAPACITY PER SHELF





GUSSETS
QPG
Included with all shelves for extra support
(Sold as 4-pack)



SOLID SHELF
QP1836SS
(Plates can be removed and are dishwasher safe)



SPLIT SLEEVES
QPSS
Included with all shelves
(Sold as 4-pack)




VENTED SHELF
QP1836VS
(Plates can be removed and are dishwasher safe)

POST CAP
QPPC
(Sold as 4-pack)



POST
QPP14

FLOOR ADAPTER
QPFA



SHELF CAN BE ADJUSTED ON A 1" INCREMENTS. NO TOOLS REQUIRED

Millenia Vented Shelf Units

Vented shelves allows for storage from small to large items. Open grid surface allows for air circulation and minimal dust buildup. All vented complete shelf units consist of 4 or 5 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit.

Up to 1,000 lb.
LOAD CAPACITY PER SHELF

OPTIONAL MOBILE KIT
QPPSC-5S

Includes four 5"x1-1/4" Polymer swivel casters, 2 with brake and four donut bumpers
Up to 800 lb. mobile load capacity (evenly distributed)





4 SHELF VENTED UNIT



5 SHELF VENTED UNIT

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
50" Millenia 4 Shelf Vented Shelving Unit		
QP182450VS-4	18" x 24" x 50"	31 lbs
QP183050VS-4	18" x 30" x 50"	35 lbs
QP183650VS-4	18" x 36" x 50"	39 lbs
QP184250VS-4	18" x 42" x 50"	43 lbs
QP184850VS-4	18" x 48" x 50"	47 lbs
QP185450VS-4	18" x 54" x 50"	52 lbs
QP186050VS-4	18" x 60" x 50"	56 lbs
QP187250VS-4	18" x 72" x 50"	64 lbs
QP212450VS-4	21" x 24" x 50"	33 lbs
QP213050VS-4	21" x 30" x 50"	37 lbs
QP213650VS-4	21" x 36" x 50"	42 lbs
QP214250VS-4	21" x 42" x 50"	46 lbs
QP214850VS-4	21" x 48" x 50"	50 lbs
QP215450VS-4	21" x 54" x 50"	56 lbs
QP216050VS-4	21" x 60" x 50"	60 lbs
QP217250VS-4	21" x 72" x 50"	69 lbs
QP242450VS-4	24" x 24" x 50"	39 lbs
QP243050VS-4	24" x 30" x 50"	45 lbs
QP243650VS-4	24" x 36" x 50"	50 lbs
QP244250VS-4	24" x 42" x 50"	56 lbs
QP244850VS-4	24" x 48" x 50"	61 lbs
QP245450VS-4	24" x 54" x 50"	68 lbs
QP246050VS-4	24" x 60" x 50"	74 lbs
QP247250VS-4	24" x 72" x 50"	84 lbs
50" Millenia 5 Shelf Vented Shelving Unit		
QP182450VS-5	18" x 24" x 50"	37 lbs
QP183050VS-5	18" x 30" x 50"	42 lbs
QP183650VS-5	18" x 36" x 50"	47 lbs
QP184250VS-5	18" x 42" x 50"	52 lbs
QP184850VS-5	18" x 48" x 50"	57 lbs
QP185450VS-5	18" x 54" x 50"	63 lbs
QP186050VS-5	18" x 60" x 50"	68 lbs
QP187250VS-5	18" x 72" x 50"	78 lbs
QP212450VS-5	21" x 24" x 50"	40 lbs
QP213050VS-5	21" x 30" x 50"	45 lbs
QP213650VS-5	21" x 36" x 50"	50 lbs
QP214250VS-5	21" x 42" x 50"	56 lbs
QP214850VS-5	21" x 48" x 50"	61 lbs
QP215450VS-5	21" x 54" x 50"	68 lbs
QP216050VS-5	21" x 60" x 50"	73 lbs
QP217250VS-5	21" x 72" x 50"	84 lbs
QP242450VS-5	24" x 24" x 50"	48 lbs
QP243050VS-5	24" x 30" x 50"	54 lbs
QP243650VS-5	24" x 36" x 50"	61 lbs
QP244250VS-5	24" x 42" x 50"	68 lbs
QP244850VS-5	24" x 48" x 50"	75 lbs
QP245450VS-5	24" x 54" x 50"	83 lbs
QP246050VS-5	24" x 60" x 50"	90 lbs
QP247250VS-5	24" x 72" x 50"	103 lbs

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
62" Millenia 4 Shelf Vented Shelving Unit		
QP182462VS-4	18" x 24" x 62"	33 lbs
QP183062VS-4	18" x 30" x 62"	37 lbs
QP183662VS-4	18" x 36" x 62"	41 lbs
QP184262VS-4	18" x 42" x 62"	45 lbs
QP184862VS-4	18" x 48" x 62"	49 lbs
QP185462VS-4	18" x 54" x 62"	54 lbs
QP186062VS-4	18" x 60" x 62"	58 lbs
QP187262VS-4	18" x 72" x 62"	66 lbs
QP212462VS-4	21" x 24" x 62"	35 lbs
QP213062VS-4	21" x 30" x 62"	39 lbs
QP213662VS-4	21" x 36" x 62"	43 lbs
QP214262VS-4	21" x 42" x 62"	48 lbs
QP214862VS-4	21" x 48" x 62"	52 lbs
QP215462VS-4	21" x 54" x 62"	58 lbs
QP216062VS-4	21" x 60" x 62"	62 lbs
QP217262VS-4	21" x 72" x 62"	71 lbs
QP242462VS-4	24" x 24" x 62"	41 lbs
QP243062VS-4	24" x 30" x 62"	47 lbs
QP243662VS-4	24" x 36" x 62"	52 lbs
QP244262VS-4	24" x 42" x 62"	57 lbs
QP244862VS-4	24" x 48" x 62"	63 lbs
QP245462VS-4	24" x 54" x 62"	70 lbs
QP246062VS-4	24" x 60" x 62"	75 lbs
QP247262VS-4	24" x 72" x 62"	86 lbs
62" Millenia 5 Shelf Vented Shelving Unit		
QP182462VS-5	18" x 24" x 62"	39 lbs
QP183062VS-5	18" x 30" x 62"	44 lbs
QP183662VS-5	18" x 36" x 62"	49 lbs
QP184262VS-5	18" x 42" x 62"	54 lbs
QP184862VS-5	18" x 48" x 62"	59 lbs
QP185462VS-5	18" x 54" x 62"	65 lbs
QP186062VS-5	18" x 60" x 62"	70 lbs
QP187262VS-5	18" x 72" x 62"	80 lbs
QP212462VS-5	21" x 24" x 62"	41 lbs
QP213062VS-5	21" x 30" x 62"	47 lbs
QP213662VS-5	21" x 36" x 62"	52 lbs
QP214262VS-5	21" x 42" x 62"	57 lbs
QP214862VS-5	21" x 48" x 62"	63 lbs
QP215462VS-5	21" x 54" x 62"	70 lbs
QP216062VS-5	21" x 60" x 62"	75 lbs
QP217262VS-5	21" x 72" x 62"	86 lbs
QP242462VS-5	24" x 24" x 62"	49 lbs
QP243062VS-5	24" x 30" x 62"	56 lbs
QP243662VS-5	24" x 36" x 62"	63 lbs
QP244262VS-5	24" x 42" x 62"	70 lbs
QP244862VS-5	24" x 48" x 62"	76 lbs
QP245462VS-5	24" x 54" x 62"	85 lbs
QP246062VS-5	24" x 60" x 62"	91 lbs
QP247262VS-5	24" x 72" x 62"	105 lbs

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
74" Millenia 4 Shelf Vented Shelving Unit		
QP182474VS-4*	18" x 24" x 74"	35 lbs
QP183074VS-4*	18" x 30" x 74"	39 lbs
QP183674VS-4*	18" x 36" x 74"	43 lbs
QP184274VS-4*	18" x 42" x 74"	46 lbs
QP184874VS-4*	18" x 48" x 74"	50 lbs
QP185474VS-4	18" x 54" x 74"	56 lbs
QP186074VS-4	18" x 60" x 74"	60 lbs
QP187274VS-4	18" x 72" x 74"	67 lbs
QP212474VS-4*	21" x 24" x 74"	36 lbs
QP213074VS-4*	21" x 30" x 74"	41 lbs
QP213674VS-4*	21" x 36" x 74"	45 lbs
QP214274VS-4*	21" x 42" x 74"	49 lbs
QP214874VS-4*	21" x 48" x 74"	54 lbs
QP215474VS-4	21" x 54" x 74"	59 lbs
QP216074VS-4	21" x 60" x 74"	64 lbs
QP217274VS-4	21" x 72" x 74"	72 lbs
QP242474VS-4*	24" x 24" x 74"	43 lbs
QP243074VS-4*	24" x 30" x 74"	48 lbs
QP243674VS-4*	24" x 36" x 74"	54 lbs
QP244274VS-4*	24" x 42" x 74"	59 lbs
QP244874VS-4*	24" x 48" x 74"	65 lbs
QP245474VS-4	24" x 54" x 74"	72 lbs
QP246074VS-4	24" x 60" x 74"	77 lbs
QP247274VS-4	24" x 72" x 74"	88 lbs
74" Millenia 5 Shelf Vented Shelving Unit		
QP182474VS-5	18" x 24" x 74"	41 lbs
QP183074VS-5	18" x 30" x 74"	46 lbs
QP183674VS-5	18" x 36" x 74"	51 lbs
QP184274VS-5	18" x 42" x 74"	55 lbs
QP184874VS-5	18" x 48" x 74"	60 lbs
QP185474VS-5	18" x 54" x 74"	67 lbs
QP186074VS-5	18" x 60" x 74"	72 lbs
QP187274VS-5	18" x 72" x 74"	81 lbs
QP212474VS-5	21" x 24" x 74"	43 lbs
QP213074VS-5	21" x 30" x 74"	48 lbs
QP213674VS-5	21" x 36" x 74"	54 lbs
QP214274VS-5	21" x 42" x 74"	59 lbs
QP214874VS-5	21" x 48" x 74"	64 lbs
QP215474VS-5	21" x 54" x 74"	71 lbs
QP216074VS-5	21" x 60" x 74"	77 lbs
QP217274VS-5	21" x 72" x 74"	87 lbs
QP242474VS-5	24" x 24" x 74"	51 lbs
QP243074VS-5	24" x 30" x 74"	58 lbs
QP243674VS-5	24" x 36" x 74"	64 lbs
QP244274VS-5	24" x 42" x 74"	71 lbs
QP244874VS-5	24" x 48" x 74"	78 lbs
QP245474VS-5	24" x 54" x 74"	86 lbs
QP246074VS-5	24" x 60" x 74"	93 lbs
QP247274VS-5	24" x 72" x 74"	107 lbs

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
86" Millenia 4 Shelf Vented Shelving Unit		
QP182486VS-4	18" x 24" x 86"	36 lbs
QP183086VS-4	18" x 30" x 86"	40 lbs
QP183686VS-4	18" x 36" x 86"	44 lbs
QP184286VS-4	18" x 42" x 86"	48 lbs
QP184886VS-4	18" x 48" x 86"	52 lbs
QP185486VS-4	18" x 54" x 86"	57 lbs
QP186086VS-4	18" x 60" x 86"	61 lbs
QP187286VS-4	18" x 72" x 86"	69 lbs
QP212486VS-4	21" x 24" x 86"	38 lbs
QP213086VS-4	21" x 30" x 86"	42 lbs
QP213686VS-4	21" x 36" x 86"	47 lbs
QP214286VS-4	21" x 42" x 86"	51 lbs
QP214886VS-4	21" x 48" x 86"	55 lbs
QP215486VS-4	21" x 54" x 86"	61 lbs
QP216086VS-4	21" x 60" x 86"	65 lbs
QP217286VS-4	21" x 72" x 86"	74 lbs
QP242486VS-4	24" x 24" x 86"	44 lbs
QP243086VS-4	24" x 30" x 86"	50 lbs
QP243686VS-4	24" x 36" x 86"	55 lbs
QP244286VS-4	24" x 42" x 86"	61 lbs
QP244886VS-4	24" x 48" x 86"	66 lbs
QP245486VS-4	24" x 54" x 86"	73 lbs
QP246086VS-4	24" x 60" x 86"	79 lbs
QP247286VS-4	24" x 72" x 86"	89 lbs
86" Millenia 5 Shelf Vented Shelving Unit		
QP182486VS-5	18" x 24" x 86"	42 lbs
QP183086VS-5	18" x 30" x 86"	47 lbs
QP183686VS-5	18" x 36" x 86"	52 lbs
QP184286VS-5	18" x 42" x 86"	57 lbs
QP184886VS-5	18" x 48" x 86"	62 lbs
QP185486VS-5	18" x 54" x 86"	68 lbs
QP186086VS-5	18" x 60" x 86"	73 lbs
QP187286VS-5	18" x 72" x 86"	83 lbs
QP212486VS-5	21" x 24" x 86"	45 lbs
QP213086VS-5	21" x 30" x 86"	50 lbs
QP213686VS-5	21" x 36" x 86"	55 lbs
QP214286VS-5	21" x 42" x 86"	61 lbs
QP214886VS-5	21" x 48" x 86"	66 lbs
QP215486VS-5	21" x 54" x 86"	73 lbs
QP216086VS-5	21" x 60" x 86"	78 lbs
QP217286VS-5	21" x 72" x 86"	89 lbs
QP242486VS-5	24" x 24" x 86"	53 lbs
QP243086VS-5	24" x 30" x 86"	59 lbs
QP243686VS-5	24" x 36" x 86"	66 lbs
QP244286VS-5	24" x 42" x 86"	73 lbs
QP244886VS-5	24" x 48" x 86"	80 lbs
QP245486VS-5	24" x 54" x 86"	88 lbs
QP246086VS-5	24" x 60" x 86"	95 lbs
QP247286VS-5	24" x 72" x 86"	108 lbs

***PACKAGED AS SINGLE BOX SHELVING UNITS** Each box includes **4** posts, **4** open grid shelves with removable shelf plates, **1** package of needed split sleeves, post caps, post levelers, gussets and wall brackets

Millenia Solid Shelf Units

Solid bottom shelf aids in protecting product from dust and dirt coming from the ground. All solid complete shelf units consist of 4 or 5 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit.

Up to 1,000 lb.
LOAD CAPACITY PER SHELF

OPTIONAL MOBILE KIT
QPPSC-5S

Includes four 5"x1-1/4" Polymer swivel casters, 2 with brake and four donut bumpers
Up to 800 lb. mobile load capacity (evenly distributed)





4 SHELF SOLID UNIT



5 SHELF SOLID UNIT

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
50" Millenia 4 Shelf Solid Shelving Unit		
QP182450SS-4	18" x 24" x 50"	33 lbs
QP183050SS-4	18" x 30" x 50"	37 lbs
QP183650SS-4	18" x 36" x 50"	41 lbs
QP184250SS-4	18" x 42" x 50"	46 lbs
QP184850SS-4	18" x 48" x 50"	50 lbs
QP185450SS-4	18" x 54" x 50"	56 lbs
QP186050SS-4	18" x 60" x 50"	60 lbs
QP187250SS-4	18" x 72" x 50"	69 lbs
QP212450SS-4	21" x 24" x 50"	35 lbs
QP213050SS-4	21" x 30" x 50"	39 lbs
QP213650SS-4	21" x 36" x 50"	44 lbs
QP214250SS-4	21" x 42" x 50"	49 lbs
QP214850SS-4	21" x 48" x 50"	54 lbs
QP215450SS-4	21" x 54" x 50"	60 lbs
QP216050SS-4	21" x 60" x 50"	65 lbs
QP217250SS-4	21" x 72" x 50"	75 lbs
QP242450SS-4	24" x 24" x 50"	41 lbs
QP243050SS-4	24" x 30" x 50"	47 lbs
QP243650SS-4	24" x 36" x 50"	53 lbs
QP244250SS-4	24" x 42" x 50"	59 lbs
QP244850SS-4	24" x 48" x 50"	65 lbs
QP245450SS-4	24" x 54" x 50"	73 lbs
QP246050SS-4	24" x 60" x 50"	79 lbs
QP247250SS-4	24" x 72" x 50"	91 lbs
50" Millenia 5 Shelf Solid Shelving Unit		
QP182450SS-5	18" x 24" x 50"	39 lbs
QP183050SS-5	18" x 30" x 50"	45 lbs
QP183650SS-5	18" x 36" x 50"	50 lbs
QP184250SS-5	18" x 42" x 50"	55 lbs
QP184850SS-5	18" x 48" x 50"	61 lbs
QP185450SS-5	18" x 54" x 50"	68 lbs
QP186050SS-5	18" x 60" x 50"	73 lbs
QP187250SS-5	18" x 72" x 50"	84 lbs
QP212450SS-5	21" x 24" x 50"	42 lbs
QP213050SS-5	21" x 30" x 50"	48 lbs
QP213650SS-5	21" x 36" x 50"	54 lbs
QP214250SS-5	21" x 42" x 50"	60 lbs
QP214850SS-5	21" x 48" x 50"	66 lbs
QP215450SS-5	21" x 54" x 50"	73 lbs
QP216050SS-5	21" x 60" x 50"	79 lbs
QP217250SS-5	21" x 72" x 50"	91 lbs
QP242450SS-5	24" x 24" x 50"	50 lbs
QP243050SS-5	24" x 30" x 50"	57 lbs
QP243650SS-5	24" x 36" x 50"	65 lbs
QP244250SS-5	24" x 42" x 50"	72 lbs
QP244850SS-5	24" x 48" x 50"	80 lbs
QP245450SS-5	24" x 54" x 50"	89 lbs
QP246050SS-5	24" x 60" x 50"	96 lbs
QP247250SS-5	24" x 72" x 50"	112 lbs

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
62" Millenia 4 Shelf Solid Shelving Unit		
QP182462SS-4	18" x 24" x 62"	34 lbs
QP183062SS-4	18" x 30" x 62"	39 lbs
QP183662SS-4	18" x 36" x 62"	43 lbs
QP184262SS-4	18" x 42" x 62"	47 lbs
QP184862SS-4	18" x 48" x 62"	52 lbs
QP185462SS-4	18" x 54" x 62"	58 lbs
QP186062SS-4	18" x 60" x 62"	62 lbs
QP187262SS-4	18" x 72" x 62"	71 lbs
QP212462SS-4	21" x 24" x 62"	36 lbs
QP213062SS-4	21" x 30" x 62"	41 lbs
QP213662SS-4	21" x 36" x 62"	46 lbs
QP214262SS-4	21" x 42" x 62"	51 lbs
QP214862SS-4	21" x 48" x 62"	56 lbs
QP215462SS-4	21" x 54" x 62"	62 lbs
QP216062SS-4	21" x 60" x 62"	67 lbs
QP217262SS-4	21" x 72" x 62"	76 lbs
QP242462SS-4	24" x 24" x 62"	43 lbs
QP243062SS-4	24" x 30" x 62"	49 lbs
QP243662SS-4	24" x 36" x 62"	55 lbs
QP244262SS-4	24" x 42" x 62"	61 lbs
QP244862SS-4	24" x 48" x 62"	67 lbs
QP245462SS-4	24" x 54" x 62"	75 lbs
QP246062SS-4	24" x 60" x 62"	81 lbs
QP247262SS-4	24" x 72" x 62"	93 lbs
62" Millenia 5 Shelf Solid Shelving Unit		
QP182462SS-5	18" x 24" x 62"	41 lbs
QP183062SS-5	18" x 30" x 62"	46 lbs
QP183662SS-5	18" x 36" x 62"	52 lbs
QP184262SS-5	18" x 42" x 62"	57 lbs
QP184862SS-5	18" x 48" x 62"	62 lbs
QP185462SS-5	18" x 54" x 62"	69 lbs
QP186062SS-5	18" x 60" x 62"	75 lbs
QP187262SS-5	18" x 72" x 62"	86 lbs
QP212462SS-5	21" x 24" x 62"	43 lbs
QP213062SS-5	21" x 30" x 62"	49 lbs
QP213662SS-5	21" x 36" x 62"	55 lbs
QP214262SS-5	21" x 42" x 62"	61 lbs
QP214862SS-5	21" x 48" x 62"	67 lbs
QP215462SS-5	21" x 54" x 62"	75 lbs
QP216062SS-5	21" x 60" x 62"	81 lbs
QP217262SS-5	21" x 72" x 62"	93 lbs
QP242462SS-5	24" x 24" x 62"	51 lbs
QP243062SS-5	24" x 30" x 62"	59 lbs
QP243662SS-5	24" x 36" x 62"	66 lbs
QP244262SS-5	24" x 42" x 62"	74 lbs
QP244862SS-5	24" x 48" x 62"	82 lbs
QP245462SS-5	24" x 54" x 62"	91 lbs
QP246062SS-5	24" x 60" x 62"	98 lbs
QP247262SS-5	24" x 72" x 62"	113 lbs

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
74" Millenia 4 Shelf Solid Shelving Unit		
QP182474SS-4	18" x 24" x 74"	36 lbs
QP183074SS-4	18" x 30" x 74"	40 lbs
QP183674SS-4	18" x 36" x 74"	45 lbs
QP184274SS-4	18" x 42" x 74"	49 lbs
QP184874SS-4	18" x 48" x 74"	53 lbs
QP185474SS-4	18" x 54" x 74"	59 lbs
QP186074SS-4	18" x 60" x 74"	64 lbs
QP187274SS-4	18" x 72" x 74"	72 lbs
QP212474SS-4	21" x 24" x 74"	38 lbs
QP213074SS-4	21" x 30" x 74"	43 lbs
QP213674SS-4	21" x 36" x 74"	48 lbs
QP214274SS-4	21" x 42" x 74"	52 lbs
QP214874SS-4	21" x 48" x 74"	57 lbs
QP215474SS-4	21" x 54" x 74"	64 lbs
QP216074SS-4	21" x 60" x 74"	68 lbs
QP217274SS-4	21" x 72" x 74"	78 lbs
QP242474SS-4	24" x 24" x 74"	45 lbs
QP243074SS-4	24" x 30" x 74"	51 lbs
QP243674SS-4	24" x 36" x 74"	57 lbs
QP244274SS-4	24" x 42" x 74"	63 lbs
QP244874SS-4	24" x 48" x 74"	69 lbs
QP245474SS-4	24" x 54" x 74"	76 lbs
QP246074SS-4	24" x 60" x 74"	82 lbs
QP247274SS-4	24" x 72" x 74"	94 lbs
74" Millenia 5 Shelf Solid Shelving Unit		
QP182474SS-5	18" x 24" x 74"	42 lbs
QP183074SS-5	18" x 30" x 74"	48 lbs
QP183674SS-5	18" x 36" x 74"	53 lbs
QP184274SS-5	18" x 42" x 74"	59 lbs
QP184874SS-5	18" x 48" x 74"	64 lbs
QP185474SS-5	18" x 54" x 74"	71 lbs
QP186074SS-5	18" x 60" x 74"	76 lbs
QP187274SS-5	18" x 72" x 74"	87 lbs
QP212474SS-5	21" x 24" x 74"	45 lbs
QP213074SS-5	21" x 30" x 74"	51 lbs
QP213674SS-5	21" x 36" x 74"	57 lbs
QP214274SS-5	21" x 42" x 74"	63 lbs
QP214874SS-5	21" x 48" x 74"	69 lbs
QP215474SS-5	21" x 54" x 74"	76 lbs
QP216074SS-5	21" x 60" x 74"	82 lbs
QP217274SS-5	21" x 72" x 74"	94 lbs
QP242474SS-5	24" x 24" x 74"	53 lbs
QP243074SS-5	24" x 30" x 74"	61 lbs
QP243674SS-5	24" x 36" x 74"	68 lbs
QP244274SS-5	24" x 42" x 74"	76 lbs
QP244874SS-5	24" x 48" x 74"	83 lbs
QP245474SS-5	24" x 54" x 74"	92 lbs
QP246074SS-5	24" x 60" x 74"	100 lbs
QP247274SS-5	24" x 72" x 74"	115 lbs

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
86" Millenia 4 Shelf Solid Shelving Unit		
QP182486SS-4	18" x 24" x 86"	38 lbs
QP183086SS-4	18" x 30" x 86"	42 lbs
QP183686SS-4	18" x 36" x 86"	46 lbs
QP184286SS-4	18" x 42" x 86"	51 lbs
QP184886SS-4	18" x 48" x 86"	55 lbs
QP185486SS-4	18" x 54" x 86"	61 lbs
QP186086SS-4	18" x 60" x 86"	65 lbs
QP187286SS-4	18" x 72" x 86"	74 lbs
QP212486SS-4	21" x 24" x 86"	40 lbs
QP213086SS-4	21" x 30" x 86"	44 lbs
QP213686SS-4	21" x 36" x 86"	49 lbs
QP214286SS-4	21" x 42" x 86"	54 lbs
QP214886SS-4	21" x 48" x 86"	59 lbs
QP215486SS-4	21" x 54" x 86"	65 lbs
QP216086SS-4	21" x 60" x 86"	70 lbs
QP217286SS-4	21" x 72" x 86"	80 lbs
QP242486SS-4	24" x 24" x 86"	46 lbs
QP243086SS-4	24" x 30" x 86"	52 lbs
QP243686SS-4	24" x 36" x 86"	58 lbs
QP244286SS-4	24" x 42" x 86"	64 lbs
QP244886SS-4	24" x 48" x 86"	70 lbs
QP245486SS-4	24" x 54" x 86"	78 lbs
QP246086SS-4	24" x 60" x 86"	84 lbs
QP247286SS-4	24" x 72" x 86"	96 lbs
86" Millenia 5 Shelf Solid Shelving Unit		
QP182486SS-5	18" x 24" x 86"	44 lbs
QP183086SS-5	18" x 30" x 86"	49 lbs
QP183686SS-5	18" x 36" x 86"	55 lbs
QP184286SS-5	18" x 42" x 86"	60 lbs
QP184886SS-5	18" x 48" x 86"	66 lbs
QP185486SS-5	18" x 54" x 86"	73 lbs
QP186086SS-5	18" x 60" x 86"	78 lbs
QP187286SS-5	18" x 72" x 86"	89 lbs
QP212486SS-5	21" x 24" x 86"	47 lbs
QP213086SS-5	21" x 30" x 86"	53 lbs
QP213686SS-5	21" x 36" x 86"	58 lbs
QP214286SS-5	21" x 42" x 86"	64 lbs
QP214886SS-5	21" x 48" x 86"	70 lbs
QP215486SS-5	21" x 54" x 86"	78 lbs
QP216086SS-5	21" x 60" x 86"	84 lbs
QP217286SS-5	21" x 72" x 86"	96 lbs
QP242486SS-5	24" x 24" x 86"	55 lbs
QP243086SS-5	24" x 30" x 86"	62 lbs
QP243686SS-5	24" x 36" x 86"	70 lbs
QP244286SS-5	24" x 42" x 86"	77 lbs
QP244886SS-5	24" x 48" x 86"	85 lbs
QP245486SS-5	24" x 54" x 86"	94 lbs
QP246086SS-5	24" x 60" x 86"	101 lbs
QP247286SS-5	24" x 72" x 86"	116 lbs

Millenia Mixed Shelf Units

Mixed units have all vented shelves and solid bottom shelf. All complete mix shelf units consist of 3 or 4 vented shelves with a solid bottom shelf and 4 posts. Mobilize starter kit shelving unit using optional mobile kit.

Up to 1,000 lb.
LOAD CAPACITY PER SHELF

OPTIONAL MOBILE KIT
QPPSC-5S

Includes four 5"x1-1/4" Polymer swivel casters, 2 with brake and four donut bumpers
Up to 800 lb. mobile load capacity (evenly distributed)





4 SHELF MIXED UNIT



5 SHELF MIXED UNIT

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
62" Millenia 3 Vented 1 Solid Shelving Unit		
QP182462V3S1	18" x 24" x 62"	33 lbs
QP183062V3S1	18" x 30" x 62"	37 lbs
QP183662V3S1	18" x 36" x 62"	41 lbs
QP184262V3S1	18" x 42" x 62"	45 lbs
QP184862V3S1	18" x 48" x 62"	49 lbs
QP185462V3S1	18" x 54" x 62"	55 lbs
QP186062V3S1	18" x 60" x 62"	59 lbs
QP187262V3S1	18" x 72" x 62"	67 lbs
QP212462V3S1	21" x 24" x 62"	35 lbs
QP213062V3S1	21" x 30" x 62"	40 lbs
QP213662V3S1	21" x 36" x 62"	44 lbs
QP214262V3S1	21" x 42" x 62"	48 lbs
QP214862V3S1	21" x 48" x 62"	53 lbs
QP215462V3S1	21" x 54" x 62"	59 lbs
QP216062V3S1	21" x 60" x 62"	63 lbs
QP217262V3S1	21" x 72" x 62"	72 lbs
QP242462V3S1	24" x 24" x 62"	42 lbs
QP243062V3S1	24" x 30" x 62"	47 lbs
QP243662V3S1	24" x 36" x 62"	53 lbs
QP244262V3S1	24" x 42" x 62"	58 lbs
QP244862V3S1	24" x 48" x 62"	64 lbs
QP245462V3S1	24" x 54" x 62"	71 lbs
QP246062V3S1	24" x 60" x 62"	77 lbs
QP247262V3S1	24" x 72" x 62"	88 lbs
62" Millenia 4 Vented 1 Solid Shelving Unit		
QP182462V4S1	18" x 24" x 62"	39 lbs
QP183062V4S1	18" x 30" x 62"	44 lbs
QP183662V4S1	18" x 36" x 62"	49 lbs
QP184262V4S1	18" x 42" x 62"	54 lbs
QP184862V4S1	18" x 48" x 62"	59 lbs
QP185462V4S1	18" x 54" x 62"	66 lbs
QP186062V4S1	18" x 60" x 62"	71 lbs
QP187262V4S1	18" x 72" x 62"	81 lbs
QP212462V4S1	21" x 24" x 62"	42 lbs
QP213062V4S1	21" x 30" x 62"	47 lbs
QP213662V4S1	21" x 36" x 62"	53 lbs
QP214262V4S1	21" x 42" x 62"	58 lbs
QP214862V4S1	21" x 48" x 62"	64 lbs
QP215462V4S1	21" x 54" x 62"	71 lbs
QP216062V4S1	21" x 60" x 62"	76 lbs
QP217262V4S1	21" x 72" x 62"	87 lbs
QP242462V4S1	24" x 24" x 62"	50 lbs
QP243062V4S1	24" x 30" x 62"	57 lbs
QP243662V4S1	24" x 36" x 62"	64 lbs
QP244262V4S1	24" x 42" x 62"	70 lbs
QP244862V4S1	24" x 48" x 62"	77 lbs
QP245462V4S1	24" x 54" x 62"	86 lbs
QP246062V4S1	24" x 60" x 62"	93 lbs
QP247262V4S1	24" x 72" x 62"	107 lbs


MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
74" Millenia 3 Vented 1 Solid Shelving Unit		
QP182474V3S1	18" x 24" x 74"	35 lbs
QP183074V3S1	18" x 30" x 74"	39 lbs
QP183674V3S1	18" x 36" x 74"	43 lbs
QP184274V3S1	18" x 42" x 74"	47 lbs
QP184874V3S1	18" x 48" x 74"	51 lbs
QP185474V3S1	18" x 54" x 74"	57 lbs
QP186074V3S1	18" x 60" x 74"	61 lbs
QP187274V3S1	18" x 72" x 74"	69 lbs
QP212474V3S1	21" x 24" x 74"	37 lbs
QP213074V3S1	21" x 30" x 74"	41 lbs
QP213674V3S1	21" x 36" x 74"	46 lbs
QP214274V3S1	21" x 42" x 74"	50 lbs
QP214874V3S1	21" x 48" x 74"	54 lbs
QP215474V3S1	21" x 54" x 74"	60 lbs
QP216074V3S1	21" x 60" x 74"	65 lbs
QP217274V3S1	21" x 72" x 74"	74 lbs
QP242474V3S1	24" x 24" x 74"	43 lbs
QP243074V3S1	24" x 30" x 74"	49 lbs
QP243674V3S1	24" x 36" x 74"	54 lbs
QP244274V3S1	24" x 42" x 74"	60 lbs
QP244874V3S1	24" x 48" x 74"	66 lbs
QP245474V3S1	24" x 54" x 74"	73 lbs
QP246074V3S1	24" x 60" x 74"	78 lbs
QP247274V3S1	24" x 72" x 74"	89 lbs
74" Millenia 4 Vented 1 Solid Shelving Unit		
QP182474V4S1	18" x 24" x 74"	41 lbs
QP183074V4S1	18" x 30" x 74"	46 lbs
QP183674V4S1	18" x 36" x 74"	51 lbs
QP184274V4S1	18" x 42" x 74"	56 lbs
QP184874V4S1	18" x 48" x 74"	61 lbs
QP185474V4S1	18" x 54" x 74"	68 lbs
QP186074V4S1	18" x 60" x 74"	73 lbs
QP187274V4S1	18" x 72" x 74"	83 lbs
QP212474V4S1	21" x 24" x 74"	43 lbs
QP213074V4S1	21" x 30" x 74"	49 lbs
QP213674V4S1	21" x 36" x 74"	54 lbs
QP214274V4S1	21" x 42" x 74"	60 lbs
QP214874V4S1	21" x 48" x 74"	65 lbs
QP215474V4S1	21" x 54" x 74"	72 lbs
QP216074V4S1	21" x 60" x 74"	78 lbs
QP217274V4S1	21" x 72" x 74"	89 lbs
QP242474V4S1	24" x 24" x 74"	51 lbs
QP243074V4S1	24" x 30" x 74"	58 lbs
QP243674V4S1	24" x 36" x 74"	65 lbs
QP244274V4S1	24" x 42" x 74"	72 lbs
QP244874V4S1	24" x 48" x 74"	79 lbs
QP245474V4S1	24" x 54" x 74"	88 lbs
QP246074V4S1	24" x 60" x 74"	94 lbs
QP247274V4S1	24" x 72" x 74"	108 lbs

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
86" Millenia 3 Vented 1 Solid Shelving Unit		
QP182486V3S1	18" x 24" x 86"	38 lbs
QP183086V3S1	18" x 30" x 86"	42 lbs
QP183686V3S1	18" x 36" x 86"	46 lbs
QP184286V3S1	18" x 42" x 86"	51 lbs
QP184886V3S1	18" x 48" x 86"	55 lbs
QP185486V3S1	18" x 54" x 86"	61 lbs
QP186086V3S1	18" x 60" x 86"	65 lbs
QP187286V3S1	18" x 72" x 86"	74 lbs
QP212486V3S1	21" x 24" x 86"	40 lbs
QP213086V3S1	21" x 30" x 86"	44 lbs
QP213686V3S1	21" x 36" x 86"	49 lbs
QP214286V3S1	21" x 42" x 86"	54 lbs
QP214886V3S1	21" x 48" x 86"	59 lbs
QP215486V3S1	21" x 54" x 86"	65 lbs
QP216086V3S1	21" x 60" x 86"	70 lbs
QP217286V3S1	21" x 72" x 86"	80 lbs
QP242486V3S1	24" x 24" x 86"	46 lbs
QP243086V3S1	24" x 30" x 86"	52 lbs
QP243686V3S1	24" x 36" x 86"	58 lbs
QP244286V3S1	24" x 42" x 86"	64 lbs
QP244886V3S1	24" x 48" x 86"	70 lbs
QP245486V3S1	24" x 54" x 86"	78 lbs
QP246086V3S1	24" x 60" x 86"	84 lbs
QP247286V3S1	24" x 72" x 86"	96 lbs
86" Millenia 4 Vented 1 Solid Shelving Unit		
QP182486V4S1	18" x 24" x 86"	43 lbs
QP183086V4S1	18" x 30" x 86"	48 lbs
QP183686V4S1	18" x 36" x 86"	53 lbs
QP184286V4S1	18" x 42" x 86"	58 lbs
QP184886V4S1	18" x 48" x 86"	63 lbs
QP185486V4S1	18" x 54" x 86"	69 lbs
QP186086V4S1	18" x 60" x 86"	74 lbs
QP187286V4S1	18" x 72" x 86"	84 lbs
QP212486V4S1	21" x 24" x 86"	45 lbs
QP213086V4S1	21" x 30" x 86"	50 lbs
QP213686V4S1	21" x 36" x 86"	56 lbs
QP214286V4S1	21" x 42" x 86"	61 lbs
QP214886V4S1	21" x 48" x 86"	67 lbs
QP215486V4S1	21" x 54" x 86"	74 lbs
QP216086V4S1	21" x 60" x 86"	79 lbs
QP217286V4S1	21" x 72" x 86"	90 lbs
QP242486V4S1	24" x 24" x 86"	53 lbs
QP243086V4S1	24" x 30" x 86"	60 lbs
QP243686V4S1	24" x 36" x 86"	67 lbs
QP244286V4S1	24" x 42" x 86"	74 lbs
QP244886V4S1	24" x 48" x 86"	81 lbs
QP245486V4S1	24" x 54" x 86"	89 lbs
QP246086V4S1	24" x 60" x 86"	96 lbs
QP247286V4S1	24" x 72" x 86"	110 lbs

Accessories

PRODUCT ORGANIZATION

MODEL NO.	DIMENSIONS W" x H"	SHIP WGT
Millenia Dividers		
QPDIV18	18" x 7-7/8"	1 lb
QPDIV21	21" x 7-7/8"	1 lb
QPDIV24	24" x 7-7/8"	1 lb
Millenia Ledges		
QPL18	18" x 2-1/4"	1 lb
QPL21	21" x 2-1/4"	1 lb
QPL24	24" x 2-1/4"	1 lb
QPL30	30" x 2-1/4"	1 lb
QPL36	36" x 2-1/4"	1 lb
QPL42	42" x 2-1/4"	1 lb
QPL48	48" x 2-1/4"	1 lb
QPL54	54" x 2-1/4"	2 lbs
QPL60	60" x 2-1/4"	2 lbs
QPL72	72" x 2-1/4"	2 lbs



DIVIDERS
QPDIV
7-7/8" Height



ADJUSTABLE HEIGHT SIDE AND BACK LEDGE
QPL
2-1/4" Height

LABEL HOLDERS

MODEL NO.	DIMENSIONS W"	SHIP WGT
Millenia Label Holders		
QPLH5C	5-1/2" Clear Label Holder	1 lb
QPLH17C	17-1/2" Clear Label Holder Fits 24" Shelf	1 lb
QPLH23C	23-1/2" Clear Label Holder Fits 30" Shelf	1 lb
QPLH29C	29-1/2" Clear Label Holder Fits 36" Shelf	1 lb
QPLH35C	35-1/2" Clear Label Holder Fits 42" Shelf	1 lb
QPLH41C	41-1/2" Clear Label Holder Fits 48" Shelf	1 lb
QPLH47C	47-1/2" Clear Label Holder Fits 54" Shelf	1 lb
QPLH53C	53-1/2" Clear Label Holder Fits 60" Shelf	1 lb
QPLH65C	65-1/2" Clear Label Holder Fits 72" Shelf	1 lb
Millenia Laser and Inkjet Label Inserts		
QPLHI-3	3" Inserts (8-1/2" x 11" Sheets)	1 lb
QPLHI-5	5-1/2" Inserts (8-1/2" x 11" Sheets)	1 lb




CLEAR LABEL HOLDER WITH 3" INSERTS
QPLH29C + QPLHI-3


MOBILE APPLICATIONS



MOBILE KIT
QPPSC-5S
Includes four 5"x1-1/4" Polymer swivel casters, 2 with brake and four donut bumpers. Up to 800 lb. mobile load capacity *(evenly distributed)*

ADD-ON UNIT CAPABILITY





BEAM CONNECTOR ADAPTER
QPS-HOOK
Hooks only needed on "L" shape configurations
**Recommended for stationary units only*




CORNER COVER ADAPTER
QP-ADC
Must be purchased with all Add-On units
(Sold as 8-pack)

Accessories

WEIGHT SUPPORT





A - Works in diagonal for units 18", 21"W
B - Works horizontal for units 24"W

DUNNAGE SUPPORT STAND*
QPDS
Allows for additional weight and stability
**Extra reinforcement dunnage stand recommended for units with 54" and longer shelves*




WALL BRACKET
QP-WMB
Used to hold a shelf unit from tipping over *(Sold as 2-pack)*
**Recommended for stationary units only*

Millenia Platforms

All platform units consist of 1 shelf and 4 14" posts. ***Color:*** Gray


MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
Millenia Vented Platforms		
QP183614VP	18" x 36" x 14"	12 lbs
QP184814VP	18" x 48" x 14"	14 lbs
QP186014VP	18" x 60" x 14"	16 lbs
QP243614VP	24" x 36" x 14"	15 lbs
QP244814VP	24" x 48" x 14"	17 lbs
QP246014VP	24" x 60" x 14"	20 lbs
Millenia Solid Platforms		
QP183614SP	18" x 36" x 14"	13 lbs
QP184814SP	18" x 48" x 14"	15 lbs
QP186014SP	18" x 60" x 14"	17 lbs
QP243614SP	24" x 36" x 14"	16 lbs
QP244814SP	24" x 48" x 14"	19 lbs
QP246014SP	24" x 60" x 14"	22 lbs





NEW
VENTED PLATFORM
QP243614VP

Up to 1,000 lb.
LOAD CAPACITY



NEW
SOLID PLATFORM
QP243614SP





NEW
GUSSETS
QPG
Included with all shelves for extra support
(Sold as 4-pack)

Millenia Drying Racks

Drying racks allow items to be spread out reducing the risk of mold and bacteria growth. All drying rack complete units include 4 shelf frames with corresponding cradles or shelf plates, 4 posts and mobile kit.

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
Millenia Universal Drying Racks		
QPM243068DR	24" x 30" x 68"	58 lbs
QPM244268DR	24" x 42" x 68"	67 lbs
QPM245468DR	24" x 54" x 68"	78 lbs
Millenia Pronged Drying Racks		
QPM243068PDR1	24" x 30" x 68"	54 lbs
QPM244268PDR1	24" x 42" x 68"	62 lbs
QPM245468PDR1	24" x 54" x 68"	70 lbs
QPM243068PDR2	24" x 30" x 68"	62 lbs
QPM244268PDR2	24" x 42" x 68"	74 lbs
QPM245468PDR2	24" x 54" x 68"	86 lbs
Millenia Waved Drying Racks		
QPM243068WDR	24" x 30" x 68"	62 lbs
QPM244268WDR	24" x 42" x 68"	74 lbs
QPM245468WDR	24" x 54" x 68"	86 lbs

BUILT FOR EFFICIENT AND CONVENIENT DRYING NEW



PRONGED DRYING RACK COMPLETE UNITS
QPM244268PDR2



UNIVERSAL DRYING RACK COMPLETE UNITS
QPM244268DR



WAVED DRYING RACK COMPLETE UNITS
QPM244268WDR

SANITATION WITH DURABILITY



SHELF FRAMES
QP2430F
QP2442F
QP2454F
Shelf frames are needed in order to use drying cradles.

DRYING CRADLES



PRONGED DRYING CRADLE
QPDR1
Easily attaches to shelf frames.
Perfect for dishes, drying cups, glassware, or trays.
1-1/2" spacing between each 2-3/4"H prong.



PRONGED DRYING CRADLE
QPDR2
Easily attaches to shelf frames.
Perfect for dishes, drying cups, glassware, or trays.
2-1/2" spacing between each 2-3/4"H prong.



WAVED DRYING AND STORAGE CRADLE
QPWDR
Easily attaches to shelf frames.
Perfect for drying dishes and flat boards.

Polymer Wire Shelving Units

NSF

Hybrid wire epoxy and polymer shelving. Durable polymer mat composition withstands high temperatures and daily rigorous usage and can be easily removed for cleaning by hand or industrial dish washer. All welded wire shelf frames and posts are constructed of heavy-gauge carbon steel. 15 year limited warranty on the epoxy metal finish and a lifetime limited warranty corrosion and rust free on the plastic. Super competitive cost. Twelve sizes ship in one box for super easy inventory control, shipping, and receiving.




4 SHELF UNIT
Proform Green Epoxy Finish



QUICK, EASY ASSEMBLY

Posts have a double groove visual guide feature, single circular grooves at 1" increments, and are numbered at 1" intervals. Tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools.



EASY TO CLEAN

Shelf plates can be easily removed for cleaning by hand or industrial dishwasher.

LIMITED 15 YEARS WARRANTY

LIMITED LIFETIME WARRANTY

Up to 600-800 lb.
LOAD CAPACITY PER SHELF


PERFORMANCE FEATURES:

- 15 year limited warranty on Epoxy, Lifetime limited warranty on plastic
- Shelving unit materials:
  - Post and shelf: Proform Green Epoxy
  - Shelf Plates: Polymer mat (with antimicrobial protection)
- Easily removable and dishwasher safe shelf plates
- Smooth, vented, open grid surface allows for air circulation and minimal dust buildup
- Smooth solid mat surface retains spillage
- Wire shelving can adapt to your changing needs. By using various accessories, hundreds of shelving configurations become possible
- Posts and shelves are compatible with the industry standard wire shelving
- Architectural wire trusses increase shelf capacity
- Shelves can be loaded/unloaded easily from all sides. This open construction allows maximum use of storage cube
- Unit can be used continuously within a temperature range of -20/120°F and up to 200°F on intermittently exposure
- Up to 600-800 lb. load capacity per shelf evenly distributed
- No tools required for assembly
- National Sanitation Foundation *(NSF)* Approved
- Mobile capability available
- Shipped KD Class 70
- Resistant against corrosion

WIDTHS (W): 14", 18", 21", 24"
LENGTHS (L): 30", 36", 42", 48", 54", 60", 72"
HEIGHTS (H): 6", 14", 34", 54", 63", 74", 86"

SINGLE BOX UNITS ALSO AVAILABLE

SHIPS ALL IN BOX



VENTED **SOLID**

SINGLE BOX SHIPMENT

SUPER LOW TRANSIT COST

INSIDE THE SINGLE BOX UNIT

4 - posts *(**2** or **3** pieces each)*
4 - wire frames
4 - plastic vented or solid mats *(**2** or **3** pieces each)*
4 - packs of split sleeves



Polymer Wire Shelves

Hybrid wire epoxy and polymer mat shelves offer a unique combination of shelf sizes. The shelf construction is supported with architectural wire trusses to provide from up to 600 lb. to 800 lb. capacity per shelf. Vented shelf plates allows air to circulate for minimal dirt accumulation and light to penetrate for increased product visibility. Shelf plates are easily removable and dishwasher safe. Antimicrobial durable finish and aesthetically pleasing. National Sanitation Foundation (NSF) Approved. Plastic split sleeves are included with each shelf and replacements are available. S-Hooks are available for continuous runs of shelving. Two hooks should be placed per shelf where two posts are not utilized. No tools required for assembly.

WR-SS
Split Sleeves
Additional pieces available
(Sold as 4-pairs)



S-HOOKWPM
S-Hook
Additional pieces available
(Sold as 4-pairs)





Load capacity (evenly distributed) per shelf

WIDTHS: 14" to 24"
LENGTHS: 800 lbs. for 30" to 48"
600 lbs. for 54" or longer

Up to 600-800 lb.
LOAD CAPACITY PER SHELF

VENTED MODEL NO.	SOLID MODEL NO.	SHELF W" x L"	SHIP WGT
14" Width - Shelves			
1424WPM	1424WPMS	14" x 24"	4 lbs
1430WPM	1430WPMS	14" x 30"	6 lbs
1436WPM	1436WPMS	14" x 36"	8 lbs
1442WPM	1442WPMS	14" x 42"	10 lbs
1448WPM	1448WPMS	14" x 48"	12 lbs
1454WPM	1454WPMS	14" x 54"	13 lbs
1460WPM	1460WPMS	14" x 60"	15 lbs
1472WPM	1472WPMS	14" x 72"	18 lbs
18" Width - Shelves			
1824WPM	1824WPMS	18" x 24"	5 lbs
1830WPM	1830WPMS	18" x 30"	7 lbs
1836WPM	1836WPMS	18" x 36"	9 lbs
1842WPM	1842WPMS	18" x 42"	10 lbs
1848WPM	1848WPMS	18" x 48"	11 lbs
1854WPM	1854WPMS	18" x 54"	12 lbs
1860WPM	1860WPMS	18" x 60"	13 lbs
1872WPM	1872WPMS	18" x 72"	16 lbs
21" Width - Shelves			
2124WPM	2124WPMS	21" x 24"	5 lbs
2130WPM	2130WPMS	21" x 30"	7 lbs
2136WPM	2136WPMS	21" x 36"	9 lbs
2142WPM	2142WPMS	21" x 42"	10 lbs
2148WPM	2148WPMS	21" x 48"	11 lbs
2154WPM	2154WPMS	21" x 54"	12 lbs
2160WPM	2160WPMS	21" x 60"	13 lbs
2172WPM	2172WPMS	21" x 72"	16 lbs
24" Width - Shelves			
2424WPM	2424WPMS	24" x 24"	9 lbs
2430WPM	2430WPMS	24" x 30"	11 lbs
2436WPM	2436WPMS	24" x 36"	13 lbs
2442WPM	2442WPMS	24" x 42"	14 lbs
2448WPM	2448WPMS	24" x 48"	15 lbs
2454WPM	2454WPMS	24" x 54"	16 lbs
2460WPM	2460WPMS	24" x 60"	19 lbs
2472WPM	2472WPMS	24" x 72"	23 lbs

Polymer Wire Posts

All posts are fabricated from 16 gauge carbon steel with location grooves on one inch increments and ease for shelf installation. Numbers are printed between grooves for quick assembly. Posts are double grooved in consistent intervals for quick identification. Leveling legs are enclosed with all posts. Leveling legs cannot be used in conjunction with stem casters. Custom post heights are available, call for additional information.

MODEL NO.	DESCRIPTION	SHIP WGT
P6P	6"H Post	1 lb
P14P	14"H Post	2 lbs
P34P	34"H Post	2 lbs
P54P	54"H Post	3 lbs
P63P*	63"H Post	4 lbs
P74P*	74"H Post	4 lbs
P86P*	86"H Post	5 lbs
P96P	96"H Post	6 lbs

***PRE-INSERTED LEVELERS** For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an **X** to the Model No. **P74PX**

CUSTOM POST HEIGHTS ALSO AVAILABLE

LASER PRINTED NUMBERS
For quick shelf positioning


DOUBLE GROOVES
For quick identification

W-PLI
Post Insert
Additional pieces available
(Sold as 4-pack)

W-PLB
Post Leveler adjusts up or down allowing height flexibility
(Sold as 4-pack)



FP
Foot Plate
W-FG
Floor Guides
(Sold separately as 4-pack)



Foot Plate



Floor Glides

W-PC-STUD
Threaded **Stud Connector** can be utilized to connect two posts enabling any post height to be achieved. Must be used with **WR-WMB** to secure to wall
See ***pg. 32***



Post Cap



W-PC
Replacement Post Cap
(Sold as 4-pack)



4 Shelf Polymer Wire Shelving Unit

Up to 600-800 lb.
LOAD CAPACITY PER SHELF

ADD SUFFIX "S" TO MODEL NO. TO ORDER SOLID SHELF UNIT
Ex. WR63-1424WPMS or WR63-1424WPMS-5

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
63"H - 4 Shelves Units			74"H - 4 Shelves Units			86"H - 4 Shelves Units		
WR63-1424WPM	14" x 24" x 63"	32 lbs	WR74-1424WPM	14" x 24" x 74"	32 lbs	WR86-1424WPM	14" x 24" x 86"	36 lbs
WR63-1430WPM	14" x 30" x 63"	41 lbs	WR74-1430WPM	14" x 30" x 74"	41 lbs	WR86-1430WPM	14" x 30" x 86"	45 lbs
WR63-1436WPM	14" x 36" x 63"	48 lbs	WR74-1436WPM	14" x 36" x 74"	48 lbs	WR86-1436WPM	14" x 36" x 86"	52 lbs
WR63-1442WPM	14" x 42" x 63"	56 lbs	WR74-1442WPM	14" x 42" x 74"	56 lbs	WR86-1442WPM	14" x 42" x 86"	60 lbs
WR63-1448WPM	14" x 48" x 63"	64 lbs	WR74-1448WPM	14" x 48" x 74"	64 lbs	WR86-1448WPM	14" x 48" x 86"	68 lbs
WR63-1454WPM	14" x 54" x 63"	70 lbs	WR74-1454WPM	14" x 54" x 74"	70 lbs	WR86-1454WPM	14" x 54" x 86"	74 lbs
WR63-1460WPM	14" x 60" x 63"	76 lbs	WR74-1460WPM	14" x 60" x 74"	76 lbs	WR86-1460WPM	14" x 60" x 86"	80 lbs
WR63-1472WPM	14" x 72" x 63"	89 lbs	WR74-1472WPM	14" x 72" x 74"	89 lbs	WR86-1472WPM	14" x 72" x 86"	93 lbs
WR63-1824WPM	18" x 24" x 63"	36 lbs	WR74-1824WPM	18" x 24" x 74"	36 lbs	WR86-1824WPM	18" x 24" x 86"	40 lbs
WR63-1830WPM	18" x 30" x 63"	48 lbs	WR74-1830WPM*	18" x 30" x 74"	48 lbs	WR86-1830WPM	18" x 30" x 86"	52 lbs
WR63-1836WPM	18" x 36" x 63"	56 lbs	WR74-1836WPM*	18" x 36" x 74"	56 lbs	WR86-1836WPM	18" x 36" x 86"	60 lbs
WR63-1842WPM	18" x 42" x 63"	64 lbs	WR74-1842WPM*	18" x 42" x 74"	64 lbs	WR86-1842WPM	18" x 42" x 86"	68 lbs
WR63-1848WPM	18" x 48" x 63"	68 lbs	WR74-1848WPM*	18" x 48" x 74"	68 lbs	WR86-1848WPM	18" x 48" x 86"	72 lbs
WR63-1854WPM	18" x 54" x 63"	76 lbs	WR74-1854WPM	18" x 54" x 74"	76 lbs	WR86-1854WPM	18" x 54" x 86"	80 lbs
WR63-1860WPM	18" x 60" x 63"	84 lbs	WR74-1860WPM	18" x 60" x 74"	84 lbs	WR86-1860WPM	18" x 60" x 86"	88 lbs
WR63-1872WPM	18" x 72" x 63"	96 lbs	WR74-1872WPM	18" x 72" x 74"	96 lbs	WR86-1872WPM	18" x 72" x 86"	100 lbs
WR63-2124WPM	21" x 24" x 63"	36 lbs	WR74-2124WPM	21" x 24" x 74"	36 lbs	WR86-2124WPM	21" x 24" x 86"	40 lbs
WR63-2130WPM	21" x 30" x 63"	56 lbs	WR74-2130WPM*	21" x 30" x 74"	56 lbs	WR86-2130WPM	21" x 30" x 86"	60 lbs
WR63-2136WPM	21" x 36" x 63"	64 lbs	WR74-2136WPM*	21" x 36" x 74"	64 lbs	WR86-2136WPM	21" x 36" x 86"	68 lbs
WR63-2142WPM	21" x 42" x 63"	68 lbs	WR74-2142WPM*	21" x 42" x 74"	68 lbs	WR86-2142WPM	21" x 42" x 86"	72 lbs
WR63-2148WPM	21" x 48" x 63"	76 lbs	WR74-2148WPM*	21" x 48" x 74"	76 lbs	WR86-2148WPM	21" x 48" x 86"	80 lbs
WR63-2154WPM	21" x 54" x 63"	84 lbs	WR74-2154WPM	21" x 54" x 74"	84 lbs	WR86-2154WPM	21" x 54" x 86"	88 lbs
WR63-2160WPM	21" x 60" x 63"	92 lbs	WR74-2160WPM	21" x 60" x 74"	92 lbs	WR86-2160WPM	21" x 60" x 86"	96 lbs
WR63-2172WPM	21" x 72" x 63"	104 lbs	WR74-2172WPM	21" x 72" x 74"	104 lbs	WR86-2172WPM	21" x 72" x 86"	108 lbs
WR63-2424WPM	24" x 24" x 63"	52 lbs	WR74-2424WPM	24" x 24" x 74"	52 lbs	WR86-2424WPM	24" x 24" x 86"	56 lbs
WR63-2430WPM	24" x 30" x 63"	64 lbs	WR74-2430WPM*	24" x 30" x 74"	64 lbs	WR86-2430WPM	24" x 30" x 86"	68 lbs
WR63-2436WPM	24" x 36" x 63"	68 lbs	WR74-2436WPM*	24" x 36" x 74"	68 lbs	WR86-2436WPM	24" x 36" x 86"	72 lbs
WR63-2442WPM	24" x 42" x 63"	72 lbs	WR74-2442WPM*	24" x 42" x 74"	72 lbs	WR86-2442WPM	24" x 42" x 86"	76 lbs
WR63-2448WPM	24" x 48" x 63"	80 lbs	WR74-2448WPM*	24" x 48" x 74"	80 lbs	WR86-2448WPM	24" x 48" x 86"	84 lbs
WR63-2454WPM	24" x 54" x 63"	92 lbs	WR74-2454WPM	24" x 54" x 74"	92 lbs	WR86-2454WPM	24" x 54" x 86"	96 lbs
WR63-2460WPM	24" x 60" x 63"	96 lbs	WR74-2460WPM	24" x 60" x 74"	96 lbs	WR86-2460WPM	24" x 60" x 86"	100 lbs
WR63-2472WPM	24" x 72" x 63"	112 lbs	WR74-2472WPM	24" x 72" x 74"	112 lbs	WR86-2472WPM	24" x 72" x 86"	116 lbs

*PACKAGED AS SINGLE BOX SHELVING UNITS

5 Shelf Polymer Wire Shelving Unit

PRE-INSERTED LEVELERS For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an **X** to the Model No. WR86-2436WPM**X**, WR86-2436WPM-5**X**.

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
74"H - 5 Shelves Units			86"H - 5 Shelves Units		
WR74-1424WPM-5	14" x 24" x 74"	36 lbs	WR86-1424WPM-5	14" x 24" x 86"	40 lbs
WR74-1430WPM-5	14" x 30" x 74"	48 lbs	WR86-1430WPM-5	14" x 30" x 86"	52 lbs
WR74-1436WPM-5	14" x 36" x 74"	56 lbs	WR86-1436WPM-5	14" x 36" x 86"	60 lbs
WR74-1442WPM-5	14" x 42" x 74"	66 lbs	WR86-1442WPM-5	14" x 42" x 86"	70 lbs
WR74-1448WPM-5	14" x 48" x 74"	76 lbs	WR86-1448WPM-5	14" x 48" x 86"	80 lbs
WR74-1454WPM-5	14" x 54" x 74"	83 lbs	WR86-1454WPM-5	14" x 54" x 86"	87 lbs
WR74-1460WPM-5	14" x 60" x 74"	91 lbs	WR86-1460WPM-5	14" x 60" x 86"	95 lbs
WR74-1472WPM-5	14" x 72" x 74"	108 lbs	WR86-1472WPM-5	14" x 72" x 86"	112 lbs
WR74-1824WPM-5	18" x 24" x 74"	41 lbs	WR86-1824WPM-5	18" x 24" x 86"	45 lbs
WR74-1830WPM-5	18" x 30" x 74"	56 lbs	WR86-1830WPM-5	18" x 30" x 86"	60 lbs
WR74-1836WPM-5	18" x 36" x 74"	66 lbs	WR86-1836WPM-5	18" x 36" x 86"	70 lbs
WR74-1842WPM-5	18" x 42" x 74"	76 lbs	WR86-1842WPM-5	18" x 42" x 86"	80 lbs
WR74-1848WPM-5	18" x 48" x 74"	81 lbs	WR86-1848WPM-5	18" x 48" x 86"	85 lbs
WR74-1854WPM-5	18" x 54" x 74"	91 lbs	WR86-1854WPM-5	18" x 54" x 86"	95 lbs
WR74-1860WPM-5	18" x 60" x 74"	101 lbs	WR86-1860WPM-5	18" x 60" x 86"	105 lbs
WR74-1872WPM-5	18" x 72" x 74"	116 lbs	WR86-1872WPM-5	18" x 72" x 86"	120 lbs
WR74-2124WPM-5	21" x 24" x 74"	41 lbs	WR86-2124WPM-5	21" x 24" x 86"	45 lbs
WR74-2130WPM-5	21" x 30" x 74"	66 lbs	WR86-2130WPM-5	21" x 30" x 86"	70 lbs
WR74-2136WPM-5	21" x 36" x 74"	76 lbs	WR86-2136WPM-5	21" x 36" x 86"	80 lbs
WR74-2142WPM-5	21" x 42" x 74"	81 lbs	WR86-2142WPM-5	21" x 42" x 86"	85 lbs
WR74-2148WPM-5	21" x 48" x 74"	91 lbs	WR86-2148WPM-5	21" x 48" x 86"	95 lbs
WR74-2154WPM-5	21" x 54" x 74"	101 lbs	WR86-2154WPM-5	21" x 54" x 86"	105 lbs
WR74-2160WPM-5	21" x 60" x 74"	111 lbs	WR86-2160WPM-5	21" x 60" x 86"	115 lbs
WR74-2172WPM-5	21" x 72" x 74"	126 lbs	WR86-2172WPM-5	21" x 72" x 86"	130 lbs
WR74-2424WPM-5	24" x 24" x 74"	61 lbs	WR86-2424WPM-5	24" x 24" x 86"	65 lbs
WR74-2430WPM-5	24" x 30" x 74"	76 lbs	WR86-2430WPM-5	24" x 30" x 86"	80 lbs
WR74-2436WPM-5	24" x 36" x 74"	81 lbs	WR86-2436WPM-5	24" x 36" x 86"	85 lbs
WR74-2442WPM-5	24" x 42" x 74"	86 lbs	WR86-2442WPM-5	24" x 42" x 86"	90 lbs
WR74-2448WPM-5	24" x 48" x 74"	96 lbs	WR86-2448WPM-5	24" x 48" x 86"	100 lbs
WR74-2454WPM-5	24" x 54" x 74"	111 lbs	WR86-2454WPM-5	24" x 54" x 86"	115 lbs
WR74-2460WPM-5	24" x 60" x 74"	116 lbs	WR86-2460WPM-5	24" x 60" x 86"	120 lbs
WR74-2472WPM-5	24" x 72" x 74"	136 lbs	WR86-2472WPM-5	24" x 72" x 86"	140 lbs

5 SHELF UNIT
Proform Green Polymer Finish



4 SHELF UNIT
Proform Green Polymer Finish



Drying Rack - 4 Shelf Units

Drying rack allows you to store and dry cutting boards, trays and pans. All units come with 2 cutting board/tray and 2 pan drying racks. ***Finish:*** Proform Green/Gray Epoxy

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Complete Drying Rack Units		
M2436W46DR	24" x 36" x 63"	134 lbs
M2448W46DR	24" x 48" x 63"	162 lbs
M2460W46DR	24" x 60" x 63"	194 lbs



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)*
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity.

Can Rack - 4 Shelf Units

Can rack is front-loading, front-dispensing. 36" unit come with 4 can racks per shelf, 48" unit come with 5 can racks per shelf. ***Finish:*** Proform Green/Gray Epoxy

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Complete Can Rack Units		
WR74-CR2436WPM	24" x 36" x 74"	152 lbs
WR74-CR2448WPM	24" x 48" x 74"	181 lbs

FITS FROM 24-43 TRAYS PER RACK



NEW
M2448W46DR
Green Polymer and Gray Epoxy Finish

FITS FROM 8-#10 OR 12-#5 CANS PER RACK

FITS FROM 10-17 PANS PER RACK



NEW
WR74-CR2436WPM
Green Polymer and Gray Epoxy Finish

S-Hooks


NEW


For continuous runs of shelving. Two hooks should be used per shelf where two posts are not utilized. Sold as an 8 pack.
Finish: Proform Green/Stainless Steel




S-HOOKWPM
Proform Green Epoxy/ Stainless Steel








HYBRID POLYMER SHELVING ADD-ON LAYOUT OPTIONS



Label Holder

NON-STOCKER



ULH3C
Label Holder
1-3/8" x 3"
Other length sizes
ULH33C 33"
ULH45C 45"
ULH57C 57"
ULH69C 69"

EASY IDENTIFICATION OF AISLES/ROWS CONTENTS

Post Label Holders

New post label holders come in two sizes and allow for easy identification of aisles/rows as well as of wire cart contents. Attach to standard 1" diameter posts. Each package includes 12 clear holders and corresponding printer friendly sheet labels.

MODEL NO.	DIMENSIONS W" x L"	PKG QTY	SHIP WGT
PLH1X6C	1" x 6"	12 pcs	1 lb
PLH2X4C	2" x 4"	12 pcs	1 lb



PLH1X6C
Post Label
1" x 6"



PLH2X4C
Post Label
2" x 4"


Tray/Pan Drying Racks

NSF

LIMITED 15 YEARS WARRANTY


Drying rack allow you to store and dry cutting boards, trays and pans. Rack fits on 24" deep shelves fitting from 43 trays to 17 pans per rack. ***Finish:*** Gray Epoxy

MODEL NO.	DIMENSIONS W" x L" x H"	TRAYS/PANS CAP	SHIP WGT
Cutting Board/Tray Drying Racks 1-1/8" Spacing			
TDR24361GY	24" x 36" x 8"	24	15 lbs
TDR24481GY	24" x 48" x 8"	34	21 lbs
TDR24601GY	24" x 60" x 8"	43	26 lbs
Pan Drying Racks 3" Spacing			
TDR24363GY	24" x 36" x 8"	10	11 lbs
TDR24483GY	24" x 48" x 8"	14	15 lbs
TDR24603GY	24" x 60" x 8"	17	18 lbs




NEW

CR24GY
Gray Epoxy Finish



NEW

TDR24361GY
Gray Epoxy Finish



NEW

TDR24363GY
Gray Epoxy Finish

Can Racks

NSF

LIMITED 15 YEARS WARRANTY

Can rack is front-loading, front-dispensing. Each rack fits on 24" deep shelves and can fit from 8#10 or 12#5 cans per rack.
Finish: Gray Epoxy

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Can Racks		
CR24GY	25-1/2" x 8" x 15"	9 lbs

Wire Shelves

NSF

Genuine Quantum modular wire systems offer a unique combination of shelf and post sizes in a variety of finishes to work in any application. The all welded shelf construction is supported with architectural wire trusses to provide between up to 600 lb. and 1,000 lb. capacity per shelf.

LIMITED 1 YEAR WARRANTY

LIMITED 15 YEARS WARRANTY


LIMITED LIFETIME WARRANTY

Up to 600-800 lb.
LOAD CAPACITY PER SHELF

Up to 1,000 lb.
LOAD CAPACITY PER HEAVY-DUTY SHELF *(HD Models)*



- CHROME
- 304 STAINLESS STEEL
- PROFORM GREEN EPOXY
- GRAY EPOXY
- BLACK EPOXY



2460HD
Heavy-Duty Wire Shelf
All welded construction with thicker gauge wires and additional wire trussing allowing for up to 1,000 lb. capacity

		CHROME	STAINLESS STEEL	EPOXY		
				PROFORM GREEN	GRAY	BLACK
SHELF W" x L"	SHIP WGT	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.
12" Deep - Wire Shelves						
12" x 24"	6 lbs	1224C	-	1224P	1224GY	1224BK
12" x 30"	6 lbs	1230C	-	1230P	1230GY	1230BK
12" x 36"	7 lbs	1236C	1236S	1236P	1236GY	1236BK
12" x 42"	8 lbs	1242C	-	1242P	1242GY	1242BK
12" x 48"	9 lbs	1248C	1248S	1248P	1248GY	1248BK
12" x 60"	14 lbs	1260C	1260S	1260P	1260GY	1260BK
12" x 72"	17 lbs	1272C	1272S	1272P	1272GY	1272BK
14" Deep - Wire Shelves						
14" x 24"	6 lbs	1424C	-	1424P	1424GY	1424BK
14" x 30"	7 lbs	1430C	1430S	1430P	1430GY	1430BK
14" x 36"	8 lbs	1436C	1436S	1436P	1436GY	1436BK
14" x 42"	10 lbs	1442C	1442S	1442P	1442GY	1442BK
14" x 48"	11 lbs	1448C	1448S	1448P	1448GY	1448BK
14" x 54"	12 lbs	1454C	1454S	1454P	1454GY	1454BK
14" x 60"	14 lbs	1460C	1460S	1460P	1460GY	1460BK
14" x 72"	17 lbs	1472C	1472S	1472P	1472GY	1472BK
18" Deep - Wire Shelves						
18" x 24"	7 lbs	1824C	1824S	1824P	1824GY	1824BK
18" x 30"	8 lbs	1830C	1830S	1830P	1830GY	1830BK
18" x 36"	10 lbs	1836C	1836S	1836P	1836GY	1836BK
18" x 42"	11 lbs	1842C	1842S	1842P	1842GY	1842BK
18" x 48"	14 lbs	1848C	1848S	1848P	1848GY	1848BK
18" x 54"	15 lbs	1854C	1854S	1854P	1854GY	1854BK
18" x 60"	17 lbs	1860C	1860S	1860P	1860GY	1860BK
18" x 72"	20 lbs	1872C	1872S	1872P	1872GY	1872BK
21" Deep - Wire Shelves						
21" x 24"	8 lbs	2124C	2124S	2124P	2124GY	2124BK
21" x 30"	9 lbs	2130C	2130S	2130P	2130GY	2130BK
21" x 36"	11 lbs	2136C	2136S	2136P	2136GY	2136BK
21" x 42"	12 lbs	2142C	2142S	2142P	2142GY	2142BK
21" x 48"	14 lbs	2148C	2148S	2148P	2148GY	2148BK
21" x 54"	16 lbs	2154C	2154S	2154P	2154GY	2154BK
21" x 60"	18 lbs	2160C	2160S	2160P	2160GY	2160BK
21" x 72"	24 lbs	2172C	2172S	2172P	2172GY	2172BK
24" Deep - Wire Shelves						
24" x 24"	9 lbs	2424C	2424S	2424P	2424GY	2424BK
24" x 30"	11 lbs	2430C	2430S	2430P	2430GY	2430BK
24" x 36"	13 lbs	2436C	2436S	2436P	2436GY	2436BK
24" x 42"	15 lbs	2442C	2442S	2442P	2442GY	2442BK
24" x 48"	16 lbs	2448C	2448S	2448P	2448GY	2448BK
24" x 54"	18 lbs	2454C	2454S	2454P	2454GY	2454BK
24" x 60"	21 lbs	2460C	2460S	2460P	2460GY	2460BK
24" x 66"	23 lbs	2466C	-	2466P	2466GY	-
24" x 72"	26 lbs	2472C	2472S	2472P	2472GY	2472BK
24" Deep Heavy-Duty - Wire Shelves (1,000 lb. capacity)						
24" x 60"	25 lbs	2460CHD	-	-	-	-
24" x 72"	30 lbs	2472CHD	-	-	-	-
30" Deep - Wire Shelves						
30" x 30"	12 lbs	-	-	-	3030GY	-
30" x 36"	15 lbs	3036C	3036S	3036P	3036GY	3036BK
30" x 42"	18 lbs	3042C	3042S	3042P	3042GY	3042BK
30" x 48"	21 lbs	3048C	3048S	3048P	3048GY	3048BK
30" x 60"	27 lbs	3060C	3060S	3060P	3060GY	3060BK
30" x 72"	31 lbs	3072C	3072S	3072P	3072GY	3072BK
36" Deep - Wire Shelves						
36" x 36"	18 lbs	3636C	3636S	3636P	3636GY	3636BK
36" x 48"	23 lbs	3648C	3648S	3648P	3648GY	3648BK
36" x 60"	29 lbs	3660C	3660S	3660P	3660GY	3660BK
36" x 72"	35 lbs	3672C	3672S	3672P	3672GY	3672BK

PERFORMANCE FEATURES:

- All welded construction with additional wire trussing for high strength characteristics
- Top mat wires run front to back *(except on 12" x 36" size)* for ease of loading and unloading and superior strength
- Wire allows air to circulate and light to penetrate for increased product visibility
- Minimal dirt accumulation
- Split sleeve connectors secure shelf corners to posts
- Numbered grooved posts on 1 inch increments for quick assembly
- No tools required for assembly
- Adjustable foot levelers allow for perfect stability
- Durable finishes
- Aesthetically pleasing
- Optional accessories *(see **pgs. 30-35**)*
- National Sanitation Foundation *(NSF)* Approved
- Shipped KD Class 70
- Up to 600 and 1,000 lb. capacity per shelf

Posts

NSF

All posts are fabricated from 16 gauge carbon steel with location grooves on one inch increments and ease for shelf installation. Numbers are printed between grooves for quick assembly. Posts are double grooved in consistent intervals for quick identification. Leveling legs are enclosed with all posts. Leveling legs cannot be used in conjunction with stem casters. Custom post heights are available, call for additional information.

		CHROME	STAINLESS STEEL	EPOXY		
				PROFORM GREEN	GRAY	BLACK
DESCRIPTION	SHIP WGT	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.
6"H Post	1 lb	P6C	P6S	P6P	P6GY	P6BK
14"H Post	2 lbs	P14C	P14S	P14P	P14GY	P14BK
34"H Post	2 lbs	P34C	P34S	P34P	P34GY	P34BK
36"H Post	2 lbs	P36C	-	-	-	-
39"H Post	2 lbs	P39C	-	-	-	P39BK
42"H Post	2 lbs	-	P42S	-	-	-
54"H Post	3 lbs	P54C	P54S	P54P	P54GY	P54BK
63"H Post	4 lbs	P63C*	P63S	P63P*	P63GY*	P63BK*
74"H Post	4 lbs	P74C*	P74S	P74P*	P74GY*	P74BK*
86"H Post	5 lbs	P86C*	P86S	P86P*	P86GY*	P86BK*
96"H Post	6 lbs	P96C	P96S	P96P	P96GY	P96BK

***PRE-INSERTED LEVELERS** For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an **X** to the Model No. P74C**X**

W-PC
Replacement Post Cap
Additional pieces available
(Sold as 4-pack)

W-PC-STUD
Threaded **Stud Connector** can be utilized to connect two posts enabling any post height to be achieved. Must be used with **WR-WMB** to secure to wall
See ***pg. 32***

LASER PRINTED NUMBERS
For quick shelf positioning

W-PLI
Post Insert
Additional pieces available
(Sold as 4-pack)

W-PLB
Post Leveler adjusts up or down allowing height flexibility.
Additional pieces available
(Sold as 4-pack)



EASY IDENTIFICATION OF AISLES/ROWS CONTENTS

Post Label Holders

New post label holders come in two sizes and allow for easy identification of aisles/rows as well as of wire cart contents. Attach to standard 1" diameter posts. Each package includes 12 clear holders and corresponding printer friendly sheet labels.

MODEL NO.	DIMENSIONS W" x L"	PKG QTY	SHIP WGT
PLH1X6C	1" x 6"	12 pcs	1 lb
PLH2X4C	2" x 4"	12 pcs	1 lb




PLH1X6C
Post Label
1" x 6"




PLH2X4C
Post Label
2" x 4"


ASSEMBLING WIRE SHELVING UNITS IS AS EASY AS 1 - 2 - 3...



Snap plastic sleeve around post.



Slide shelf over sleeve for secure locking.



Two "S-Hooks" are used to connect add-on wire shelf to starter units.

Starter Kits

NSF

Heavy-duty shelving units allow up to 800 lb. shelf capacity. Starter kits come complete with 4 posts and 4 or 5 shelves. Additional shelves may be purchased separately. See chart on ***pg. 24***. Mobilize starter kit shelving unit using optional mobile kit, **WR-00H**, see ***pg. 33***. ***Finishes:*** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

Up to 600-800 lb.
LOAD CAPACITY PER SHELF



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)**
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown.
Up to 1,200 lb. load capacity. **Mobile kits recommended only for shelves 18" and deeper.*



4 SHELF STARTER KIT
Stainless Steel Finish

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO.

Ex: **Chrome** WR54-1236**C**
Stainless WR54-1236**S**
Proform Green WR54-1236**P**
Gray WR54-1236**GY**
Black WR54-1236**BK**

Ex: **Chrome** WR54-1236**C**-5
Stainless WR54-1236**S**-5
Proform Green WR54-1236**P**-5
Gray WR54-1236**GY**-5
Black WR54-1236**BK**-5

C Chrome
S Stainless
P Proform Green
GY Gray
BK Black

	54"H - WIRE SHELVING 4 SHELVES				54"H - WIRE SHELVING 5 SHELVES				AVAILABLE				
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT		FINISHES				
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	C	S	P	GY	BK
12" x 36"	**WR54-1236**	40 lbs	**AD54-1236**	36 lbs	**WR54-1236-5**	47 lbs	**AD54-1236-5**	45 lbs	Y	Y	Y	Y	Y
12" x 42"	**WR54-1242**	44 lbs	**AD54-1242**	40 lbs	**WR54-1242-5**	52 lbs	**AD54-1242-5**	50 lbs	Y	N	Y	Y	Y
12" x 48"	**WR54-1248**	48 lbs	**AD54-1248**	44 lbs	**WR54-1248-5**	57 lbs	**AD54-1248-5**	55 lbs	Y	Y	Y	Y	Y
12" x 60"	**WR54-1260**	56 lbs	**AD54-1260**	52 lbs	**WR54-1260-5**	70 lbs	**AD54-1260-5**	68 lbs	Y	Y	Y	Y	Y
12" x 72"	**WR54-1272**	64 lbs	**AD54-1272**	60 lbs	**WR54-1272-5**	81 lbs	**AD54-1272-5**	79 lbs	Y	Y	Y	Y	Y
14" x 24"	**WR54-1424**	36 lbs	**AD54-1424**	32 lbs	**WR54-1424-5**	42 lbs	**AD54-1424-5**	40 lbs	Y	N	Y	Y	Y
14" x 30"	**WR54-1430**	40 lbs	**AD54-1430**	36 lbs	**WR54-1430-5**	47 lbs	**AD54-1430-5**	45 lbs	Y	Y	Y	Y	Y
14" x 36"	**WR54-1436**	44 lbs	**AD54-1436**	40 lbs	**WR54-1436-5**	52 lbs	**AD54-1436-5**	50 lbs	Y	Y	Y	Y	Y
14" x 42"	**WR54-1442**	52 lbs	**AD54-1442**	48 lbs	**WR54-1442-5**	62 lbs	**AD54-1442-5**	60 lbs	Y	Y	Y	Y	Y
14" x 48"	**WR54-1448**	56 lbs	**AD54-1448**	52 lbs	**WR54-1448-5**	67 lbs	**AD54-1448-5**	65 lbs	Y	Y	Y	Y	Y
14" x 54"	**WR54-1454**	60 lbs	**AD54-1454**	56 lbs	**WR54-1454-5**	72 lbs	**AD54-1454-5**	70 lbs	Y	Y	Y	Y	Y
14" x 60"	**WR54-1460**	68 lbs	**AD54-1460**	64 lbs	**WR54-1460-5**	82 lbs	**AD54-1460-5**	80 lbs	Y	Y	Y	Y	Y
14" x 72"	**WR54-1472**	80 lbs	**AD54-1472**	76 lbs	**WR54-1472-5**	97 lbs	**AD54-1472-5**	95 lbs	Y	Y	Y	Y	Y
18" x 24"	**WR54-1824**	40 lbs	**AD54-1824**	36 lbs	**WR54-1824-5**	47 lbs	**AD54-1824-5**	45 lbs	Y	Y	Y	Y	Y
18" x 30"	**WR54-1830**	44 lbs	**AD54-1830**	40 lbs	**WR54-1830-5**	52 lbs	**AD54-1830-5**	50 lbs	Y	Y	Y	Y	Y
18" x 36"	**WR54-1836**	52 lbs	**AD54-1836**	48 lbs	**WR54-1836-5**	62 lbs	**AD54-1836-5**	60 lbs	Y	Y	Y	Y	Y
18" x 42"	**WR54-1842**	56 lbs	**AD54-1842**	52 lbs	**WR54-1842-5**	67 lbs	**AD54-1842-5**	65 lbs	Y	Y	Y	Y	Y
18" x 48"	**WR54-1848**	60 lbs	**AD54-1848**	56 lbs	**WR54-1848-5**	74 lbs	**AD54-1848-5**	72 lbs	Y	Y	Y	Y	Y
18" x 54"	**WR54-1854**	72 lbs	**AD54-1854**	68 lbs	**WR54-1854-5**	87 lbs	**AD54-1854-5**	81 lbs	Y	Y	Y	Y	Y
18" x 60"	**WR54-1860**	80 lbs	**AD54-1860**	76 lbs	**WR54-1860-5**	97 lbs	**AD54-1860-5**	95 lbs	Y	Y	Y	Y	Y
18" x 72"	**WR54-1872**	92 lbs	**AD54-1872**	88 lbs	**WR54-1872-5**	112 lbs	**AD54-1872-5**	58 lbs	Y	Y	Y	Y	Y
21" x 24"	**WR54-2124**	44 lbs	**AD54-2124**	40 lbs	**WR54-2124-5**	52 lbs	**AD54-2124-5**	50 lbs	Y	Y	Y	Y	Y
21" x 30"	**WR54-2130**	48 lbs	**AD54-2130**	44 lbs	**WR54-2130-5**	57 lbs	**AD54-2130-5**	59 lbs	Y	Y	Y	Y	Y
21" x 36"	**WR54-2136**	56 lbs	**AD54-2136**	52 lbs	**WR54-2136-5**	67 lbs	**AD54-2136-5**	65 lbs	Y	Y	Y	Y	Y
21" x 42"	**WR54-2142**	60 lbs	**AD54-2142**	56 lbs	**WR54-2142-5**	72 lbs	**AD54-2142-5**	70 lbs	Y	Y	Y	Y	Y
21" x 48"	**WR54-2148**	68 lbs	**AD54-2148**	64 lbs	**WR54-2148-5**	82 lbs	**AD54-2148-5**	84 lbs	Y	Y	Y	Y	Y
21" x 54"	**WR54-2154**	76 lbs	**AD54-2154**	72 lbs	**WR54-2154-5**	92 lbs	**AD54-2154-5**	94 lbs	Y	Y	Y	Y	Y
21" x 60"	**WR54-2160**	84 lbs	**AD54-2160**	88 lbs	**WR54-2160-5**	102 lbs	**AD54-2160-5**	108 lbs	Y	Y	Y	Y	Y
21" x 72"	**WR54-2172**	108 lbs	**AD54-2172**	104 lbs	**WR54-2172-5**	132 lbs	**AD54-2172-5**	130 lbs	Y	Y	Y	Y	Y
24" x 24"	**WR54-2424**	48 lbs	**AD54-2424**	44 lbs	**WR54-2424-5**	57 lbs	**AD54-2424-5**	55 lbs	Y	Y	Y	Y	Y
24" x 30"	**WR54-2430**	56 lbs	**AD54-2430**	52 lbs	**WR54-2430-5**	67 lbs	**AD54-2430-5**	65 lbs	Y	Y	Y	Y	Y
24" x 36"	**WR54-2436**	64 lbs	**AD54-2436**	60 lbs	**WR54-2436-5**	77 lbs	**AD54-2436-5**	75 lbs	Y	Y	Y	Y	Y
24" x 42"	**WR54-2442**	72 lbs	**AD54-2442**	68 lbs	**WR54-2442-5**	87 lbs	**AD54-2442-5**	85 lbs	Y	Y	Y	Y	Y
24" x 48"	**WR54-2448**	76 lbs	**AD54-2448**	72 lbs	**WR54-2448-5**	92 lbs	**AD54-2448-5**	90 lbs	Y	Y	Y	Y	Y
24" x 54"	**WR54-2454**	84 lbs	**AD54-2454**	80 lbs	**WR54-2454-5**	102 lbs	**AD54-2454-5**	100 lbs	Y	Y	Y	Y	Y
24" x 60"	**WR54-2460**	96 lbs	**AD54-2460**	92 lbs	**WR54-2460-5**	117 lbs	**AD54-2460-5**	115 lbs	Y	Y	Y	Y	Y
24" x 72"	**WR54-2472**	116 lbs	**AD54-2472**	112 lbs	**WR54-2472-5**	142 lbs	**AD54-2472-5**	142 lbs	Y	Y	Y	Y	Y
30" x 36"	**WR54-3036**	72 lbs	**AD54-3036**	68 lbs	**WR54-3036-5**	87 lbs	**AD54-3036-5**	85 lbs	Y	Y	Y	Y	Y
30" x 42"	**WR54-3042**	84 lbs	**AD54-3042**	80 lbs	**WR54-3042-5**	102 lbs	**AD54-3042-5**	100 lbs	Y	Y	Y	Y	Y
30" x 48"	**WR54-3048**	96 lbs	**AD54-3048**	92 lbs	**WR54-3048-5**	117 lbs	**AD54-3048-5**	115 lbs	Y	Y	Y	Y	Y
30" x 60"	**WR54-3060**	120 lbs	**AD54-3060**	116 lbs	**WR54-3060-5**	147 lbs	**AD54-3060-5**	145 lbs	Y	Y	Y	Y	Y
30" x 72"	**WR54-3072**	136 lbs	**AD54-3072**	132 lbs	**WR54-3072-5**	167 lbs	**AD54-3072-5**	165 lbs	Y	Y	Y	Y	Y
36" x 36"	**WR54-3636**	84 lbs	**AD54-3636**	80 lbs	**WR54-3636-5**	102 lbs	**AD54-3636-5**	100 lbs	Y	Y	Y	Y	Y
36" x 48"	**WR54-3648**	104 lbs	**AD54-3648**	100 lbs	**WR54-3648-5**	127 lbs	**AD54-3648-5**	125 lbs	Y	Y	Y	Y	Y
36" x 60"	**WR54-3660**	128 lbs	**AD54-3660**	124 lbs	**WR54-3660-5**	157 lbs	**AD54-3660-5**	155 lbs	Y	Y	Y	Y	Y
36" x 72"	**WR54-3672**	136 lbs	**AD54-3672**	132 lbs	**WR54-3672-5**	171 lbs	**AD54-3672-5**	169 lbs	Y	Y	Y	Y	Y

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks. Y (Yes) N (No)





Add-On Kits

NSF


Additional Add-On kits allow you to expand your Starter kit by sharing a middle set of posts. Configuration options include side to side, back to back and right angles *(L-Shape)*. Add-On kits come complete with 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks. Additional shelves and posts may be purchased separately. See chart on ***pg. 24***. Units with Add-On kits cannot be made mobile. ***Finishes:*** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

Up to 600-800 lb.
LOAD CAPACITY PER SHELF





WIRE SHELVING ADD-ON LAYOUT OPTIONS



TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO.

Ex: **Chrome** WR63-1236**C**
Stainless WR63-1236**S**
Proform Green WR63-1236**P**
Gray WR63-1236**GY**
Black WR63-1236**BK**


Ex: **Chrome** WR63-1236**C**-5
Stainless WR63-1236**S**-5
Proform Green WR63-1236**P**-5
Gray WR63-1236**GY**-5
Black WR63-1236**BK**-5

C Chrome
S Stainless
P Proform Green
GY Gray
BK Black

	63"H - WIRE SHELVING 4 SHELVES				63"H - WIRE SHELVING 5 SHELVES				AVAILABLE				
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT		FINISHES				
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	C	S	P	GY	BK
12" x 36"	**WR63-1236**	42 lbs	**AD63-1236**	37 lbs	**WR63-1236-5**	49 lbs	**AD63-1236-5**	46 lbs	Y	Y	Y	Y	Y
12" x 42"	**WR63-1242**	46 lbs	**AD63-1242**	41 lbs	**WR63-1242-5**	54 lbs	**AD63-1242-5**	51 lbs	Y	N	Y	Y	Y
12" x 48"	**WR63-1248**	52 lbs	**AD63-1248**	43 lbs	**WR63-1248-5**	74 lbs	**AD63-1248-5**	56 lbs	Y	Y	Y	Y	Y
12" x 60"	**WR63-1260**	60 lbs	**AD63-1260**	51 lbs	**WR63-1260-5**	61 lbs	**AD63-1260-5**	69 lbs	Y	Y	Y	Y	Y
12" x 72"	**WR63-1272**	68 lbs	**AD63-1272**	59 lbs	**WR63-1272-5**	85 lbs	**AD63-1272-5**	80 lbs	Y	Y	Y	Y	Y
14" x 24"	**WR63-1424**	40 lbs	**AD63-1424**	31 lbs	**WR63-1424-5**	46 lbs	**AD63-1424-5**	41 lbs	Y	N	Y	Y	Y
14" x 30"	**WR63-1430**	44 lbs	**AD63-1430**	35 lbs	**WR63-1430-5**	51lbs	**AD63-1430-5**	46 lbs	Y	Y	Y	Y	Y
14" x 36"	**WR63-1436**	48 lbs	**AD63-1436**	39 lbs	**WR63-1436-5**	56 lbs	**AD63-1436-5**	51 lbs	Y	Y	Y	Y	Y
14" x 42"	**WR63-1442**	56 lbs	**AD63-1442**	47 lbs	**WR63-1442-5**	66 lbs	**AD63-1442-5**	61 lbs	Y	Y	Y	Y	Y
14" x 48"	**WR63-1448**	60 lbs	**AD63-1448**	51 lbs	**WR63-1448-5**	71 lbs	**AD63-1448-5**	66 lbs	Y	Y	Y	Y	Y
14" x 54"	**WR63-1454**	64 lbs	**AD63-1454**	55 lbs	**WR63-1454-5**	76 lbs	**AD63-1454-5**	71 lbs	Y	Y	Y	Y	Y
14" x 60"	**WR63-1460**	72 lbs	**AD63-1460**	63 lbs	**WR63-1460-5**	86 lbs	**AD63-1460-5**	81 lbs	Y	Y	Y	Y	Y
14" x 72"	**WR63-1472**	84 lbs	**AD63-1472**	75 lbs	**WR63-1472-5**	101 lbs	**AD63-1472-5**	96 lbs	Y	Y	Y	Y	Y
18" x 24"	**WR63-1824**	44 lbs	**AD63-1824**	35 lbs	**WR63-1824-5**	51 lbs	**AD63-1824-5**	46 lbs	Y	Y	Y	Y	Y
18" x 30"	**WR63-1830**	48 lbs	**AD63-1830**	39 lbs	**WR63-1830-5**	56 lbs	**AD63-1830-5**	51 lbs	Y	Y	Y	Y	Y
18" x 36"	**WR63-1836**	54 lbs	**AD63-1836**	49 lbs	**WR63-1836-5**	64 lbs	**AD63-1836-5**	61 lbs	Y	Y	Y	Y	Y
18" x 42"	**WR63-1842**	58 lbs	**AD63-1842**	53 lbs	**WR63-1842-5**	69 lbs	**AD63-1842-5**	66 lbs	Y	Y	Y	Y	Y
18" x 48"	**WR63-1848**	62 lbs	**AD63-1848**	57 lbs	**WR63-1848-5**	76 lbs	**AD63-1848-5**	73 lbs	Y	Y	Y	Y	Y
18" x 54"	**WR63-1854**	74 lbs	**AD63-1854**	69 lbs	**WR63-1854-5**	89 lbs	**AD63-1854-5**	86 lbs	Y	Y	Y	Y	Y
18" x 60"	**WR63-1860**	82 lbs	**AD63-1860**	77 lbs	**WR63-1860-5**	99 lbs	**AD63-1860-5**	96 lbs	Y	Y	Y	Y	Y
18" x 72"	**WR63-1872**	94 lbs	**AD63-1872**	89 lbs	**WR63-1872-5**	114 lbs	**AD63-1872-5**	111 lbs	Y	Y	Y	Y	Y
21" x 24"	**WR63-2124**	46 lbs	**AD63-2124**	41 lbs	**WR63-2124-5**	54 lbs	**AD63-2124-5**	51 lbs	Y	Y	Y	Y	Y
21" x 30"	**WR63-2130**	50 lbs	**AD63-2130**	45 lbs	**WR63-2130-5**	59 lbs	**AD63-2130-5**	56 lbs	Y	Y	Y	Y	Y
21" x 36"	**WR63-2136**	58 lbs	**AD63-2136**	53 lbs	**WR63-2136-5**	69 lbs	**AD63-2136-5**	66 lbs	Y	Y	Y	Y	Y
21" x 42"	**WR63-2142**	62 lbs	**AD63-2142**	57 lbs	**WR63-2142-5**	74 lbs	**AD63-2142-5**	71 lbs	Y	Y	Y	Y	Y
21" x 48"	**WR63-2148**	70 lbs	**AD63-2148**	65 lbs	**WR63-2148-5**	84 lbs	**AD63-2148-5**	81 lbs	Y	Y	Y	Y	Y
21" x 54"	**WR63-2154**	78 lbs	**AD63-2154**	73 lbs	**WR63-2154-5**	94 lbs	**AD63-2154-5**	91 lbs	Y	Y	Y	Y	Y
21" x 60"	**WR63-2160**	86 lbs	**AD63-2160**	81 lbs	**WR63-2160-5**	104 lbs	**AD63-2160-5**	101 lbs	Y	Y	Y	Y	Y
21" x 72"	**WR63-2172**	110 lbs	**AD63-2172**	105 lbs	**WR63-2172-5**	134 lbs	**AD63-2172-5**	131 lbs	Y	Y	Y	Y	Y
24" x 24"	**WR63-2424**	50 lbs	**AD63-2424**	45 lbs	**WR63-2424-5**	59 lbs	**AD63-2424-5**	56 lbs	Y	Y	Y	Y	Y
24" x 30"	**WR63-2430**	58 lbs	**AD63-2430**	53 lbs	**WR63-2430-5**	69 lbs	**AD63-2430-5**	66 lbs	Y	Y	Y	Y	Y
24" x 36"	**WR63-2436**	66 lbs	**AD63-2436**	61 lbs	**WR63-2436-5**	79 lbs	**AD63-2436-5**	76 lbs	Y	Y	Y	Y	Y
24" x 42"	**WR63-2442**	74 lbs	**AD63-2442**	69 lbs	**WR63-2442-5**	89 lbs	**AD63-2442-5**	86 lbs	Y	Y	Y	Y	Y
24" x 48"	**WR63-2448**	78 lbs	**AD63-2448**	73 lbs	**WR63-2448-5**	94 lbs	**AD63-2448-5**	91 lbs	Y	Y	Y	Y	Y
24" x 54"	**WR63-2454**	86 lbs	**AD63-2454**	81 lbs	**WR63-2454-5**	104 lbs	**AD63-2454-5**	101 lbs	Y	Y	Y	Y	Y
24" x 60"	**WR63-2460**	98 lbs	**AD63-2460**	93 lbs	**WR63-2460-5**	119 lbs	**AD63-2460-5**	116 lbs	Y	Y	Y	Y	Y
24" x 72"	**WR63-2472**	118 lbs	**AD63-2472**	113 lbs	**WR63-2472-5**	144 lbs	**AD63-2472-5**	141 lbs	Y	Y	Y	Y	Y
30" x 36"	**WR63-3036**	74 lbs	**AD63-3036**	69 lbs	**WR63-3036-5**	89 lbs	**AD63-3036-5**	86 lbs	Y	Y	Y	Y	Y
30" x 42"	**WR63-3042**	86 lbs	**AD63-3042**	81 lbs	**WR63-3042-5**	104 lbs	**AD63-3042-5**	101 lbs	Y	Y	Y	Y	Y
30" x 48"	**WR63-3048**	98 lbs	**AD63-3048**	93 lbs	**WR63-3048-5**	119 lbs	**AD63-3048-5**	116 lbs	Y	Y	Y	Y	Y
30" x 60"	**WR63-3060**	122 lbs	**AD63-3060**	117 lbs	**WR63-3060-5**	149 lbs	**AD63-3060-5**	146 lbs	Y	Y	Y	Y	Y
30" x 72"	**WR63-3072**	138 lbs	**AD63-3072**	133 lbs	**WR63-3072-5**	169 lbs	**AD63-3072-5**	166 lbs	Y	Y	Y	Y	Y
36" x 36"	**WR63-3636**	86 lbs	**AD63-3636**	81 lbs	**WR63-3636-5**	104 lbs	**AD63-3636-5**	101 lbs	Y	Y	Y	Y	Y
36" x 48"	**WR63-3648**	106 lbs	**AD63-3648**	101 lbs	**WR63-3648-5**	129 lbs	**AD63-3648-5**	126 lbs	Y	Y	Y	Y	Y
36" x 60"	**WR63-3660**	130 lbs	**AD63-3660**	125 lbs	**WR63-3660-5**	159 lbs	**AD63-3660-5**	156 lbs	Y	Y	Y	Y	Y
36" x 72"	**WR63-3672**	138 lbs	**AD63-3672**	133 lbs	**WR63-3672-5**	173 lbs	**AD63-3672-5**	170 lbs	Y	Y	Y	Y	Y

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks. Y (Yes) N (No)
For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an **X** to the Model No. WR63-1236**X**, WR63-1236-5**X**.

S-HOOK
For continuous runs of shelving. Two hooks should be placed per shelf where two posts are not utilized. For available finishes, see ***pg. 32***





4 SHELF ADD-ON KIT
Chrome Finish

Starter Kits

NSF

Heavy-duty shelving units allow up to 800 lb. shelf capacity. Starter kits come complete with 4 posts and 4 or 5 shelves. Additional shelves may be purchased separately. See chart on ***pg. 24***. Mobilize starter kit shelving unit using optional mobile kit, **WR-00H**, see ***pg. 33***. ***Finishes:*** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

Up to 600-800 lb.
LOAD CAPACITY PER SHELF



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)**
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. **Mobile kits recommended only for shelves 18" and deeper.*

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO.

Ex: **Chrome** WR74-1236**C**
Stainless WR74-1236**S**
Proform Green WR74-1236**P**
Gray WR74-1236**GY**
Black WR74-1236**BK**

Ex: **Chrome** WR74-1236**C**-5
Stainless WR74-1236**S**-5
Proform Green WR74-1236**P**-5
Gray WR74-1236**GY**-5
Black WR74-1236**BK**-5

C Chrome
S Stainless
P Proform Green
GY Gray
BK Black

	74"H - WIRE SHELVING 4 SHELVES				74"H - WIRE SHELVING 5 SHELVES				AVAILABLE				
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT		FINISHES				
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	C	S	P	GY	BK
12" x 36"	**WR74-1236**	44 lbs	**AD74-1236**	38 lbs	**WR74-1236-5**	51 lbs	**AD74-1236-5**	47 lbs	Y	Y	Y	Y	Y
12" x 42"	**WR74-1242**	48 lbs	**AD74-1242**	42 lbs	**WR74-1242-5**	56 lbs	**AD74-1242-5**	52 lbs	Y	N	Y	Y	Y
12" x 48"	**WR74-1248**	52 lbs	**AD74-1248**	46 lbs	**WR74-1248-5**	61 lbs	**AD74-1248-5**	57 lbs	Y	Y	Y	Y	Y
12" x 60"	**WR74-1260**	60 lbs	**AD74-1260**	54 lbs	**WR74-1260-5**	74 lbs	**AD74-1260-5**	70 lbs	Y	Y	Y	Y	Y
12" x 72"	**WR74-1272**	68 lbs	**AD74-1272**	62 lbs	**WR74-1272-5**	85 lbs	**AD74-1272-5**	81 lbs	Y	Y	Y	Y	Y
14" x 24"	**WR74-1424**	40 lbs	**AD74-1424**	34 lbs	**WR74-1424-5**	46 lbs	**AD74-1424-5**	42 lbs	Y	N	Y	Y	Y
14" x 30"	**WR74-1430**	44 lbs	**AD74-1430**	38 lbs	**WR74-1430-5**	51 lbs	**AD74-1430-5**	47 lbs	Y	Y	Y	Y	Y
14" x 36"	**WR74-1436**	48 lbs	**AD74-1436**	42 lbs	**WR74-1436-5**	56 lbs	**AD74-1436-5**	52 lbs	Y	Y	Y	Y	Y
14" x 42"	**WR74-1442**	56 lbs	**AD74-1442**	50 lbs	**WR74-1442-5**	66 lbs	**AD74-1442-5**	62 lbs	Y	Y	Y	Y	Y
14" x 48"	**WR74-1448**	60 lbs	**AD74-1448**	54 lbs	**WR74-1448-5**	71 lbs	**AD74-1448-5**	67 lbs	Y	Y	Y	Y	Y
14" x 54"	**WR74-1454**	64 lbs	**AD74-1454**	58 lbs	**WR74-1454-5**	76 lbs	**AD74-1454-5**	72 lbs	Y	Y	Y	Y	Y
14" x 60"	**WR74-1460**	72 lbs	**AD74-1460**	66 lbs	**WR74-1460-5**	86 lbs	**AD74-1460-5**	82 lbs	Y	Y	Y	Y	Y
14" x 72"	**WR74-1472**	84 lbs	**AD74-1472**	78 lbs	**WR74-1472-5**	101 lbs	**AD74-1472-5**	97 lbs	Y	Y	Y	Y	Y
18" x 24"	**WR74-1824**	44 lbs	**AD74-1824**	38 lbs	**WR74-1824-5**	51 lbs	**AD74-1824-5**	47 lbs	Y	Y	Y	Y	Y
18" x 30"	**WR74-1830**	48 lbs	**AD74-1830**	42 lbs	**WR74-1830-5**	56 lbs	**AD74-1830-5**	52 lbs	Y	Y	Y	Y	Y
18" x 36"	**WR74-1836**	56 lbs	**AD74-1836**	50 lbs	**WR74-1836-5**	66 lbs	**AD74-1836-5**	62 lbs	Y	Y	Y	Y	Y
18" x 42"	**WR74-1842**	60 lbs	**AD74-1842**	54 lbs	**WR74-1842-5**	71 lbs	**AD74-1842-5**	67 lbs	Y	Y	Y	Y	Y
18" x 48"	**WR74-1848**	64 lbs	**AD74-1848**	58 lbs	**WR74-1848-5**	78 lbs	**AD74-1848-5**	74 lbs	Y	Y	Y	Y	Y
18" x 54"	**WR74-1854**	76 lbs	**AD74-1854**	70 lbs	**WR74-1854-5**	91 lbs	**AD74-1854-5**	87 lbs	Y	Y	Y	Y	Y
18" x 60"	**WR74-1860**	84 lbs	**AD74-1860**	78 lbs	**WR74-1860-5**	101 lbs	**AD74-1860-5**	97 lbs	Y	Y	Y	Y	Y
18" x 72"	**WR74-1872**	96 lbs	**AD74-1872**	90 lbs	**WR74-1872-5**	116 lbs	**AD74-1872-5**	112 lbs	Y	Y	Y	Y	Y
21" x 24"	**WR74-2124**	48 lbs	**AD74-2124**	42 lbs	**WR74-2124-5**	56 lbs	**AD74-2124-5**	52 lbs	Y	Y	Y	Y	Y
21" x 30"	**WR74-2130**	52 lbs	**AD74-2130**	46 lbs	**WR74-2130-5**	61 lbs	**AD74-2130-5**	57 lbs	Y	Y	Y	Y	Y
21" x 36"	**WR74-2136**	60 lbs	**AD74-2136**	54 lbs	**WR74-2136-5**	71 lbs	**AD74-2136-5**	67 lbs	Y	Y	Y	Y	Y
21" x 42"	**WR74-2142**	64 lbs	**AD74-2142**	58 lbs	**WR74-2142-5**	76 lbs	**AD74-2142-5**	72 lbs	Y	Y	Y	Y	Y
21" x 48"	**WR74-2148**	72 lbs	**AD74-2148**	66 lbs	**WR74-2148-5**	86 lbs	**AD74-2148-5**	82 lbs	Y	Y	Y	Y	Y
21" x 54"	**WR74-2154**	80 lbs	**AD74-2154**	74 lbs	**WR74-2154-5**	96 lbs	**AD74-2154-5**	92 lbs	Y	Y	Y	Y	Y
21" x 60"	**WR74-2160**	88 lbs	**AD74-2160**	82 lbs	**WR74-2160-5**	106 lbs	**AD74-2160-5**	102 lbs	Y	Y	Y	Y	Y
21" x 72"	**WR74-2172**	112 lbs	**AD74-2172**	106 lbs	**WR74-2172-5**	136 lbs	**AD74-2172-5**	132 lbs	Y	Y	Y	Y	Y
24" x 24"	**WR74-2424**	52 lbs	**AD74-2424**	46 lbs	**WR74-2424-5**	61 lbs	**AD74-2424-5**	57 lbs	Y	Y	Y	Y	Y
24" x 30"	**WR74-2430**	60 lbs	**AD74-2430**	54 lbs	**WR74-2430-5**	71 lbs	**AD74-2430-5**	67 lbs	Y	Y	Y	Y	Y
24" x 36"	**WR74-2436**	68 lbs	**AD74-2436**	62 lbs	**WR74-2436-5**	81 lbs	**AD74-2436-5**	77 lbs	Y	Y	Y	Y	Y
24" x 42"	**WR74-2442**	76 lbs	**AD74-2442**	70 lbs	**WR74-2442-5**	91 lbs	**AD74-2442-5**	87 lbs	Y	Y	Y	Y	Y
24" x 48"	**WR74-2448**	80 lbs	**AD74-2448**	74 lbs	**WR74-2448-5**	96 lbs	**AD74-2448-5**	92 lbs	Y	Y	Y	Y	Y
24" x 54"	**WR74-2454**	88 lbs	**AD74-2454**	82 lbs	**WR74-2454-5**	106 lbs	**AD74-2454-5**	102 lbs	Y	Y	Y	Y	Y
24" x 60"	**WR74-2460**	100 lbs	**AD74-2460**	94 lbs	**WR74-2460-5**	121 lbs	**AD74-2460-5**	117 lbs	Y	Y	Y	Y	Y
24" x 72"	**WR74-2472**	120 lbs	**AD74-2472**	114 lbs	**WR74-2472-5**	146 lbs	**AD74-2472-5**	142 lbs	Y	Y	Y	Y	Y
30" x 36"	**WR74-3036**	76 lbs	**AD74-3036**	70 lbs	**WR74-3036-5**	91 lbs	**AD74-3036-5**	87 lbs	Y	Y	Y	Y	Y
30" x 42"	**WR74-3042**	88 lbs	**AD74-3042**	82 lbs	**WR74-3042-5**	106 lbs	**AD74-3042-5**	102 lbs	Y	Y	Y	Y	Y
30" x 48"	**WR74-3048**	100 lbs	**AD74-3048**	94 lbs	**WR74-3048-5**	121 lbs	**AD74-3048-5**	117 lbs	Y	Y	Y	Y	Y
30" x 60"	**WR74-3060**	124 lbs	**AD74-3060**	118 lbs	**WR74-3060-5**	151 lbs	**AD74-3060-5**	147 lbs	Y	Y	Y	Y	Y
30" x 72"	**WR74-3072**	140 lbs	**AD74-3072**	134 lbs	**WR74-3072-5**	171 lbs	**AD74-3072-5**	167 lbs	Y	Y	Y	Y	Y
36" x 36"	**WR74-3636**	88 lbs	**AD74-3636**	82 lbs	**WR74-3636-5**	106 lbs	**AD74-3636-5**	102 lbs	Y	Y	Y	Y	Y
36" x 48"	**WR74-3648**	108 lbs	**AD74-3648**	102 lbs	**WR74-3648-5**	131 lbs	**AD74-3648-5**	127 lbs	Y	Y	Y	Y	Y
36" x 60"	**WR74-3660**	132 lbs	**AD74-3660**	126 lbs	**WR74-3660-5**	161 lbs	**AD74-3660-5**	157 lbs	Y	Y	Y	Y	Y
36" x 72"	**WR74-3672**	140 lbs	**AD74-3672**	134 lbs	**WR74-3672-5**	175 lbs	**AD74-3672-5**	171 lbs	Y	Y	Y	Y	Y

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks. Y (Yes) N (No)
For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an **X** to the Model No. WR74-1236**X**, WR74-1236-5**X**.



4 SHELF STARTER KIT
Proform Green Epoxy Finish




5 SHELF STARTER KIT
Black Epoxy Finish

Add-On Kits

NSF

Additional Add-On kits allow you to expand your Starter kit by sharing a set of posts. Configuration options include side to side, back to back and right angles *(L-Shape)*. Add-On kits come complete with 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks. Additional shelves and posts may be purchased separately. See chart on ***pg. 24***. Units with Add-On kit cannot be made mobile. ***Finishes:*** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

Up to 600–800 lb.
LOAD CAPACITY PER SHELF



WIRE SHELVING ADD-ON LAYOUT OPTIONS

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO.

Ex:		
	Chrome	WR86-1236**C**
	Stainless	WR86-1236**S**
	Proform Green	WR86-1236**P**
	Gray	WR86-1236**GY**
	Black	WR86-1236**BK**

Ex:		
	Chrome	WR86-1236**C**-5
	Stainless	WR86-1236**S**-5
	Proform Green	WR86-1236**P**-5
	Gray	WR86-1236**GY**-5
	Black	WR86-1236**BK**-5


C Chrome
S Stainless
P Proform Green
GY Gray
BK Black

	86"H - WIRE SHELVING 4 SHELVES				86"H - WIRE SHELVING 5 SHELVES				AVAILABLE				
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT		FINISHES				
SHELF W" x L"	**MODEL NO.**	**SHIP WGT**	**MODEL NO.**	**SHIP WGT**	**MODEL NO.**	**SHIP WGT**	**MODEL NO.**	**SHIP WGT**	**C**	**S**	**P**	**GY**	**BK**
12" x 36"	**WR86-1236**	48 lbs	**AD86-1236**	40 lbs	**WR86-1236-5**	55 lbs	**AD86-1236-5**	49 lbs	Y	Y	Y	Y	Y
12" x 42"	**WR86-1242**	52 lbs	**AD86-1242**	44 lbs	**WR86-1242-5**	60 lbs	**AD86-1242-5**	54 lbs	Y	N	Y	Y	Y
12" x 48"	**WR86-1248**	56 lbs	**AD86-1248**	48 lbs	**WR86-1248-5**	65 lbs	**AD86-1248-5**	59 lbs	Y	Y	Y	Y	Y
12" x 60"	**WR86-1260**	64 lbs	**AD86-1260**	56 lbs	**WR86-1260-5**	78 lbs	**AD86-1260-5**	72 lbs	Y	Y	Y	Y	Y
12" x 72"	**WR86-1272**	72 lbs	**AD86-1272**	64 lbs	**WR86-1272-5**	89 lbs	**AD86-1272-5**	83 lbs	Y	Y	Y	Y	Y
14" x 24"	**WR86-1424**	44 lbs	**AD86-1424**	36 lbs	**WR86-1424-5**	50 lbs	**AD86-1424-5**	44 lbs	Y	N	Y	Y	Y
14" x 30"	**WR86-1430**	48 lbs	**AD86-1430**	40 lbs	**WR86-1430-5**	55 lbs	**AD86-1430-5**	49 lbs	Y	Y	Y	Y	Y
14" x 36"	**WR86-1436**	52 lbs	**AD86-1436**	44 lbs	**WR86-1436-5**	60 lbs	**AD86-1436-5**	54 lbs	Y	Y	Y	Y	Y
14" x 42"	**WR86-1442**	60 lbs	**AD86-1442**	52 lbs	**WR86-1442-5**	70 lbs	**AD86-1442-5**	64 lbs	Y	Y	Y	Y	Y
14" x 48"	**WR86-1448**	64 lbs	**AD86-1448**	56 lbs	**WR86-1448-5**	75 lbs	**AD86-1448-5**	69 lbs	Y	Y	Y	Y	Y
14" x 54"	**WR86-1454**	68 lbs	**AD86-1454**	60 lbs	**WR86-1454-5**	80 lbs	**AD86-1454-5**	74 lbs	Y	Y	Y	Y	Y
14" x 60"	**WR86-1460**	76 lbs	**AD86-1460**	68 lbs	**WR86-1460-5**	90 lbs	**AD86-1460-5**	84 lbs	Y	Y	Y	Y	Y
14" x 72"	**WR86-1472**	88 lbs	**AD86-1472**	80 lbs	**WR86-1472-5**	105 lbs	**AD86-1472-5**	99 lbs	Y	Y	Y	Y	Y
18" x 24"	**WR86-1824**	48 lbs	**AD86-1824**	40 lbs	**WR86-1824-5**	55 lbs	**AD86-1824-5**	49 lbs	Y	Y	Y	Y	Y
18" x 30"	**WR86-1830**	52 lbs	**AD86-1830**	44 lbs	**WR86-1830-5**	60 lbs	**AD86-1830-5**	54 lbs	Y	Y	Y	Y	Y
18" x 36"	**WR86-1836**	60 lbs	**AD86-1836**	52 lbs	**WR86-1836-5**	60 lbs	**AD86-1836-5**	64 lbs	Y	Y	Y	Y	Y
18" x 42"	**WR86-1842**	64 lbs	**AD86-1842**	56 lbs	**WR86-1842-5**	75 lbs	**AD86-1842-5**	69 lbs	Y	Y	Y	Y	Y
18" x 48"	**WR86-1848**	68 lbs	**AD86-1848**	60 lbs	**WR86-1848-5**	82 lbs	**AD86-1848-5**	76 lbs	Y	Y	Y	Y	Y
18" x 54"	**WR86-1854**	80 lbs	**AD86-1854**	72 lbs	**WR86-1854-5**	95 lbs	**AD86-1854-5**	89 lbs	Y	Y	Y	Y	Y
18" x 60"	**WR86-1860**	88 lbs	**AD86-1860**	80 lbs	**WR86-1860-5**	105 lbs	**AD86-1860-5**	99 lbs	Y	Y	Y	Y	Y
18" x 72"	**WR86-1872**	100 lbs	**AD86-1872**	92 lbs	**WR86-1872-5**	120 lbs	**AD86-1872-5**	114 lbs	Y	Y	Y	Y	Y
21" x 24"	**WR86-2124**	52 lbs	**AD86-2124**	44 lbs	**WR86-2124-5**	60 lbs	**AD86-2124-5**	54 lbs	Y	Y	Y	Y	Y
21" x 30"	**WR86-2130**	56 lbs	**AD86-2130**	48 lbs	**WR86-2130-5**	65 lbs	**AD86-2130-5**	59 lbs	Y	Y	Y	Y	Y
21" x 36"	**WR86-2136**	64 lbs	**AD86-2136**	56 lbs	**WR86-2136-5**	75 lbs	**AD86-2136-5**	69 lbs	Y	Y	Y	Y	Y
21" x 42"	**WR86-2142**	68 lbs	**AD86-2142**	60 lbs	**WR86-2142-5**	80 lbs	**AD86-2142-5**	74 lbs	Y	Y	Y	Y	Y
21" x 48"	**WR86-2148**	76 lbs	**AD86-2148**	68 lbs	**WR86-2148-5**	90 lbs	**AD86-2148-5**	114 lbs	Y	Y	Y	Y	Y
21" x 54"	**WR86-2154**	84 lbs	**AD86-2154**	76 lbs	**WR86-2154-5**	100 lbs	**AD86-2154-5**	94 lbs	Y	Y	Y	Y	Y
21" x 60"	**WR86-2160**	92 lbs	**AD86-2160**	84 lbs	**WR86-2160-5**	110 lbs	**AD86-2160-5**	104 lbs	Y	Y	Y	Y	Y
21" x 72"	**WR86-2172**	116 lbs	**AD86-2172**	108 lbs	**WR86-2172-5**	140 lbs	**AD86-2172-5**	134 lbs	Y	Y	Y	Y	Y
24" x 24"	**WR86-2424**	56 lbs	**AD86-2424**	48 lbs	**WR86-2424-5**	65 lbs	**AD86-2424-5**	59 lbs	Y	Y	Y	Y	Y
24" x 30"	**WR86-2430**	64 lbs	**AD86-2430**	56 lbs	**WR86-2430-5**	75 lbs	**AD86-2430-5**	69 lbs	Y	Y	Y	Y	Y
24" x 36"	**WR86-2436**	72 lbs	**AD86-2436**	64 lbs	**WR86-2436-5**	85 lbs	**AD86-2436-5**	79 lbs	Y	Y	Y	Y	Y
24" x 42"	**WR86-2442**	80 lbs	**AD86-2442**	72 lbs	**WR86-2442-5**	95 lbs	**AD86-2442-5**	89 lbs	Y	Y	Y	Y	Y
24" x 48"	**WR86-2448**	84 lbs	**AD86-2448**	76 lbs	**WR86-2448-5**	100 lbs	**AD86-2448-5**	94 lbs	Y	Y	Y	Y	Y
24" x 54"	**WR86-2454**	92 lbs	**AD86-2454**	84 lbs	**WR86-2454-5**	110 lbs	**AD86-2454-5**	104 lbs	Y	Y	Y	Y	Y
24" x 60"	**WR86-2460**	104 lbs	**AD86-2460**	96 lbs	**WR86-2460-5**	125 lbs	**AD86-2460-5**	119 lbs	Y	Y	Y	Y	Y
24" x 72"	**WR86-2472**	124 lbs	**AD86-2472**	116 lbs	**WR86-2472-5**	150 lbs	**AD86-2472-5**	144 lbs	Y	Y	Y	Y	Y
30" x 36"	**WR86-3036**	80 lbs	**AD86-3036**	72 lbs	**WR86-3036-5**	95 lbs	**AD86-3036-5**	89 lbs	Y	Y	Y	Y	Y
30" x 42"	**WR86-3042**	92 lbs	**AD86-3042**	84 lbs	**WR86-3042-5**	110 lbs	**AD86-3042-5**	104 lbs	Y	Y	Y	Y	Y
30" x 48"	**WR86-3048**	104 lbs	**AD86-3048**	96 lbs	**WR86-3048-5**	125 lbs	**AD86-3048-5**	119 lbs	Y	Y	Y	Y	Y
30" x 60"	**WR86-3060**	128 lbs	**AD86-3060**	120 lbs	**WR86-3060-5**	155 lbs	**AD86-3060-5**	149 lbs	Y	Y	Y	Y	Y
30" x 72"	**WR86-3072**	144 lbs	**AD86-3072**	136 lbs	**WR86-3072-5**	175 lbs	**AD86-3072-5**	169 lbs	Y	Y	Y	Y	Y
36" x 36"	**WR86-3636**	92 lbs	**AD86-3636**	84 lbs	**WR86-3636-5**	110 lbs	**AD86-3636-5**	104 lbs	Y	Y	Y	Y	Y
36" x 48"	**WR86-3648**	112 lbs	**AD86-3648**	104 lbs	**WR86-3648-5**	135 lbs	**AD86-3648-5**	129 lbs	Y	Y	Y	Y	Y
36" x 60"	**WR86-3660**	136 lbs	**AD86-3660**	128 lbs	**WR86-3660-5**	165 lbs	**AD86-3660-5**	159 lbs	Y	Y	Y	Y	Y
36" x 72"	**WR86-3672**	144 lbs	**AD86-3672**	136 lbs	**WR86-3672-5**	179 lbs	**AD86-3672-5**	173 lbs	Y	Y	Y	Y	Y

Shelving units include 4 posts and 4 or 5 shelves. Add-On units include 2 posts, 4 or 5 shelves and 8 or 10 S-Hooks. Y (Yes) N (No)
For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an **X** to the Model No. WR86-1236**X**, WR86-1236-5**X**.

S-HOOK
For continuous runs of shelving. Two hooks should be placed per shelf where two posts are not utilized. For available finishes, see ***pg. 32***





Modular Enclosure Panels

NEW FINISH

Are easily adaptable to standard shelving units to create a secured storage area.

- Panels are fabricated from 6 gauge wire on 3" x 3" squares
- Modular enclosure panels work with four shelf depths: 14", 18", 21" and 24" and three heights: 63", 74" and 86"
- One modular enclosure panel is needed for each side and two or three panels are needed for the back
- New **EP-CLIP** hardware package allows enclosure panels to be fastened tight to the shelves to help eliminate any rattling noise while in transit. One package needed per enclosure panel.

CHROME	STAINLESS STEEL	PROFORM GREEN EPOXY (NEW)	Add -CUT to Model No. for use with bottom solid shelf ▶ Ex. EP126-CUT	
MODEL NO.	MODEL NO.	MODEL NO.	DESCRIPTION	SHIP WGT
EP126	EP126S	EP126P	One 12" x 62" Panel	5 lbs
EP166	EP166S	EP166P	One 16" x 62" Panel	6 lbs
EP196	EP196S	EP196P	One 19" x 62" Panel	7 lbs
EP226	EP226S	EP226P	One 22" x 62" Panel	8 lbs
EP127	EP127S	EP127P	One 12" x 73" Panel	6 lbs
EP167	EP167S	EP167P	One 16" x 73" Panel	7 lbs
EP197	EP197S	EP197P	One 19" x 73" Panel	8 lbs
EP227	EP227S	EP227P	One 22" x 73" Panel	9 lbs
EP128	EP128S	EP128P	One 12" x 84" Panel	7 lbs
EP168	EP168S	EP168P	One 16" x 84" Panel	8 lbs
EP198	EP198S	EP198P	One 19" x 84" Panel	9 lbs
EP228	EP228S	EP228P	One 22" x 84" Panel	10 lbs



MOBILE CART SHOWN WITH 4 ENCLOSURE PANELS. MOBILE ENCLOSURE CARTS AVAILABLE

See *pg. 45*

Single and Double Drawer Slides


Compliment any system with specialized areas for storage which allow bins and trays to be suspended between shelves. Single bin slide mounts 18", 21" and 24" shelves. Double bin slide adapts to 24" shelves only. *(Bins sold separately)* ***Finish:*** Chrome

MODEL NO.	DESCRIPTION	SHIP WGT
DS18-24	Single Bin Design	2 lbs
DDS-24	Double Bin Design	4 lbs




DS18-24

CHOOSE FROM ONE BIN/TRAY DESIGN OR TWO BIN/TRAY DESIGN



DDS24



KEYBD
Keyboard Shelf
Mounts under any size wire shelf and accepts keyboards up to 21"W x 11"D. Has a 6" height adjustment. Measures 25-1/4"W x 15"D x 4-1/4"H
Finish: Chrome



Modular Dolly Frames

DB1836S-PT

Dolly Frames allow standard shelving units to be converted to heavy-duty transport trucks. Frames are fabricated from heavy gauge steel. Bumpers are attached to each corner to protect walls and help cushion impact. ***Finishes:*** Chrome and Stainless Steel

CHROME	STAINLESS STEEL		
MODEL NO.	MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
Dolly Frame Only			
DB1836C	DB1836S	18" x 36"	10 lbs
DB1848C	DB1848S	18" x 48"	12 lbs
DB1860C	DB1860S	18" x 60"	14 lbs
DB2436C	DB2436S	24" x 36"	13 lbs
DB2448C	DB2448S	24" x 48"	15 lbs
DB2460C	DB2460S	24" x 60"	18 lbs
Dolly Kit - Includes 4 Swivel Plate Casters, 2 with Brake			
DB1836C-PT	DB1836S-PT	18" x 36"	22 lbs
DB1848C-PT	DB1848S-PT	18" x 48"	24 lbs
DB1860C-PT	DB1860S-PT	18" x 60"	26 lbs
DB2436C-PT	DB2436S-PT	24" x 36"	25 lbs
DB2448C-PT	DB2448S-PT	24" x 48"	27 lbs
DB2460C-PT	DB2460S-PT	24" x 60"	30 lbs



HB18C

- Holds up to 25 lb. weight capacity evenly distributed

Hang Rails

CHROME	STAINLESS STEEL		
MODEL NO.	MODEL NO.	DESCRIPTION	SHIP WGT
HB14C	-	One 14" Hang Rail	2 lbs
HB18C	HB18S	One 18" Hang Rail	3 lbs
HB24C	HB24S	One 24" Hang Rail	4 lbs
HB36C	HB36S	One 36" Hang Rail	5 lbs
HB48C	HB48S	One 48" Hang Rail	6 lbs
HB60C	HB60S	One 60" Hang Rail	7 lbs

Hang Bars

- Holds up to 75 lbs. weight capacity evenly distributed

Finishes: Chrome and Stainless Steel

CHROME	STAINLESS STEEL		
MODEL NO.	MODEL NO.	DESCRIPTION	SHIP WGT
Intermediate			
GR24	-	One 24" Chrome Hang Bar	2 lbs
Full Length			
GR36	GR36S	One 36" Hang Bar	3 lbs
GR48	GR48S	One 48" Hang Bar	4 lbs
GR60	GR60S	One 60" Hang Bar	5 lbs
-	GR72S	One 72" Stainless Steel Hang Bar	6 lbs



GR24




GR36, GR48, GR60

Side and Back Ledges

Ledges are 4"H and act as a perimeter to retain shelf items and prevent anything from falling off. To order a Proform Green, Gray or Black Epoxy finish, add **P**, **GY** or **BK** right after chrome model no. prefix *(i.e. SL12**P**, SL12**GY** or SL12**BK**)*. ***Finishes:*** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

CHROME	STAINLESS STEEL	AVAILABLE EPOXY				
MODEL NO.	MODEL NO.	P	GY	BK	DESCRIPTION	SHIP WGT
4"H - Side Ledges						
SL12	SL12S	Y	Y	Y	12" Side Ledge	1 lb
SL14	SL14S	Y	Y	Y	14" Side Ledge	1 lb
SL18	SL18S	Y	Y	Y	18" Side Ledge	1 lb
SL21	SL21S	Y	Y	Y	21" Side Ledge	2 lbs
SL24	SL24S	Y	Y	Y	24" Side Ledge	2 lbs
SL30	SL30S	Y	Y	Y	30" Side/Back Ledge	2 lbs
4"H - Back Ledges						
BL36	BL36S	Y	Y	Y	36" Back/Side Ledge	3 lbs
BL42	BL42S	Y	Y	Y	42" Back Ledge	3 lbs
BL48	BL48S	Y	Y	Y	48" Back Ledge	3 lbs
BL54	BL54S	Y	Y	Y	54" Back Ledge	4 lbs
BL60	BL60S	Y	Y	Y	60" Back Ledge	5 lbs
BL72	BL72S	Y	Y	Y	72" Back Ledge	6 lbs



Dividers

NEW SIZES

Dividers are 8"H unless specified and are available in 7 depths to be used with all shelves. To order a Proform Green, Gray or Black Epoxy finish, add **P**, **GY** or **BK** right after chrome model no. prefix *(i.e. DIV12**P**, DIV12**GY** or DIV12**BK**)*. ***Finishes:*** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

*Only available in Gray Epoxy finish
**Single wire design

CHROME	STAINLESS STEEL	AVAILABLE EPOXY				
MODEL NO.	MODEL NO.	P	GY	BK	DESCRIPTION	SHIP WGT
Dividers						
DIV12	DIV12S	Y	Y	Y	One 12" Divider	2 lbs
DIV14	DIV14S	Y	Y	Y	One 14" Divider	2 lbs
DIV18	DIV18S	Y	Y	Y	One 18" Divider	2 lbs
DIV21	DIV21S	Y	Y	Y	One 21" Divider	3 lbs
DIV24	DIV24S	Y	Y	Y	One 24" Divider	3 lbs
NEW DIV24X3SW**	-	N	N	N	One 24" x 3.61" Divider	1 lb
NEW DIV24X6	-	N	N	N	One 24" x 6" Divider	1 lb
NEW DIV24X21*	-	N	Y	N	One 24" x 21" Divider	5 lbs
DIV30	DIV30S	Y	Y	Y	One 30" Divider	4 lbs
DIV36	DIV36S	Y	Y	Y	One 36" Divider	4 lbs

Wire Carton Dividers

Quantum's new wire carton dividers are the ideal storage tool to maintain and organize your boxes. Available for 18" and 24" shelf depths, the dividers fix in place and provide firm and convenient storage to your warehouse and workplace. Two convenient heights to choose from: 14" or 20-1/2". ***Finish:*** Chrome

MODEL NO.	DESCRIPTION	SHIP WGT
WCSD-1814	18" x 14" Divider	3 lbs
WCSD-1820	18" x 20-1/2" Divider	3 lbs
WCSD-2414	24" x 14" Divider	3 lbs
WCSD-2420	24" x 20-1/2" Divider	4 lbs

Push Handles

Comfortable grip design. Five widths available enabling easy movement of any mobile unit. To order a Proform Green, Gray or Black Epoxy finish, add **P**, **GY** or **BK** right after chrome model no. prefix *(i.e. PH18**P**, PH18**GY** or PH18**BK**)*. ***Finishes:*** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

CHROME	STAINLESS STEEL	AVAILABLE EPOXY				
MODEL NO.	MODEL NO.	P	GY	BK	DESCRIPTION	SHIP WGT
PH18	PH18S	Y	Y	Y	One 18" Push Handle	2 lbs
PH21	PH21S	Y	Y	N	One 21" Push Handle	3 lbs
PH24	PH24S	Y	Y	Y	One 24" Push Handle	3 lbs
PH30	-	N	N	N	One 30" Push Handle	3 lbs
PH36	PH36S	N	N	N	One 36" Push Handle	3 lbs


PH18

U-Handles

Build your own special size utility cart with three different width choices: 18", 21" or 24". Overall height 32", not including casters. To order a Proform Green, Gray or Black Epoxy finish, add **P**, **GY** or **BK** right after chrome model no. prefix *(i.e. UH18**P**, UH18**GY** or UH18**BK**)*. ***Finishes:*** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy

CHROME	STAINLESS STEEL	AVAILABLE EPOXY				
MODEL NO.	MODEL NO.	P	GY	BK	DESCRIPTION	SHIP WGT
UH18	UH18S	Y	Y	Y	18" U-Handle	2 lbs
UH21	UH21S	Y	Y	N	21" U-Handle	3 lbs
UH24	UH24S	Y	Y	Y	24" U-Handle	3 lbs



UH18

Tie Bars

Required with rigid casters to ensure rigid alignment. Tie bar length should match up to shelf depth. Rigid casters sold separately. ***Finish:*** Chrome

MODEL NO.	DESCRIPTION	SHIP WGT
18TB	One 18" Tie Bar which Fits 2 Casters	2 lbs
21TB	One 21" Tie Bar which Fits 2 Casters	2 lbs
24TB	One 24" Tie Bar which Fits 2 Casters	2 lbs
30TB	One 30" Tie Bar which Fits 2 Casters	2 lbs
36TB	One 36" Tie Bar which Fits 2 Casters	3 lbs


18TB



WCSD-1820

Post Clamps

Joins multiple units of shelving.
Finish: Chrome

MODEL NO.	DESCRIPTION	SHIP WGT
PCL1	1/2" Post Clamp	1 lb
PCL2	3-1/3" Post Clamp	1 lb


PCL2





S-HOOK
Chrome



S-HOOKSS
Stainless Steel



S-HOOKP
Proform Green Epoxy



S-HOOKGY
Gray Epoxy



S-HOOKBK
Black Epoxy

S-Hooks

For continuous runs of shelving. Two hooks should be used per shelf where two posts are not utilized. Sold as an 8 pack. ***Finishes:*** Chrome, Stainless Steel, Proform Green, Gray and Black Epoxy



SCH1-5



SCH1

Collar Hooks

Used to secure baskets to posts or as a hook for longer items. Sold in packs of four.

MODEL NO.	DESCRIPTION	SHIP WGT
SCH1-5	1-1/2" Hook *(4 Pack)*	1 lb
SCH1	1/2" Hook *(4 Pack)*	1 lb



FP
Post Foot Plate
Triangular plate allows additional surface to disperse weight.
Finish: Chrome



FG
Non-Marring Floor Glides
Affixes to bottom of bolt. Serves as protection to prevent marring of floors.
Sold as a pack of 4 pieces.



WR-SP
Shelf Collar Plug
Sold as a pack of 4 pieces.
Finish: Chrome



WR-WMB, WR-WMBP
Post Wall Mount Bracket
Mounts post to wall securely.
2" clearance required.
Finish: Chrome and Green Epoxy



WR-SS
Split Sleeve
Sold as a pack of 4 pairs.
(Enough for one shelf)



WR-PMGP
Post Mount Grid Bracket
Sold as a pack of 4 pieces.


Seismic Foot Plates

Quantum's seismic foot plates are used to anchor stationary shelving units to the floor.

MODEL NO.	DESCRIPTION	SHIP WGT
WR-SFP	Single Seismic Foot Plate	3 lbs
WR-DFP	Double Seismic Foot Plate	4 lbs

OSHPD
Certification

SEISMIC



WR-SFP
Single Foot Plate

WR-DFP
Double Foot Plate

Zinc Plated Anchor

Single and Double Foot Plates
Shown with Posts and 2 Cotter Pins per plate upright. Kit includes 1/2" x 3-3/4" carbon steel, zinc plated Anchors

ADD YOUR CASTER KIT TO YOUR UNIT FOR MOBILITY

Up to 800-3,200 lb.
MOBILE LOAD CAPACITY



Donut Bumper

Non-marking, 3" diameter plastic bumper used to protect walls and help cushion impact.

MODEL NO.	DESCRIPTION	SHIP WGT
DB	One 3" Diameter Donut Bumper	1 lb

Casters

MODEL NO.	DESCRIPTION	LOAD CAPACITY PER CASTER	SHIP WGT
	Stem Casters		
WR-00H	Four Swivel 5" x 1-1/4" Thermoplastic Resin Casters, 2 with brake	300 lbs	10 lbs
WR-00H-HD	Four Swivel 5-1/2" x 1-1/4" Heavy-Duty Polyurethane Casters, 2 with brake	600 lbs	12 lbs
WR-00HS	Four Swivel 5" x 1-1/4" Thermoplastic Resin Stainless Steel Casters with Zerk Grease Fittings, 2 with brake	300 lbs	12 lbs
WR-00CO	Four Swivel ESD/Conductive 5" x 1-1/4" Casters, 2 with brake	300 lbs	12 lbs
WR-SB2R2*	Two Swivel 5" x 1-1/4" Thermoplastic Resin Caster with brake, 2 Rigid	300 lbs	12 lbs
WR-3	Four Swivel 3" Polyurethane Casters, all with brake	200 lbs	8 lbs
WR-RG*	One Rigid 5" x 1-1/4" Thermoplastic Resin Caster	300 lbs	3 lbs
WR-PS	One Swivel 8" x 2-1/2" Pneumatic Caster	325 lbs	4 lbs
PSC-5S	5"x1-1/4" Polymer Swivel Casters, 2 with brake	200 lbs	9 lbs
	Plate Casters		
PT-PS	One Swivel 5" x 1-1/4" Thermoplastic Resin Caster	300 lbs	3 lbs
PT-PR	One Rigid 5" x 1-1/4" Thermoplastic Resin Caster	300 lbs	3 lbs
PT-PSB	One Swivel 5" x 1-1/4" Thermoplastic Resin Caster with brake	300 lbs	3 lbs
PT-PS-S	One Swivel 5" x 1-1/4" Polyurethane Stainless Steel Caster with Zerk Grease Fittings	300 lbs	3 lbs
PT-PR-S	One Rigid 5" x 1-1/4" Polyurethane Stainless Steel Caster with Zerk Grease Fittings	300 lbs	3 lbs
PT-PSB-S	One Swivel 5" x 1-1/4" Polyurethane Stainless Steel Caster with brake with Zerk Grease Fittings	300 lbs	3 lbs
PT-PS6	One Swivel 6" x 2" Polyurethane Caster	800 lbs	5 lbs
PT-PR6	One Rigid 6" x 2" Polyurethane Caster	800 lbs	5 lbs
PT-PSB6	One Swivel 6" x 2" Polyurethane Caster with brake	800 lbs	5 lbs
PT-NS	One Swivel 8" x 2-1/2" Pneumatic Caster	325 lbs	4 lbs
PT-NR	One Rigid 8" x 2-1/2" Pneumatic Caster	325 lbs	4 lbs

*Requires Tie Bars for rigid alignment *(See pg. 31)*



WR-00H
Thermoplastic Resin Stem Casters
Shown with and without brake
Sold as a set of 4 casters, 2 with brake



WR-00H-HD
Heavy -Duty Polyurethane Stem Casters
Shown with and without brake
Sold as a set of 4 casters, 2 with brake



WR-00CO
Conductive Stem Casters
Shown with and without brake
Sold as a set of 4 casters, 2 with brake



WR-00HS
Stainless Steel Stem Casters
Shown with and without brake
Sold as a set of 4 casters, 2 with brake



PSC-5S
Polymer Stem Casters
Shown with and without brake
Sold as a set of 4 casters, 2 with brake



PT-PR
Rigid Thermoplastic Resin Plate Casters

PT-PS **PT-PSB**
Thermoplastic Resin Plate Casters
Shown with and without brake



WR-RG
Rigid Thermoplastic Resin Stem Casters
Requires Tie Bar
(See chart pg. 31)



WR-3
3" Polyurethane Stem Casters
Sold as a set of 4 casters, all with brake



PT-PR6
Rigid Polyurethane Plate Casters



PT-PS6 **PT-PSB6**
Polyurethane Plate Casters
Shown with and without brake



WR-PS
Pneumatic Stem Casters




PT-NR
Rigid Pneumatic Plate Casters



PT-NS
Pneumatic Plate Casters



UB10
Utility Basket
An additional storage or display area outside the perimeter of the shelf. Measures 18-7/8"W x 11-1/4"D x 7-5/8"H. Up to 25 lb. load capacity.
Finish: Chrome



DH8
Document Holder
Provides an effective way to secure documents or folders. Measures 12-3/8"W x 2"D x 8-5/8"H. Up to 25 lb. load capacity.
Finish: Chrome

Shelf Inlay Mats

An economical solution to convert a wire shelf to a solid surface preventing items from falling through. White shelf inlay mat is easily removable for cleaning. Manufactured of polyethylene, .5 mm thickness.

MODEL NO.	DESCRIPTION	SHIP WGT
1836SM	One 18" x 36" Inlay Mat	1 lb
1848SM	One 18" x 48" Inlay Mat	2 lbs
1860SM	One 18" x 60" Inlay Mat	2 lbs
1872SM	One 18" x 72" Inlay Mat	2 lbs
2436SM	One 24" x 36" Inlay Mat	2 lbs
2448SM	One 24" x 48" Inlay Mat	2 lbs
2460SM	One 24" x 60" Inlay Mat	2 lbs
2472SM	One 24" x 72" Inlay Mat	3 lbs

CUSTOM SIZES AVAILABLE

call for details





EASY TO CLEAN


CREATES SPILL-SAFE SURFACE

Wire Shelf Covers

NSF NEW

- Crystal clear and very sturdy
- Works with all brands of wire shelving
- Converts wire shelf to a solid shelf
- Solves any concern with burrs or rough edges or tearing on the wire
- Provides a spill-safe surface so that no liquid will fall through the wire
- Wire label holders can still be placed on the wire shelf and the cover's edge will fit over the front of the label holder
- Withstands temperatures from -20°F up to 170°F

MODEL NO.	DESCRIPTION	SHIP WGT
1836C0V	One 18" x 36" Shelf Cover	2 lbs
1848C0V	One 18" x 48" Shelf Cover	2 lbs
1860C0V	One 18" x 60" Shelf Cover	2 lbs
1872C0V	One 18" x 72" Shelf Cover	2 lbs
2436C0V	One 24" x 36" Shelf Cover	2 lbs
2448C0V	One 24" x 48" Shelf Cover	2 lbs
2460C0V	One 24" x 60" Shelf Cover	2 lbs
2472C0V	One 24" x 72" Shelf Cover	2 lbs





Polymer Shelf Label Holder

NEW

MODEL NO.	DESCRIPTION	SHIP WGT
	Clear Label Holders	
ULH3C	3" Clear Label Holder	1 lb
ULH33C	33" Clear Label Holder Fits 36" Shelf	1 lb
ULH45C	45" Clear Label Holder Fits 48" Shelf	1 lb
ULH57C	57" Clear Label Holder Fits 60" Shelf	1 lb
ULH69C	69" Clear Label Holder Fits 72" Shelf	1 lb



Label Holders can also be used on Wire Shelves

Post Label Holders

New post label holders come in two sizes and allow for easy identification of aisles/rows as well as of wire cart contents. Attach to standard 1" diameter posts. Each package includes 12 clear holders and corresponding printer friendly sheet labels.

MODEL NO.	DIMENSIONS W" x L"	PKG QTY	SHIP WGT
PLH1X6C	1" x 6"	12 pcs	1 lb
PLH2X4C	2" x 4"	12 pcs	1 lb



PLH1X6C



PLH2X4C



EASY IDENTIFICATION OF AISLES/ROWS CONTENTS

Hanging Label Tags

7 COLORS AVAILABLE

New design Hanging Label tab has flat surface on one side to allow for self-adhesive label. Opposite side has a slot for label to be inserted and easily removed or changed as needed. Paper labels are not included. Label tags work with all wire shelves, mesh bins, hanging, stacking and post baskets. Available in 7 colors. Package of 25.



Clear | Red | Yellow | Blue | Green | Orange | Purple



PS-LH3
Hanging Label Tag
Fits 1-3/8" x 3" Adhesive Label or Slide in Label



LHA3C

Shelf Label Holders

Are an excellent method for identifying product. Holders affix directly to snake frame front on any size shelf. *(Label inserts sold separately)*

MODEL NO.	DESCRIPTION	SHIP WGT
LH3B	3" Gray Label Holder	1 lb
LH3C	3" Clear Label Holder	1 lb
LH6C	6" Clear Label Holder	1 lb
LH12C	12" Clear Label Holder	1 lb
LH24C	24" Clear Label Holder	1 lb
Full Length Label Holders		
LH33C	33" Clear Label Holder Fits 36" Shelf	1 lb
LH39C	39" Clear Label Holder Fits 42" Shelf	1 lb
LH45C	45" Clear Label Holder Fits 48" Shelf	1 lb
LH51C	51" Clear Label Holder Fits 54" Shelf	2 lbs
LH57C	57" Clear Label Holder Fits 60" Shelf	2 lbs
LH69C	69" Clear Label Holder Fits 72" Shelf	2 lbs
Angled Label Holders - 30°, 60° and 90°		
LHA3C	3" Angled Clear Label Holder	1 lb
LHA5C	5" Angled Clear Label Holder	1 lb
LHA24C	24" Angled Clear Label Holder	1 lb

Laser and Inkjet Label Inserts

Laser and inkjet compatible inserts come in 8-1/2" x 11" perforated sheets. Available in 3" and 6" lengths. Multiple inserts can be used on longer label holders. Package of 48 labels.

MODEL NO.	DESCRIPTION	SHIP WGT
Laser and Inkjet Label Inserts - 48 Labels		
LHI-3	1-1/4" x 3" Inserts *(3 Sheets)*	1 lb
LHI-6	1-1/4" x 6" Inserts *(6 Sheets)*	1 lb

NEED A LARGER SURFACE AREA FOR IDENTIFICATION?

New generation extended clear label holder clips onto the front snake frame of any wire shelf and offers a 3"H x 5"W label slot with paper insert. Labels can be changed or easily relocated. Laser and inkjet compatible inserts come in 8-1/2" x 11" perforated sheets. Package of 12.



LHE3X5C

EASILY IDENTIFY PRODUCT ON ANY SIZE SHELF



LH3C and LH3B Front Shelf View



LHA3C 3 Different Angles

ANGLED LABEL HOLDER ADVANTAGE

ANGLED LABEL HOLDERS ALLOW YOU TO POSITION AND PIVOT ANGLE TO BEST SUIT YOUR NEEDS



Inserts slide into label holders easily




Clear Label Holder

Stacking & Post Basket Clear Label Holders

A super easy method for identifying product. Affixes directly to the front on any stacking and post basket. Available in six lengths. *(Label inserts sold separately)*

MODEL NO.	DESCRIPTION	SHIP WGT
Clear Label Holders		
BLH3C	3" Clear Label Holder	1 lb
BLH14C	14" Clear Label Holder Fits 18" Wide Basket	1 lb
BLH20C	20" Clear Label Holder Fits 24" Wide Basket	1 lb
BLH32C	32" Clear Label Holder Fits 36" Wide Basket	1 lb
BLH44C	44" Clear Label Holder Fits 48" Wide Basket	1 lb
BLH56C	56" Clear Label Holder Fits 60" Wide Basket	1 lb




BLH20C
Shown on Basket with Dividers
(Sold separately)

Hanging Basket Clear Label Holders

A super easy method for identifying product. Affixes directly to the front on any hanging basket. Available in four lengths. *(Label inserts sold separately)*

MODEL NO.	DESCRIPTION	SHIP WGT
Clear Label Holders		
HBL3C	3" Clear Label Holder	1 lb
HBL165C	16-1/2" Clear Label Holder Fits 18" Wide Basket	1 lb
HBL345C	34-1/2" Clear Label Holder Fits 36" Wide Basket	1 lb
HBL465C	46-1/2" Clear Label Holder Fits 48" Wide Basket	1 lb



HBL165C



SOLID SHELVING

The solid steel design of these shelves is ideal for storage of small parts that might normally fall through wire shelves. Dual layer construction with double hemmed perimeter and marine edge ensures maximum strength while retaining spillage and excellent corrosion resistance.

All welded solid shelves are constructed of 18 gauge galvanized steel or 304 stainless steel.

By using various accessories, hundreds of shelving configurations become possible.





18 GAUGE
GALVANIZED

LIMITED 1 YEAR WARRANTY

304
STAINLESS STEEL

LIMITED LIFETIME WARRANTY

Galvanized - is known as a hot-dipping process in which the steel is dipped in molten zinc. This extra layer adds corrosion resistance to the finalized product. Recommended to be used in any application in a dry storage environment. 1-year limited warranty.

NSF

Stainless Steel - 304 Stainless with an electro-polish finish represents the highest industry standard in the prevention of corrosion. This finish is highly effective for corrosive, high humidity or clean room environments. Lifetime warranty for 304 stainless steel electro-polish finish.

UNITS CAN BE LOADED/UNLOADED EASILY FROM ALL SIDES.

Solid Shelves

NSF

- Designed for storage of small parts that might normally fall through wire shelves
- Dual layer construction with double hemmed perimeter with marine edge ensures maximum strength while retaining spillage and excellent corrosion resistance


DIMENSIONS W" x L"	SHIP WGT	GALVANIZED STEEL MODEL NO.	STAINLESS STEEL MODEL NO.
14" Deep - Solid Shelves			
14" x 30"	13 lbs	-	**1430SS**
14" x 36"	14 lbs	**1436SG**	**1436SS**
14" x 42"	15 lbs	**1442SG**	**1442SS**
14" x 48"	17 lbs	**1448SG**	**1448SS**
14" x 54"	20 lbs	**1454SG**	**1454SS**
14" x 60"	22 lbs	**1460SG**	**1460SS**
14" x 72"	26 lbs	**1472SG**	**1472SS**
18" Deep - Solid Shelves			
18" x 24"	11 lbs	**1824SG**	**1824SS**
18" x 30"	14 lbs	**1830SG**	**1830SS**
18" x 36"	16 lbs	**1836SG**	**1836SS**
18" x 42"	18 lbs	**1842SG**	**1842SS**
18" x 48"	20 lbs	**1848SG**	**1848SS**
18" x 54"	22 lbs	**1854SG**	**1854SS**
18" x 60"	24 lbs	**1860SG**	**1860SS**
18" x 72"	27 lbs	**1872SG**	**1872SS**
21" Deep - Solid Shelves			
21" x 24"	13 lbs	**2124SG**	**2124SS**
21" x 30"	15 lbs	**2130SG**	**2130SS**
21" x 36"	18 lbs	**2136SG**	**2136SS**
21" x 42"	21 lbs	**2142SG**	**2142SS**
21" x 48"	23 lbs	**2148SG**	**2148SS**
21" x 54"	25 lbs	**2154SG**	**2154SS**
21" x 60"	28 lbs	**2160SG**	**2160SS**
21" x 72"	30 lbs	**2172SG**	**2172SS**
24" Deep - Solid Shelves			
24" x 24"	15 lbs	**2424SG**	**2424SS**
24" x 30"	17 lbs	**2430SG**	**2430SS**
24" x 36"	19 lbs	**2436SG**	**2436SS**
24" x 42"	22 lbs	**2442SG**	**2442SS**
24" x 48"	24 lbs	**2448SG**	**2448SS**
24" x 54"	26 lbs	**2454SG**	**2454SS**
24" x 60"	31 lbs	**2460SG**	**2460SS**
24" x 72"	34 lbs	**2472SG**	**2472SS**



1836SG

18 GAUGE
GALVANIZED

LIMITED 1 YEAR WARRANTY



1836SS

304
STAINLESS STEEL

LIMITED LIFETIME WARRANTY

Up to 400-600 lb.
LOAD CAPACITY PER SHELF

EASY IDENTIFICATION OF AISLES/ROWS CONTENTS



PLH1X6C
Post Label
1" x 6"



PLH2X4C
Post Label
2" x 4"

Post Label Holders

New post label holders come in two sizes and allow for easy identification of aisles/rows as well as of wire cart contents. Attach to standard 1" diameter posts. Each package includes 12 clear holders and corresponding printer friendly sheet labels.

MODEL NO.	DIMENSIONS W" x L"	PKG QTY	SHIP WGT
PLH1X6C	1" x 6"	12 pcs	1 lb
PLH2X4C	2" x 4"	12 pcs	1 lb

Posts

NSF

All posts are fabricated from 16 gauge carbon steel with location grooves on one inch increments and ease for shelf installation. Numbers are printed between grooves for quick assembly. Posts are double grooved in consistent intervals for quick identification. Leveling legs are enclosed with all posts. Leveling legs cannot be used in conjunction with stem casters. Custom post heights are available, call for additional information.

DESCRIPTION	SHIP WGT	CHROME MODEL NO.	STAINLESS STEEL MODEL NO.
6"H Post	1 lb	**P6C**	**P6S**
14"H Post	1 lb	**P14C**	**P14S**
34"H Post	2 lbs	**P34C**	**P34S**
36"H Post	2 lbs	**P36C**	-
39"H Post	2 lbs	**P39C**	-
42"H Post	2 lbs	-	**P42S**
54"H Post	3 lbs	**P54C**	**P54S**
63"H Post	4 lbs	**P63C***	**P63S**
74"H Post	4 lbs	**P74C***	**P74S**
86"H Post	5 lbs	**P86C***	**P86S**
96"H Post	6 lbs	**P96C**	**P96S**

*For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an **X** to the Model No. **P74CX**

W-PC
Replacement Post Cap
Additional pieces available
(Sold as 4-pack)

W-PC-STUD
Threaded **Stud Connector** can be utilized to connect two posts enabling any post height to be achieved. Must be used with **WR-WMB** to secure to wall

LASER PRINTED NUMBERS
For quick shelf positioning

W-PLI
Post Insert
Additional pieces available
(Sold as 4-pack)

W-PLB
Post Leveler adjusts up or down allowing height flexibility
(Sold as 4-pack)





4 Shelf Starter Kits

Solid flat shelves allows for storage from small to large items, and the marine edge perimeter prevents spillage. The double hemmed 18 gauge galvanized steel provides the solid shelf excellent strength characteristics. All solid shelf units consist of 4 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit **WR-00H**, see ***pg. 33***. ***Finish:*** Galvanized Steel



MOBILIZE YOUR SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H ***(Mobile Kit)****
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity. **Mobile kits recommended only for shelves 18" and deeper.*



4 SHELF STARTER KIT



QSMC
Shelf Clamp
Shelf Clamp eliminates 2 posts per shelving section. Two **QSMC** clamps are required per shelf.
Finish: Aluminum
(Sold individually)

	54"H - GALVANIZED SOLID SHELVING 4 SHELVES				63"H - GALVANIZED SOLID SHELVING 4 SHELVES			
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	**WR54-1436SG**	68 lbs	**AD54-1436SG**	65 lbs	**WR63-1436SG**	72 lbs	**AD63-1436SG**	67 lbs
14" x 42"	**WR54-1442SG**	72 lbs	**AD54-1442SG**	69 lbs	**WR63-1442SG**	76 lbs	**AD63-1442SG**	71 lbs
14" x 48"	**WR54-1448SG**	80 lbs	**AD54-1448SG**	77 lbs	**WR63-1448SG**	84 lbs	**AD63-1448SG**	79 lbs
14" x 54"	**WR54-1454SG**	92 lbs	**AD54-1454SG**	89 lbs	**WR63-1454SG**	96 lbs	**AD63-1454SG**	91 lbs
14" x 60"	**WR54-1460SG**	100 lbs	**AD54-1460SG**	97 lbs	**WR63-1460SG**	104 lbs	**AD63-1460SG**	99 lbs
14" x 72"	**WR54-1472SG**	116 lbs	**AD54-1472SG**	113 lbs	**WR63-1472SG**	120 lbs	**AD63-1472SG**	115 lbs
18" x 24"	**WR54-1824SG**	56 lbs	**AD54-1824SG**	53 lbs	**WR63-1824SG**	60 lbs	**AD63-1824SG**	55 lbs
18" x 30"	**WR54-1830SG**	68 lbs	**AD54-1830SG**	65 lbs	**WR63-1830SG**	72 lbs	**AD63-1830SG**	67 lbs
18" x 36"	**WR54-1836SG**	76 lbs	**AD54-1836SG**	73 lbs	**WR63-1836SG**	80 lbs	**AD63-1836SG**	75 lbs
18" x 42"	**WR54-1842SG**	84 lbs	**AD54-1842SG**	81 lbs	**WR63-1842SG**	88 lbs	**AD63-1842SG**	83 lbs
18" x 48"	**WR54-1848SG**	92 lbs	**AD54-1848SG**	89 lbs	**WR63-1848SG**	96 lbs	**AD63-1848SG**	91 lbs
18" x 54"	**WR54-1854SG**	100 lbs	**AD54-1854SG**	97 lbs	**WR63-1854SG**	104 lbs	**AD63-1854SG**	99 lbs
18" x 60"	**WR54-1860SG**	108 lbs	**AD54-1860SG**	105 lbs	**WR63-1860SG**	112 lbs	**AD63-1860SG**	107 lbs
18" x 72"	**WR54-1872SG**	120 lbs	**AD54-1872SG**	117 lbs	**WR63-1872SG**	124 lbs	**AD63-1872SG**	119 lbs
21" x 24"	**WR54-2124SG**	64 lbs	**AD54-2124SG**	61 lbs	**WR63-2124SG**	68 lbs	**AD63-2124SG**	63 lbs
21" x 30"	**WR54-2130SG**	72 lbs	**AD54-2130SG**	69 lbs	**WR63-2130SG**	76 lbs	**AD63-2130SG**	71 lbs
21" x 36"	**WR54-2136SG**	84 lbs	**AD54-2136SG**	81 lbs	**WR63-2136SG**	88 lbs	**AD63-2136SG**	83 lbs
21" x 42"	**WR54-2142SG**	96 lbs	**AD54-2142SG**	93 lbs	**WR63-2142SG**	100 lbs	**AD63-2142SG**	95 lbs
21" x 48"	**WR54-2148SG**	104 lbs	**AD54-2148SG**	101 lbs	**WR63-2148SG**	108 lbs	**AD63-2148SG**	103 lbs
21" x 54"	**WR54-2154SG**	112 lbs	**AD54-2154SG**	109 lbs	**WR63-2154SG**	116 lbs	**AD63-2154SG**	111 lbs
21" x 60"	**WR54-2160SG**	124 lbs	**AD54-2160SG**	121 lbs	**WR63-2160SG**	128 lbs	**AD63-2160SG**	123 lbs
21" x 72"	**WR54-2172SG**	132 lbs	**AD54-2172SG**	129 lbs	**WR63-2172SG**	136 lbs	**AD63-2172SG**	131 lbs
24" x 24"	**WR54-2424SG**	72 lbs	**AD54-2424SG**	69 lbs	**WR63-2424SG**	76 lbs	**AD63-2424SG**	71 lbs
24" x 30"	**WR54-2430SG**	80 lbs	**AD54-2430SG**	77 lbs	**WR63-2430SG**	84 lbs	**AD63-2430SG**	79 lbs
24" x 36"	**WR54-2436SG**	88 lbs	**AD54-2436SG**	85 lbs	**WR63-2436SG**	92 lbs	**AD63-2436SG**	87 lbs
24" x 42"	**WR54-2442SG**	100 lbs	**AD54-2442SG**	97 lbs	**WR63-2442SG**	104 lbs	**AD63-2442SG**	99 lbs
24" x 48"	**WR54-2448SG**	108 lbs	**AD54-2448SG**	105 lbs	**WR63-2448SG**	112 lbs	**AD63-2448SG**	107 lbs
24" x 54"	**WR54-2454SG**	124 lbs	**AD54-2454SG**	121 lbs	**WR63-2454SG**	128 lbs	**AD63-2454SG**	123 lbs
24" x 60"	**WR54-2460SG**	136 lbs	**AD54-2460SG**	133 lbs	**WR63-2460SG**	140 lbs	**AD63-2460SG**	135 lbs
24" x 72"	**WR54-2472SG**	148 lbs	**AD54-2472SG**	145 lbs	**WR63-2472SG**	152 lbs	**AD63-2472SG**	147 lbs


Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.


18 GAUGE
GALVANIZED STEEL

Up to 400-600 lb.
LOAD CAPACITY PER SHELF EVENLY DISTRIBUTED

4 Shelf Add-On Kits

Additional Add-On kits allow you to expand your Starter kit by sharing a set of posts. Configuration options include side to side, back to back and right angles *(L-Shape)*. Add-on units consist of 4 shelves, 2 posts and 8 shelf clamps. Additional shelves and posts may be purchased separately, see chart on ***pg. 37***. Units with Add-On kit cannot be made mobile. ***Finish:*** Galvanized Steel





	74"H - GALVANIZED SOLID SHELVING 4 SHELVES				86"H - GALVANIZED SOLID SHELVING 4 SHELVES			
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	**WR74-1436SG**	72 lbs	**AD74-1436SG**	67 lbs	**WR86-1436SG**	76 lbs	**AD86-1436SG**	69 lbs
14" x 42"	**WR74-1442SG**	76 lbs	**AD74-1442SG**	71 lbs	**WR86-1442SG**	80 lbs	**AD86-1442SG**	73 lbs
14" x 48"	**WR74-1448SG**	84 lbs	**AD74-1448SG**	79 lbs	**WR86-1448SG**	88 lbs	**AD86-1448SG**	81 lbs
14" x 54"	**WR74-1454SG**	96 lbs	**AD74-1454SG**	91 lbs	**WR86-1454SG**	100 lbs	**AD86-1454SG**	93 lbs
14" x 60"	**WR74-1460SG**	104 lbs	**AD74-1460SG**	99 lbs	**WR86-1460SG**	108 lbs	**AD86-1460SG**	101 lbs
14" x 72"	**WR74-1472SG**	120 lbs	**AD74-1472SG**	115 lbs	**WR86-1472SG**	124 lbs	**AD86-1472SG**	117 lbs
18" x 24"	**WR74-1824SG**	60 lbs	**AD74-1824SG**	55 lbs	**WR86-1824SG**	64 lbs	**AD86-1824SG**	57 lbs
18" x 30"	**WR74-1830SG**	72 lbs	**AD74-1830SG**	67 lbs	**WR86-1830SG**	76 lbs	**AD86-1830SG**	69 lbs
18" x 36"	**WR74-1836SG**	80 lbs	**AD74-1836SG**	75 lbs	**WR86-1836SG**	84 lbs	**AD86-1836SG**	77 lbs
18" x 42"	**WR74-1842SG**	88 lbs	**AD74-1842SG**	83 lbs	**WR86-1842SG**	92 lbs	**AD86-1842SG**	85 lbs
18" x 48"	**WR74-1848SG**	96 lbs	**AD74-1848SG**	91 lbs	**WR86-1848SG**	100 lbs	**AD86-1848SG**	93 lbs
18" x 54"	**WR74-1854SG**	104 lbs	**AD74-1854SG**	99 lbs	**WR86-1854SG**	108 lbs	**AD86-1854SG**	101 lbs
18" x 60"	**WR74-1860SG**	112 lbs	**AD74-1860SG**	107 lbs	**WR86-1860SG**	116 lbs	**AD86-1860SG**	109 lbs
18" x 72"	**WR74-1872SG**	124 lbs	**AD74-1872SG**	119 lbs	**WR86-1872SG**	128 lbs	**AD86-1872SG**	121 lbs
21" x 24"	**WR74-2124SG**	68 lbs	**AD74-2124SG**	63 lbs	**WR86-2124SG**	72 lbs	**AD86-2124SG**	65 lbs
21" x 30"	**WR74-2130SG**	76 lbs	**AD74-2130SG**	71 lbs	**WR86-2130SG**	80 lbs	**AD86-2130SG**	73 lbs
21" x 36"	**WR74-2136SG**	88 lbs	**AD74-2136SG**	83 lbs	**WR86-2136SG**	92 lbs	**AD86-2136SG**	85 lbs
21" x 42"	**WR74-2142SG**	100 lbs	**AD74-2142SG**	95 lbs	**WR86-2142SG**	104 lbs	**AD86-2142SG**	97 lbs
21" x 48"	**WR74-2148SG**	108 lbs	**AD74-2148SG**	103 lbs	**WR86-2148SG**	112 lbs	**AD86-2148SG**	105 lbs
21" x 54"	**WR74-2154SG**	116 lbs	**AD74-2154SG**	111 lbs	**WR86-2154SG**	120 lbs	**AD86-2154SG**	113 lbs
21" x 60"	**WR74-2160SG**	128 lbs	**AD74-2160SG**	123 lbs	**WR86-2160SG**	132 lbs	**AD86-2160SG**	125 lbs
21" x 72"	**WR74-2172SG**	136 lbs	**AD74-2172SG**	131 lbs	**WR86-2172SG**	140 lbs	**AD86-2172SG**	133 lbs
24" x 24"	**WR74-2424SG**	76 lbs	**AD74-2424SG**	71 lbs	**WR86-2424SG**	80 lbs	**AD86-2424SG**	73 lbs
24" x 30"	**WR74-2430SG**	84 lbs	**AD74-2430SG**	79 lbs	**WR86-2430SG**	88 lbs	**AD86-2430SG**	81 lbs
24" x 36"	**WR74-2436SG**	92 lbs	**AD74-2436SG**	87 lbs	**WR86-2436SG**	96 lbs	**AD86-2436SG**	89 lbs
24" x 42"	**WR74-2442SG**	104 lbs	**AD74-2442SG**	99 lbs	**WR86-2442SG**	108 lbs	**AD86-2442SG**	101 lbs
24" x 48"	**WR74-2448SG**	112 lbs	**AD74-2448SG**	107 lbs	**WR86-2448SG**	116 lbs	**AD86-2448SG**	109 lbs
24" x 54"	**WR74-2454SG**	128 lbs	**AD74-2454SG**	123 lbs	**WR86-2454SG**	132 lbs	**AD86-2454SG**	125 lbs
24" x 60"	**WR74-2460SG**	140 lbs	**AD74-2460SG**	135 lbs	**WR86-2460SG**	144 lbs	**AD86-2460SG**	137 lbs
24" x 72"	**WR74-2472SG**	152 lbs	**AD74-2472SG**	147 lbs	**WR86-2472SG**	156 lbs	**AD86-2472SG**	149 lbs

Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.

	54"H - GALVANIZED SOLID SHELVING 5 SHELVES				63"H - GALVANIZED SOLID SHELVING 5 SHELVES			
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	WR54-1436SG-5	82 lbs	AD54-1436SG-5	79 lbs	WR63-1436SG-5	86 lbs	AD63-1436SG-5	81 lbs
14" x 42"	WR54-1442SG-5	87 lbs	AD54-1442SG-5	84 lbs	WR63-1442SG-5	91 lbs	AD63-1442SG-5	86 lbs
14" x 48"	WR54-1448SG-5	97 lbs	AD54-1448SG-5	94 lbs	WR63-1448SG-5	101 lbs	AD63-1448SG-5	96 lbs
14" x 54"	WR54-1454SG-5	112 lbs	AD54-1454SG-5	109 lbs	WR63-1454SG-5	116 lbs	AD63-1454SG-5	111 lbs
14" x 60"	WR54-1460SG-5	122 lbs	AD54-1460SG-5	119 lbs	WR63-1460SG-5	126 lbs	AD63-1460SG-5	121 lbs
14" x 72"	WR54-1472SG-5	142 lbs	AD54-1472SG-5	139 lbs	WR63-1472SG-5	146 lbs	AD63-1472SG-5	141 lbs
18" x 24"	WR54-1824SG-5	67 lbs	AD54-1824SG-5	64 lbs	WR63-1824SG-5	71 lbs	AD63-1824SG-5	66 lbs
18" x 30"	WR54-1830SG-5	82 lbs	AD54-1830SG-5	79 lbs	WR63-1830SG-5	86 lbs	AD63-1830SG-5	81 lbs
18" x 36"	WR54-1836SG-5	92 lbs	AD54-1836SG-5	89 lbs	WR63-1836SG-5	96 lbs	AD63-1836SG-5	91 lbs
18" x 42"	WR54-1842SG-5	102 lbs	AD54-1842SG-5	99 lbs	WR63-1842SG-5	106 lbs	AD63-1842SG-5	101 lbs
18" x 48"	WR54-1848SG-5	112 lbs	AD54-1848SG-5	109 lbs	WR63-1848SG-5	116 lbs	AD63-1848SG-5	111 lbs
18" x 54"	WR54-1854SG-5	122 lbs	AD54-1854SG-5	119 lbs	WR63-1854SG-5	126 lbs	AD63-1854SG-5	121 lbs
18" x 60"	WR54-1860SG-5	132 lbs	AD54-1860SG-5	129 lbs	WR63-1860SG-5	136 lbs	AD63-1860SG-5	131 lbs
18" x 72"	WR54-1872SG-5	147 lbs	AD54-1872SG-5	144 lbs	WR63-1872SG-5	151 lbs	AD63-1872SG-5	146 lbs
21" x 24"	WR54-2124SG-5	77 lbs	AD54-2124SG-5	74 lbs	WR63-2124SG-5	81 lbs	AD63-2124SG-5	76 lbs
21" x 30"	WR54-2130SG-5	87 lbs	AD54-2130SG-5	84 lbs	WR63-2130SG-5	91 lbs	AD63-2130SG-5	86 lbs
21" x 36"	WR54-2136SG-5	102 lbs	AD54-2136SG-5	99 lbs	WR63-2136SG-5	106 lbs	AD63-2136SG-5	101 lbs
21" x 42"	WR54-2142SG-5	117 lbs	AD54-2142SG-5	114 lbs	WR63-2142SG-5	121 lbs	AD63-2142SG-5	116 lbs
21" x 48"	WR54-2148SG-5	127 lbs	AD54-2148SG-5	124 lbs	WR63-2148SG-5	131 lbs	AD63-2148SG-5	126 lbs
21" x 54"	WR54-2154SG-5	137 lbs	AD54-2154SG-5	134 lbs	WR63-2154SG-5	141 lbs	AD63-2154SG-5	136 lbs
21" x 60"	WR54-2160SG-5	152 lbs	AD54-2160SG-5	149 lbs	WR63-2160SG-5	156 lbs	AD63-2160SG-5	151 lbs
21" x 72"	WR54-2172SG-5	162 lbs	AD54-2172SG-5	159 lbs	WR63-2172SG-5	166 lbs	AD63-2172SG-5	161 lbs
24" x 24"	WR54-2424SG-5	87 lbs	AD54-2424SG-5	84 lbs	WR63-2424SG-5	91 lbs	AD63-2424SG-5	86 lbs
24" x 30"	WR54-2430SG-5	97 lbs	AD54-2430SG-5	94 lbs	WR63-2430SG-5	101 lbs	AD63-2430SG-5	96 lbs
24" x 36"	WR54-2436SG-5	107 lbs	AD54-2436SG-5	104 lbs	WR63-2436SG-5	111 lbs	AD63-2436SG-5	106 lbs
24" x 42"	WR54-2442SG-5	122 lbs	AD54-2442SG-5	119 lbs	WR63-2442SG-5	126 lbs	AD63-2442SG-5	121 lbs
24" x 48"	WR54-2448SG-5	132 lbs	AD54-2448SG-5	129 lbs	WR63-2448SG-5	136 lbs	AD63-2448SG-5	131 lbs
24" x 54"	WR54-2454SG-5	152 lbs	AD54-2454SG-5	149 lbs	WR63-2454SG-5	156 lbs	AD63-2454SG-5	151 lbs
24" x 60"	WR54-2460SG-5	167 lbs	AD54-2460SG-5	164 lbs	WR63-2460SG-5	171 lbs	AD63-2460SG-5	166 lbs
24" x 72"	WR54-2472SG-5	182 lbs	AD54-2472SG-5	179 lbs	WR63-2472SG-5	186 lbs	AD63-2472SG-5	181 lbs

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

18 GAUGE
GALVANIZED STEEL

Up to 400-600 lb.
LOAD CAPACITY PER SHELF
EVENLY DISTRIBUTED

	74"H - GALVANIZED SOLID SHELVING 5 SHELVES				86"H - GALVANIZED SOLID SHELVING 5 SHELVES			
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	WR74-1436SG-5	86 lbs	AD74-1436SG-5	81 lbs	WR86-1436SG-5	90 lbs	AD86-1436SG-5	83 lbs
14" x 42"	WR74-1442SG-5	91 lbs	AD74-1442SG-5	86 lbs	WR86-1442SG-5	95 lbs	AD86-1442SG-5	88 lbs
14" x 48"	WR74-1448SG-5	101 lbs	AD74-1448SG-5	91 lbs	WR86-1448SG-5	105 lbs	AD86-1448SG-5	98 lbs
14" x 54"	WR74-1454SG-5	116 lbs	AD74-1454SG-5	111 lbs	WR86-1454SG-5	120 lbs	AD86-1454SG-5	113 lbs
14" x 60"	WR74-1460SG-5	126 lbs	AD74-1460SG-5	121 lbs	WR86-1460SG-5	130 lbs	AD86-1460SG-5	123 lbs
14" x 72"	WR74-1472SG-5	146 lbs	AD74-1472SG-5	141 lbs	WR86-1472SG-5	150 lbs	AD86-1472SG-5	143 lbs
18" x 24"	WR74-1824SG-5	71 lbs	AD74-1824SG-5	66 lbs	WR86-1824SG-5	75 lbs	AD86-1824SG-5	68 lbs
18" x 30"	WR74-1830SG-5	86 lbs	AD74-1830SG-5	81 lbs	WR86-1830SG-5	90 lbs	AD86-1830SG-5	83 lbs
18" x 36"	WR74-1836SG-5	96 lbs	AD74-1836SG-5	91 lbs	WR86-1836SG-5	100 lbs	AD86-1836SG-5	93 lbs
18" x 42"	WR74-1842SG-5	106 lbs	AD74-1842SG-5	101 lbs	WR86-1842SG-5	110 lbs	AD86-1842SG-5	103 lbs
18" x 48"	WR74-1848SG-5	116 lbs	AD74-1848SG-5	111 lbs	WR86-1848SG-5	120 lbs	AD86-1848SG-5	113 lbs
18" x 54"	WR74-1854SG-5	126 lbs	AD74-1854SG-5	121 lbs	WR86-1854SG-5	130 lbs	AD86-1854SG-5	123 lbs
18" x 60"	WR74-1860SG-5	136 lbs	AD74-1860SG-5	131 lbs	WR86-1860SG-5	140 lbs	AD86-1860SG-5	133 lbs
18" x 72"	WR74-1872SG-5	151 lbs	AD74-1872SG-5	151 lbs	WR86-1872SG-5	155 lbs	AD86-1872SG-5	153 lbs
21" x 24"	WR74-2124SG-5	81 lbs	AD74-2124SG-5	76 lbs	WR86-2124SG-5	85 lbs	AD86-2124SG-5	78 lbs
21" x 30"	WR74-2130SG-5	91 lbs	AD74-2130SG-5	86 lbs	WR86-2130SG-5	95 lbs	AD86-2130SG-5	88 lbs
21" x 36"	WR74-2136SG-5	106 lbs	AD74-2136SG-5	101 lbs	WR86-2136SG-5	110 lbs	AD86-2136SG-5	103 lbs
21" x 42"	WR74-2142SG-5	121 lbs	AD74-2142SG-5	116 lbs	WR86-2142SG-5	125 lbs	AD86-2142SG-5	118 lbs
21" x 48"	WR74-2148SG-5	131 lbs	AD74-2148SG-5	121 lbs	WR86-2148SG-5	135 lbs	AD86-2148SG-5	123 lbs
21" x 54"	WR74-2154SG-5	141 lbs	AD74-2154SG-5	136 lbs	WR86-2154SG-5	145 lbs	AD86-2154SG-5	138 lbs
21" x 60"	WR74-2160SG-5	156 lbs	AD74-2160SG-5	151 lbs	WR86-2160SG-5	160 lbs	AD86-2160SG-5	153 lbs
21" x 72"	WR74-2172SG-5	166 lbs	AD74-2172SG-5	186 lbs	WR86-2172SG-5	170 lbs	AD86-2172SG-5	188 lbs
24" x 24"	WR74-2424SG-5	91 lbs	AD74-2424SG-5	86 lbs	WR86-2424SG-5	95 lbs	AD86-2424SG-5	88 lbs
24" x 30"	WR74-2430SG-5	101 lbs	AD74-2430SG-5	96 lbs	WR86-2430SG-5	105 lbs	AD86-2430SG-5	98 lbs
24" x 36"	WR74-2436SG-5	111 lbs	AD74-2436SG-5	106 lbs	WR86-2436SG-5	115 lbs	AD86-2436SG-5	108 lbs
24" x 42"	WR74-2442SG-5	126 lbs	AD74-2442SG-5	121 lbs	WR86-2442SG-5	130 lbs	AD86-2442SG-5	123 lbs
24" x 48"	WR74-2448SG-5	136 lbs	AD74-2448SG-5	131 lbs	WR86-2448SG-5	140 lbs	AD86-2448SG-5	133 lbs
24" x 54"	WR74-2454SG-5	156 lbs	AD74-2454SG-5	151 lbs	WR86-2454SG-5	160 lbs	AD86-2454SG-5	153 lbs
24" x 60"	WR74-2460SG-5	171 lbs	AD74-2460SG-5	166 lbs	WR86-2460SG-5	175 lbs	AD86-2460SG-5	168 lbs
24" x 72"	WR74-2472SG-5	186 lbs	AD74-2472SG-5	181 lbs	WR86-2472SG-5	205 lbs	AD86-2472SG-5	198 lbs

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

5 Shelf Starter Kits

Solid flat shelves allows for storage from small to large items, and the marine edge perimeter prevents spillage. The double hemmed 18 gauge galvanized steel gives the solid shelf excellent strength characteristics. All solid shelf units consist of 5 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit **WR-00H**, see ***pg. 33***. ***Finish:*** Galvanized Steel



MOBILIZE YOUR SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)**
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity. **Mobile kits recommended only for shelves 18" and deeper.*




QSMC
Shelf Clamp
Shelf Clamp eliminates 2 posts per shelving section. Two **QSMC** clamps are required per shelf.
Finish: Aluminum
(Sold individually)



5 SHELF ADD-ON KIT

5 Shelf Add-On Kits

Additional Add-On kit allows you to expand your Starter kit by sharing a set of posts. Configuration options include side to side, back to back and right angles *(L-Shape)*. Add-on units consist of 5 shelves, 2 posts and 10 shelf clamps. Additional shelves and posts may be purchased separately, see chart on ***pg. 37***. Units with Add-On kit cannot be made mobile. ***Finish:*** Galvanized Steel





4 Shelf Starter Kits

Solid flat shelves allows for storage from small to large items, and the marine edge perimeter prevents spillage. The double hemmed 18 gauge 304 stainless steel gives the solid shelf excellent strength characteristics. All solid shelf units consist of 4 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit **WR-00HS**, see ***pg. 33***. ***Finish:*** Stainless Steel



MOBILIZE YOUR SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00HS ***(Mobile Kit)****
Set of four swivel 5" x 1-1/4" thermo-plastic resin stainless steel casters with zerk grease fittings, 2 with brake. Can be used with all units shown. 1,200 lb. load capacity. **Mobile kits recommended only for shelves 18" and deeper.*



4 SHELF STARTER KIT



QSMC
Shelf Clamp
Shelf Clamp eliminates 2 post per shelving section. Two **QSMC** clamps are required per shelf.
Finish: Aluminum
(Sold individually)

	54"H - STAINLESS SOLID SHELVING 4 SHELVES				63"H - STAINLESS SOLID SHELVING 4 SHELVES			
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	**WRS4-54-1436SS**	68 lbs	**WRSAD4-54-1436SS**	65 lbs	**WRS4-63-1436SS**	72 lbs	**WRSAD4-63-1436SS**	67 lbs
14" x 42"	**WRS4-54-1442SS**	72 lbs	**WRSAD4-54-1442SS**	69 lbs	**WRS4-63-1442SS**	76 lbs	**WRSAD4-63-1442SS**	71 lbs
14" x 48"	**WRS4-54-1448SS**	80 lbs	**WRSAD4-54-1448SS**	77 lbs	**WRS4-63-1448SS**	84 lbs	**WRSAD4-63-1448SS**	79 lbs
14" x 54"	**WRS4-54-1454SS**	92 lbs	**WRSAD4-54-1454SS**	89 lbs	**WRS4-63-1454SS**	96 lbs	**WRSAD4-63-1454SS**	91 lbs
14" x 60"	**WRS4-54-1460SS**	100 lbs	**WRSAD4-54-1460SS**	97 lbs	**WRS4-63-1460SS**	104 lbs	**WRSAD4-63-1460SS**	99 lbs
14" x 72"	**WRS4-54-1472SS**	116 lbs	**WRSAD4-54-1472SS**	113 lbs	**WRS4-63-1472SS**	120 lbs	**WRSAD4-63-1472SS**	115 lbs
18" x 24"	**WRS4-54-1824SS**	56 lbs	**WRSAD4-54-1824SS**	53 lbs	**WRS4-63-1824SS**	60 lbs	**WRSAD4-63-1824SS**	55 lbs
18" x 30"	**WRS4-54-1830SS**	68 lbs	**WRSAD4-54-1830SS**	65 lbs	**WRS4-63-1830SS**	72 lbs	**WRSAD4-63-1830SS**	67 lbs
18" x 36"	**WRS4-54-1836SS**	76 lbs	**WRSAD4-54-1836SS**	73 lbs	**WRS4-63-1836SS**	80 lbs	**WRSAD4-63-1836SS**	75 lbs
18" x 42"	**WRS4-54-1842SS**	84 lbs	**WRSAD4-54-1842SS**	81 lbs	**WRS4-63-1842SS**	88 lbs	**WRSAD4-63-1842SS**	83 lbs
18" x 48"	**WRS4-54-1848SS**	92 lbs	**WRSAD4-54-1848SS**	89 lbs	**WRS4-63-1848SS**	96 lbs	**WRSAD4-63-1848SS**	91 lbs
18" x 54"	**WRS4-54-1854SS**	100 lbs	**WRSAD4-54-1854SS**	97 lbs	**WRS4-63-1854SS**	104 lbs	**WRSAD4-63-1854SS**	99 lbs
18" x 60"	**WRS4-54-1860SS**	108 lbs	**WRSAD4-54-1860SS**	105 lbs	**WRS4-63-1860SS**	112 lbs	**WRSAD4-63-1860SS**	107 lbs
18" x 72"	**WRS4-54-1872SS**	120 lbs	**WRSAD4-54-1872SS**	117 lbs	**WRS4-63-1872SS**	124 lbs	**WRSAD4-63-1872SS**	119 lbs
21" x 24"	**WRS4-54-2124SS**	64 lbs	**WRSAD4-54-2124SS**	61 lbs	**WRS4-63-2124SS**	68 lbs	**WRSAD4-63-2124SS**	63 lbs
21" x 30"	**WRS4-54-2130SS**	72 lbs	**WRSAD4-54-2130SS**	69 lbs	**WRS4-63-2130SS**	76 lbs	**WRSAD4-63-2130SS**	71 lbs
21" x 36"	**WRS4-54-2136SS**	84 lbs	**WRSAD4-54-2136SS**	81 lbs	**WRS4-63-2136SS**	88 lbs	**WRSAD4-63-2136SS**	83 lbs
21" x 42"	**WRS4-54-2142SS**	96 lbs	**WRSAD4-54-2142SS**	93 lbs	**WRS4-63-2142SS**	100 lbs	**WRSAD4-63-2142SS**	95 lbs
21" x 48"	**WRS4-54-2148SS**	104 lbs	**WRSAD4-54-2148SS**	101 lbs	**WRS4-63-2148SS**	108 lbs	**WRSAD4-63-2148SS**	103 lbs
21" x 54"	**WRS4-54-2154SS**	112 lbs	**WRSAD4-54-2154SS**	109 lbs	**WRS4-63-2154SS**	116 lbs	**WRSAD4-63-2154SS**	111 lbs
21" x 60"	**WRS4-54-2160SS**	124 lbs	**WRSAD4-54-2160SS**	121 lbs	**WRS4-63-2160SS**	128 lbs	**WRSAD4-63-2160SS**	123 lbs
21" x 72"	**WRS4-54-2172SS**	132 lbs	**WRSAD4-54-2172SS**	129 lbs	**WRS4-63-2172SS**	136 lbs	**WRSAD4-63-2172SS**	131 lbs
24" x 24"	**WRS4-54-2424SS**	72 lbs	**WRSAD4-54-2424SS**	69 lbs	**WRS4-63-2424SS**	76 lbs	**WRSAD4-63-2424SS**	71 lbs
24" x 30"	**WRS4-54-2430SS**	80 lbs	**WRSAD4-54-2430SS**	77 lbs	**WRS4-63-2430SS**	84 lbs	**WRSAD4-63-2430SS**	79 lbs
24" x 36"	**WRS4-54-2436SS**	88 lbs	**WRSAD4-54-2436SS**	85 lbs	**WRS4-63-2436SS**	92 lbs	**WRSAD4-63-2436SS**	87 lbs
24" x 42"	**WRS4-54-2442SS**	100 lbs	**WRSAD4-54-2442SS**	97 lbs	**WRS4-63-2442SS**	104 lbs	**WRSAD4-63-2442SS**	99 lbs
24" x 48"	**WRS4-54-2448SS**	108 lbs	**WRSAD4-54-2448SS**	105 lbs	**WRS4-63-2448SS**	112 lbs	**WRSAD4-63-2448SS**	107 lbs
24" x 54"	**WRS4-54-2454SS**	124 lbs	**WRSAD4-54-2454SS**	121 lbs	**WRS4-63-2454SS**	128 lbs	**WRSAD4-63-2454SS**	123 lbs
24" x 60"	**WRS4-54-2460SS**	136 lbs	**WRSAD4-54-2460SS**	133 lbs	**WRS4-63-2460SS**	140 lbs	**WRSAD4-63-2460SS**	135 lbs
24" x 72"	**WRS4-54-2472SS**	148 lbs	**WRSAD4-54-2472SS**	145 lbs	**WRS4-63-2472SS**	152 lbs	**WRSAD4-63-2472SS**	147 lbs


Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.


304
STAINLESS STEEL

Up to 400-600 lb.
LOAD CAPACITY PER SHELF

4 Shelf Add-On Kits

Additional Add-On kits allow you to expand your Starter kit by sharing a set of posts. Configuration options include side to side, back to back and right angles *(L-Shape)*. Add-on units consist of 4 shelves, 2 posts and 8 shelf clamps. Additional shelves and posts may be purchased separately, see chart on ***pg. 37***. Units with Add-On kit cannot be made mobile. ***Finish:*** Stainless Steel





SOLID SHELVING ADD-ON LAYOUT OPTIONS

	74"H - STAINLESS SOLID SHELVING 4 SHELVES				86"H - STAINLESS SOLID SHELVING 4 SHELVES			
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	**WRS4-74-1436SS**	72 lbs	**WRSAD4-74-1436SS**	67 lbs	**WRS4-86-1436SS**	76 lbs	**WRSAD4-86-1436SS**	69 lbs
14" x 42"	**WRS4-74-1442SS**	76 lbs	**WRSAD4-74-1442SS**	71 lbs	**WRS4-86-1442SS**	80 lbs	**WRSAD4-86-1442SS**	73 lbs
14" x 48"	**WRS4-74-1448SS**	84 lbs	**WRSAD4-74-1448SS**	79 lbs	**WRS4-86-1448SS**	88 lbs	**WRSAD4-86-1448SS**	81 lbs
14" x 54"	**WRS4-74-1454SS**	96 lbs	**WRSAD4-74-1454SS**	91 lbs	**WRS4-86-1454SS**	100 lbs	**WRSAD4-86-1454SS**	93 lbs
14" x 60"	**WRS4-74-1460SS**	104 lbs	**WRSAD4-74-1460SS**	99 lbs	**WRS4-86-1460SS**	108 lbs	**WRSAD4-86-1460SS**	101 lbs
14" x 72"	**WRS4-74-1472SS**	120 lbs	**WRSAD4-74-1472SS**	115 lbs	**WRS4-86-1472SS**	124 lbs	**WRSAD4-86-1472SS**	117 lbs
18" x 24"	**WRS4-74-1824SS**	60 lbs	**WRSAD4-74-1824SS**	55 lbs	**WRS4-86-1824SS**	64 lbs	**WRSAD4-86-1824SS**	57 lbs
18" x 30"	**WRS4-74-1830SS**	72 lbs	**WRSAD4-74-1830SS**	67 lbs	**WRS4-86-1830SS**	76 lbs	**WRSAD4-86-1830SS**	69 lbs
18" x 36"	**WRS4-74-1836SS**	80 lbs	**WRSAD4-74-1836SS**	75 lbs	**WRS4-86-1836SS**	84 lbs	**WRSAD4-86-1836SS**	77 lbs
18" x 42"	**WRS4-74-1842SS**	88 lbs	**WRSAD4-74-1842SS**	83 lbs	**WRS4-86-1842SS**	92 lbs	**WRSAD4-86-1842SS**	85 lbs
18" x 48"	**WRS4-74-1848SS**	96 lbs	**WRSAD4-74-1848SS**	91 lbs	**WRS4-86-1848SS**	100 lbs	**WRSAD4-86-1848SS**	93 lbs
18" x 54"	**WRS4-74-1854SS**	104 lbs	**WRSAD4-74-1854SS**	99 lbs	**WRS4-86-1854SS**	108 lbs	**WRSAD4-86-1854SS**	101 lbs
18" x 60"	**WRS4-74-1860SS**	112 lbs	**WRSAD4-74-1860SS**	107 lbs	**WRS4-86-1860SS**	116 lbs	**WRSAD4-86-1860SS**	109 lbs
18" x 72"	**WRS4-74-1872SS**	124 lbs	**WRSAD4-74-1872SS**	119 lbs	**WRS4-86-1872SS**	128 lbs	**WRSAD4-86-1872SS**	121 lbs
21" x 24"	**WRS4-74-2124SS**	68 lbs	**WRSAD4-74-2124SS**	63 lbs	**WRS4-86-2124SS**	72 lbs	**WRSAD4-86-2124SS**	65 lbs
21" x 30"	**WRS4-74-2130SS**	76 lbs	**WRSAD4-74-2130SS**	71 lbs	**WRS4-86-2130SS**	80 lbs	**WRSAD4-86-2130SS**	73 lbs
21" x 36"	**WRS4-74-2136SS**	88 lbs	**WRSAD4-74-2136SS**	83 lbs	**WRS4-86-2136SS**	92 lbs	**WRSAD4-86-2136SS**	85 lbs
21" x 42"	**WRS4-74-2142SS**	100 lbs	**WRSAD4-74-2142SS**	95 lbs	**WRS4-86-2142SS**	104 lbs	**WRSAD4-86-2142SS**	97 lbs
21" x 48"	**WRS4-74-2148SS**	108 lbs	**WRSAD4-74-2148SS**	103 lbs	**WRS4-86-2148SS**	112 lbs	**WRSAD4-86-2148SS**	105 lbs
21" x 54"	**WRS4-74-2154SS**	116 lbs	**WRSAD4-74-2154SS**	111 lbs	**WRS4-86-2154SS**	120 lbs	**WRSAD4-86-2154SS**	113 lbs
21" x 60"	**WRS4-74-2160SS**	128 lbs	**WRSAD4-74-2160SS**	123 lbs	**WRS4-86-2160SS**	132 lbs	**WRSAD4-86-2160SS**	125 lbs
21" x 72"	**WRS4-74-2172SS**	136 lbs	**WRSAD4-74-2172SS**	131 lbs	**WRS4-86-2172SS**	140 lbs	**WRSAD4-86-2172SS**	133 lbs
24" x 24"	**WRS4-74-2424SS**	76 lbs	**WRSAD4-74-2424SS**	71 lbs	**WRS4-86-2424SS**	80 lbs	**WRSAD4-86-2424SS**	73 lbs
24" x 30"	**WRS4-74-2430SS**	84 lbs	**WRSAD4-74-2430SS**	79 lbs	**WRS4-86-2430SS**	88 lbs	**WRSAD4-86-2430SS**	81 lbs
24" x 36"	**WRS4-74-2436SS**	92 lbs	**WRSAD4-74-2436SS**	87 lbs	**WRS4-86-2436SS**	96 lbs	**WRSAD4-86-2436SS**	89 lbs
24" x 42"	**WRS4-74-2442SS**	104 lbs	**WRSAD4-74-2442SS**	99 lbs	**WRS4-86-2442SS**	108 lbs	**WRSAD4-86-2442SS**	101 lbs
24" x 48"	**WRS4-74-2448SS**	112 lbs	**WRSAD4-74-2448SS**	107 lbs	**WRS4-86-2448SS**	116 lbs	**WRSAD4-86-2448SS**	109 lbs
24" x 54"	**WRS4-74-2454SS**	128 lbs	**WRSAD4-74-2454SS**	123 lbs	**WRS4-86-2454SS**	132 lbs	**WRSAD4-86-2454SS**	125 lbs
24" x 60"	**WRS4-74-2460SS**	140 lbs	**WRSAD4-74-2460SS**	135 lbs	**WRS4-86-2460SS**	144 lbs	**WRSAD4-86-2460SS**	137 lbs
24" x 72"	**WRS4-74-2472SS**	152 lbs	**WRSAD4-74-2472SS**	147 lbs	**WRS4-86-2472SS**	156 lbs	**WRSAD4-86-2472SS**	149 lbs

Shelving units include 4 posts and 4 shelves. Add-On units include 2 posts, 4 shelves and 8 shelf clamps.

	54"H - STAINLESS SOLID SHELVING 5 SHELVES				63"H - STAINLESS SOLID SHELVING 5 SHELVES			
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	WRS5-54-1436SS	82 lbs	WRSAD5-54-1436SS	79 lbs	WRS5-63-1436SS	86 lbs	WRSAD5-63-1436SS	81 lbs
14" x 42"	WRS5-54-1442SS	87 lbs	WRSAD5-54-1442SS	84 lbs	WRS5-63-1442SS	91 lbs	WRSAD5-63-1442SS	86 lbs
14" x 48"	WRS5-54-1448SS	97 lbs	WRSAD5-54-1448SS	94 lbs	WRS5-63-1448SS	101 lbs	WRSAD5-63-1448SS	96 lbs
14" x 54"	WRS5-54-1454SS	112 lbs	WRSAD5-54-1454SS	109 lbs	WRS5-63-1454SS	116 lbs	WRSAD5-63-1454SS	111 lbs
14" x 60"	WRS5-54-1460SS	122 lbs	WRSAD5-54-1460SS	119 lbs	WRS5-63-1460SS	126 lbs	WRSAD5-63-1460SS	121 lbs
14" x 72"	WRS5-54-1472SS	142 lbs	WRSAD5-54-1472SS	139 lbs	WRS5-63-1472SS	146 lbs	WRSAD5-63-1472SS	141 lbs
18" x 24"	WRS5-54-1824SS	67 lbs	WRSAD5-54-1824SS	64 lbs	WRS5-63-1824SS	71 lbs	WRSAD5-63-1824SS	66 lbs
18" x 30"	WRS5-54-1830SS	82 lbs	WRSAD5-54-1830SS	79 lbs	WRS5-63-1830SS	86 lbs	WRSAD5-63-1830SS	81 lbs
18" x 36"	WRS5-54-1836SS	92 lbs	WRSAD5-54-1836SS	89 lbs	WRS5-63-1836SS	96 lbs	WRSAD5-63-1836SS	91 lbs
18" x 42"	WRS5-54-1842SS	102 lbs	WRSAD5-54-1842SS	99 lbs	WRS5-63-1842SS	106 lbs	WRSAD5-63-1842SS	101 lbs
18" x 48"	WRS5-54-1848SS	112 lbs	WRSAD5-54-1848SS	109 lbs	WRS5-63-1848SS	116 lbs	WRSAD5-63-1848SS	111 lbs
18" x 54"	WRS5-54-1854SS	122 lbs	WRSAD5-54-1854SS	119 lbs	WRS5-63-1854SS	126 lbs	WRSAD5-63-1854SS	121 lbs
18" x 60"	WRS5-54-1860SS	132 lbs	WRSAD5-54-1860SS	129 lbs	WRS5-63-1860SS	136 lbs	WRSAD5-63-1860SS	131 lbs
18" x 72"	WRS5-54-1872SS	147 lbs	WRSAD5-54-1872SS	144 lbs	WRS5-63-1872SS	151 lbs	WRSAD5-63-1872SS	146 lbs
21" x 24"	WRS5-54-2124SS	77 lbs	WRSAD5-54-2124SS	74 lbs	WRS5-63-2124SS	81 lbs	WRSAD5-63-2124SS	76 lbs
21" x 30"	WRS5-54-2130SS	87 lbs	WRSAD5-54-2130SS	84 lbs	WRS5-63-2130SS	91 lbs	WRSAD5-63-2130SS	86 lbs
21" x 36"	WRS5-54-2136SS	102 lbs	WRSAD5-54-2136SS	99 lbs	WRS5-63-2136SS	106 lbs	WRSAD5-63-2136SS	101 lbs
21" x 42"	WRS5-54-2142SS	117 lbs	WRSAD5-54-2142SS	114 lbs	WRS5-63-2142SS	121 lbs	WRSAD5-63-2142SS	116 lbs
21" x 48"	WRS5-54-2148SS	127 lbs	WRSAD5-54-2148SS	124 lbs	WRS5-63-2148SS	131 lbs	WRSAD5-63-2148SS	126 lbs
21" x 54"	WRS5-54-2154SS	137 lbs	WRSAD5-54-2154SS	134 lbs	WRS5-63-2154SS	141 lbs	WRSAD5-63-2154SS	136 lbs
21" x 60"	WRS5-54-2160SS	152 lbs	WRSAD5-54-2160SS	149 lbs	WRS5-63-2160SS	156 lbs	WRSAD5-63-2160SS	151 lbs
21" x 72"	WRS5-54-2172SS	162 lbs	WRSAD5-54-2172SS	159 lbs	WRS5-63-2172SS	166 lbs	WRSAD5-63-2172SS	161 lbs
24" x 24"	WRS5-54-2424SS	87 lbs	WRSAD5-54-2424SS	84 lbs	WRS5-63-2424SS	91 lbs	WRSAD5-63-2424SS	86 lbs
24" x 30"	WRS5-54-2430SS	97 lbs	WRSAD5-54-2430SS	94 lbs	WRS5-63-2430SS	101 lbs	WRSAD5-63-2430SS	96 lbs
24" x 36"	WRS5-54-2436SS	107 lbs	WRSAD5-54-2436SS	104 lbs	WRS5-63-2436SS	111 lbs	WRSAD5-63-2436SS	106 lbs
24" x 42"	WRS5-54-2442SS	122 lbs	WRSAD5-54-2442SS	119 lbs	WRS5-63-2442SS	126 lbs	WRSAD5-63-2442SS	121 lbs
24" x 48"	WRS5-54-2448SS	132 lbs	WRSAD5-54-2448SS	129 lbs	WRS5-63-2448SS	136 lbs	WRSAD5-63-2448SS	131 lbs
24" x 54"	WRS5-54-2454SS	152 lbs	WRSAD5-54-2454SS	149 lbs	WRS5-63-2454SS	156 lbs	WRSAD5-63-2454SS	151 lbs
24" x 60"	WRS5-54-2460SS	167 lbs	WRSAD5-54-2460SS	164 lbs	WRS5-63-2460SS	171 lbs	WRSAD5-63-2460SS	166 lbs
24" x 72"	WRS5-54-2472SS	182 lbs	WRSAD5-54-2472SS	179 lbs	WRS5-63-2472SS	186 lbs	WRSAD5-63-2472SS	181 lbs

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

304
STAINLESS STEEL

Up to 400-600 lb.
LOAD CAPACITY PER SHELF

	74"H - STAINLESS SOLID SHELVING 5 SHELVES				86"H - STAINLESS SOLID SHELVING 5 SHELVES			
	STARTER KIT		ADD-ON KIT		STARTER KIT		ADD-ON KIT	
SHELF W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
14" x 36"	WRS5-74-1436SS	86 lbs	WRSAD5-74-1436SS	81 lbs	WRS5-86-1436SS	90 lbs	WRSAD5-86-1436SS	83 lbs
14" x 42"	WRS5-74-1442SS	91 lbs	WRSAD5-74-1442SS	86 lbs	WRS5-86-1442SS	95 lbs	WRSAD5-86-1442SS	88 lbs
14" x 48"	WRS5-74-1448SS	101 lbs	WRSAD5-74-1448SS	91 lbs	WRS5-86-1448SS	105 lbs	WRSAD5-86-1448SS	98 lbs
14" x 54"	WRS5-74-1454SS	116 lbs	WRSAD5-74-1454SS	111 lbs	WRS5-86-1454SS	120 lbs	WRSAD5-86-1454SS	113 lbs
14" x 60"	WRS5-74-1460SS	126 lbs	WRSAD5-74-1460SS	121 lbs	WRS5-86-1460SS	130 lbs	WRSAD5-86-1460SS	123 lbs
14" x 72"	WRS5-74-1472SS	146 lbs	WRSAD5-74-1472SS	141 lbs	WRS5-86-1472SS	150 lbs	WRSAD5-86-1472SS	143 lbs
18" x 24"	WRS5-74-1824SS	71 lbs	WRSAD5-74-1824SS	66 lbs	WRS5-86-1824SS	75 lbs	WRSAD5-86-1824SS	68 lbs
18" x 30"	WRS5-74-1830SS	86 lbs	WRSAD5-74-1830SS	81 lbs	WRS5-86-1830SS	90 lbs	WRSAD5-86-1830SS	83 lbs
18" x 36"	WRS5-74-1836SS	96 lbs	WRSAD5-74-1836SS	91 lbs	WRS5-86-1836SS	100 lbs	WRSAD5-86-1836SS	93 lbs
18" x 42"	WRS5-74-1842SS	106 lbs	WRSAD5-74-1842SS	101 lbs	WRS5-86-1842SS	110 lbs	WRSAD5-86-1842SS	103 lbs
18" x 48"	WRS5-74-1848SS	116 lbs	WRSAD5-74-1848SS	111 lbs	WRS5-86-1848SS	120 lbs	WRSAD5-86-1848SS	113 lbs
18" x 54"	WRS5-74-1854SS	126 lbs	WRSAD5-74-1854SS	121 lbs	WRS5-86-1854SS	130 lbs	WRSAD5-86-1854SS	123 lbs
18" x 60"	WRS5-74-1860SS	136 lbs	WRSAD5-74-1860SS	131 lbs	WRS5-86-1860SS	140 lbs	WRSAD5-86-1860SS	133 lbs
18" x 72"	WRS5-74-1872SS	151 lbs	WRSAD5-74-1872SS	151 lbs	WRS5-86-1872SS	155 lbs	WRSAD5-86-1872SS	153 lbs
21" x 24"	WRS5-74-2124SS	81 lbs	WRSAD5-74-2124SS	76 lbs	WRS5-86-2124SS	85 lbs	WRSAD5-86-2124SS	78 lbs
21" x 30"	WRS5-74-2130SS	91 lbs	WRSAD5-74-2130SS	86 lbs	WRS5-86-2130SS	95 lbs	WRSAD5-86-2130SS	88 lbs
21" x 36"	WRS5-74-2136SS	106 lbs	WRSAD5-74-2136SS	101 lbs	WRS5-86-2136SS	110 lbs	WRSAD5-86-2136SS	103 lbs
21" x 42"	WRS5-74-2142SS	121 lbs	WRSAD5-74-2142SS	116 lbs	WRS5-86-2142SS	125 lbs	WRSAD5-86-2142SS	118 lbs
21" x 48"	WRS5-74-2148SS	131 lbs	WRSAD5-74-2148SS	121 lbs	WRS5-86-2148SS	135 lbs	WRSAD5-86-2148SS	123 lbs
21" x 54"	WRS5-74-2154SS	141 lbs	WRSAD5-74-2154SS	136 lbs	WRS5-86-2154SS	145 lbs	WRSAD5-86-2154SS	138 lbs
21" x 60"	WRS5-74-2160SS	156 lbs	WRSAD5-74-2160SS	151 lbs	WRS5-86-2160SS	160 lbs	WRSAD5-86-2160SS	153 lbs
21" x 72"	WRS5-74-2172SS	166 lbs	WRSAD5-74-2172SS	186 lbs	WRS5-86-2172SS	170 lbs	WRSAD5-86-2172SS	188 lbs
24" x 24"	WRS5-74-2424SS	91 lbs	WRSAD5-74-2424SS	86 lbs	WRS5-86-2424SS	95 lbs	WRSAD5-86-2424SS	88 lbs
24" x 30"	WRS5-74-2430SS	101 lbs	WRSAD5-74-2430SS	96 lbs	WRS5-86-2430SS	105 lbs	WRSAD5-86-2430SS	98 lbs
24" x 36"	WRS5-74-2436SS	111 lbs	WRSAD5-74-2436SS	106 lbs	WRS5-86-2436SS	115 lbs	WRSAD5-86-2436SS	108 lbs
24" x 42"	WRS5-74-2442SS	126 lbs	WRSAD5-74-2442SS	121 lbs	WRS5-86-2442SS	130 lbs	WRSAD5-86-2442SS	123 lbs
24" x 48"	WRS5-74-2448SS	136 lbs	WRSAD5-74-2448SS	131 lbs	WRS5-86-2448SS	140 lbs	WRSAD5-86-2448SS	133 lbs
24" x 54"	WRS5-74-2454SS	156 lbs	WRSAD5-74-2454SS	151 lbs	WRS5-86-2454SS	160 lbs	WRSAD5-86-2454SS	153 lbs
24" x 60"	WRS5-74-2460SS	171 lbs	WRSAD5-74-2460SS	166 lbs	WRS5-86-2460SS	175 lbs	WRSAD5-86-2460SS	168 lbs
24" x 72"	WRS5-74-2472SS	186 lbs	WRSAD5-74-2472SS	181 lbs	WRS5-86-2472SS	205 lbs	WRSAD5-86-2472SS	198 lbs

Shelving units include 4 posts and 5 shelves. Add-On units include 2 posts, 5 shelves and 10 shelf clamps.

5 Shelf Starter Kits

Solid flat shelves allows for storage from small to large items, and the marine edge perimeter prevents spillage. The double hemmed 18 gauge 304 stainless steel gives the solid shelf excellent strength characteristics. All solid shelf units consist of 5 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit **WR-00HS**, see ***pg. 33***. ***Finish:*** Stainless Steel



MOBILIZE YOUR SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00HS *(Mobile Kit)**
Set of four swivel 5" x 1-1/4" thermoplastic resin stainless steel casters with zerk grease fittings, 2 with brake. Can be used with all units shown. Up to 1,200 lb. load capacity. **Mobile kits recommended only for shelves 18" and deeper.*




QSMC
Shelf Clamp
Shelf Clamp eliminates 2 posts per shelving section. Two **QSMC** clamps are required per shelf.
Finish: Aluminum
(Sold individually)



5 SHELF ADD-ON KIT

5 Shelf Add-On Kits

Additional Add-On kits allow you to expand your Starter kit by sharing a set of posts. Configuration options include side to side, back to back and right angles *(L-Shape)*. Add-on units consist of 5 shelves, 2 posts and 10 shelf clamps. Additional shelves and posts may be purchased separately, see chart on ***pg. 37***. Units with Add-On kit cannot be made mobile. ***Finish:*** Stainless Steel




M1836C46

NEW

CHROME & EPOXY WIRE SHELVES

DIMENSIONS W" x L" x H"	4 SHELF CARTS MODEL NO.	SHIP WGT	5 SHELF CARTS MODEL NO.	SHIP WGT
63"H - Post, 5" Stem Caster Carts				
18" x 36" x 69"	**M1836C46**	68 lbs	**M1836C46-5**	72 lbs
18" x 48" x 69"	**M1848C46**	76 lbs	**M1848C46-5**	84 lbs
18" x 60" x 69"	**M1860C46**	97 lbs	**M1860C46-5**	107 lbs
24" x 36" x 69"	**M2436C46**	80 lbs	**M2436C46-5**	87 lbs
24" x 48" x 69"	**M2448C46**	94 lbs	**M2448C46-5**	102 lbs
24" x 60" x 69"	**M2460C46**	116 lbs	**M2460C46-5**	127 lbs
74"H - Post, 5" Stem Caster Carts				
18" x 36" x 80"	**M1836C47**	70 lbs	**M1836C47-5**	74 lbs
18" x 48" x 80"	**M1848C47**	78 lbs	**M1848C47-5**	86 lbs
18" x 60" x 80"	**M1860C47**	99 lbs	**M1860C47-5**	109 lbs
24" x 36" x 80"	**M2436C47**	82 lbs	**M2436C47-5**	89 lbs
24" x 48" x 80"	**M2448C47**	96 lbs	**M2448C47-5**	104 lbs
24" x 60" x 80"	**M2460C47**	118 lbs	**M2460C47-5**	129 lbs

- GREEN EPOXY **P**
- GRAY EPOXY **GY**
- BLACK EPOXY **BK**

REPLACE "C" in Model No. to order Epoxy Finish Ex. **M1836P46** **M1836GY46** **M1836BK46**

Stem Caster Carts

NSF

4 or 5 Wire Shelf Mobile Carts

Mobile wire stem caster carts add versatility and flexibility to any operation, creating a transport system. ***Finishes:*** Chrome, Green, Gray and Black Epoxy

- Supply and distribution
- Stock rotation
- Laundry
- Staging

Each unit consists of:
4 - posts
4 or 5 - wire shelves
4 - donut bumpers
4 - 5" thermoplastic resin casters, 2 with brakes


M1836CG46-5

CHROME WIRE AND 18 GAUGE SOLID GALVANIZED STEEL SHELVES

DIMENSIONS W" x L" x H"	4 SHELF CARTS MODEL NO.	SHIP WGT	5 SHELF CARTS MODEL NO.	SHIP WGT
63"H - Post, 5" Stem Caster Carts				
18" x 36" x 69"	**M1836CG46**	68 lbs	**M1836CG46-5**	78 lbs
18" x 48" x 69"	**M1848CG46**	76 lbs	**M1848CG46-5**	90 lbs
18" x 60" x 69"	**M1860CG46**	97 lbs	**M1860CG46-5**	114 lbs
24" x 36" x 69"	**M2436CG46**	80 lbs	**M2436CG46-5**	93 lbs
24" x 48" x 69"	**M2448CG46**	94 lbs	**M2448CG46-5**	110 lbs
24" x 60" x 69"	**M2460CG46**	116 lbs	**M2460CG46-5**	137 lbs
74"H - Post, 5" Stem Caster Carts				
18" x 36" x 80"	**M1836CG47**	70 lbs	**M1836CG47-5**	80 lbs
18" x 48" x 80"	**M1848CG47**	78 lbs	**M1848CG47-5**	92 lbs
18" x 60" x 80"	**M1860CG47**	99 lbs	**M1860CG47-5**	116 lbs
24" x 36" x 80"	**M2436CG47**	82 lbs	**M2436CG47-5**	95 lbs
24" x 48" x 80"	**M2448CG47**	96 lbs	**M2448CG47-5**	112 lbs
24" x 60" x 80"	**M2460CG47**	118 lbs	**M2460CG47-5**	139 lbs

3 or 4 Wire/1 Solid Shelf Mobile Carts

Stem caster cart with solid bottom shelf. The unique combination of wire and solid shelves allows for air circulation and high visibility. The solid shelf in the bottom position prevents dust and dirt to rise and contains spillage.

Each unit consists of:
4 - posts
3 or 4 - wire shelves
1 - solid shelf
4 - donut bumpers
4 - 5" thermoplastic resin casters, 2 with brakes


M1836SG46

NEW

GALVANIZED & STAINLESS SOLID SHELVES

DIMENSIONS W" x L" x H"	4 SHELF CARTS MODEL NO.	SHIP WGT	5 SHELF CARTS MODEL NO.	SHIP WGT
63"H - Post, 5" Stem Caster Carts				
18" x 36" x 69"	**M1836SG46**	86 lbs	**M1836SG46-5**	102 lbs
18" x 48" x 69"	**M1848SG46**	102 lbs	**M1848SG46-5**	122 lbs
18" x 60" x 69"	**M1860SG46**	118 lbs	**M1860SG46-5**	142 lbs
24" x 36" x 69"	**M2436SG46**	98 lbs	**M2436SG46-5**	117 lbs
24" x 48" x 69"	**M2448SG46**	102 lbs	**M2448SG46-5**	126 lbs
24" x 60" x 69"	**M2460SG46**	146 lbs	**M2460SG46-5**	177 lbs
74"H - Post, 5" Stem Caster Carts				
18" x 36" x 80"	**M1836SG47**	88 lbs	**M1836SG47-5**	104 lbs
18" x 48" x 80"	**M1848SG47**	104 lbs	**M1848SG47-5**	124 lbs
18" x 60" x 80"	**M1860SG47**	120 lbs	**M1860SG47-5**	144 lbs
24" x 36" x 80"	**M2436SG47**	100 lbs	**M2436SG47-5**	119 lbs
24" x 48" x 80"	**M2448SG47**	104 lbs	**M2448SG47-5**	128 lbs
24" x 60" x 80"	**M2460SG47**	148 lbs	**M2460SG47-5**	179 lbs

- STAINLESS **SS**

REPLACE "SG" in Model No. to order Stainless Steel Finish Ex. **M1836SS46**

Up to 1,200 lb.
MOBILE LOAD CAPACITY

4 or 5 Solid Shelf Mobile Carts

Stem caster solid shelf cart is an easy way to transport tools and inventories. ***Finishes:*** Galvanized Steel and Stainless Steel

Each unit consists of:
4 - posts
4 or 5 - solid shelves
4 - donut bumpers
4 - 5" thermoplastic resin casters, 2 with brakes

Enclosure Carts

Enclosure carts are an effective way to keep contents from moving or falling off during transportation.

Enclosure carts using rods and tabs are adaptable to any shelf position.

Enclosure dolly base truck using rods and tabs allows for heavier load transport. The rods and tabs act as a perimeter to retain product.

For additional shelves, see ***pg. 24***.

Each units consist of:
4 - posts
4 or 5 - wire shelves
4, 5 or 6 - rods and tabs kits

Mobile unit also includes:
4 - 5" swivel thermoplastic resin casters, 2 with brakes
4 - donut bumpers

Dolly Base unit also includes:
1 - dolly base
4 - plate thermoplastic resin casters *(2 rigid and 2 swivel with brake)*

COMPLETE CARTS INCLUDE CASTER KIT FOR MOBILITY

Up to 1,200 lb. MOBILE LOAD CAPACITY



M1836C46RE



MD1836C46RE-5

3 SIDED, 4 OR 5 WIRE SHELF CART WITH RODS AND TABS

DIMENSIONS W" x L" x H"	4 SHELF CARTS MODEL NO.	SHIP WGT	5 SHELF CARTS MODEL NO.	SHIP WGT
63"H - Post, Cart with Rods and Tabs				
18" x 36" x 69"	**M1836C46RE**	74 lbs	**M1836C46RE-5**	84 lbs
18" x 48" x 69"	**M1848C46RE**	84 lbs	**M1848C46RE-5**	98 lbs
18" x 60" x 69"	**M1860C46RE**	100 lbs	**M1860C46RE-5**	117 lbs
24" x 36" x 69"	**M2436C46RE**	88 lbs	**M2436C46RE-5**	101 lbs
24" x 48" x 69"	**M2448C46RE**	104 lbs	**M2448C46RE-5**	120 lbs
24" x 60" x 69"	**M2460C46RE**	124 lbs	**M2460C46RE-5**	145 lbs
74"H - Post, Cart with Rods and Tabs				
18" x 36" x 80"	**M1836C47RE**	80 lbs	**M1836C47RE-5**	90 lbs
18" x 48" x 80"	**M1848C47RE**	92 lbs	**M1848C47RE-5**	106 lbs
18" x 60" x 80"	**M1860C47RE**	104 lbs	**M1860C47RE-5**	121 lbs
24" x 36" x 80"	**M2436C47RE**	94 lbs	**M2436C47RE-5**	107 lbs
24" x 48" x 80"	**M2448C47RE**	112 lbs	**M2448C47RE-5**	128 lbs
24" x 60" x 80"	**M2460C47RE**	132 lbs	**M2460C47RE-5**	153 lbs

CHROME WIRE SHELVES

DOLLY BASE 3 SIDED, 4 OR 5 WIRE SHELF CART WITH RODS AND TABS

DIMENSIONS W" x L" x H"	4 SHELF CARTS MODEL NO.	SHIP WGT	5 SHELF CARTS MODEL NO.	SHIP WGT
63"H - Post, Dolly Base Carts with Rods and Tabs				
18" x 36" x 70"	**MD1836C46RE**	86 lbs	**MD1836C46RE-5**	96 lbs
18" x 48" x 70"	**MD1848C46RE**	96 lbs	**MD1848C46RE-5**	110 lbs
18" x 60" x 70"	**MD1860C46RE**	124 lbs	**MD1860C46RE-5**	141 lbs
24" x 36" x 70"	**MD2436C46RE**	113 lbs	**MD2436C46RE-5**	126 lbs
24" x 48" x 70"	**MD2448C46RE**	121 lbs	**MD2448C46RE-5**	137 lbs
24" x 60" x 70"	**MD2460C46RE**	144 lbs	**MD2460C46RE-5**	165 lbs
74"H - Post, Dolly Base Carts with Rods and Tabs				
18" x 36" x 81"	**MD1836C47RE**	92 lbs	**MD1836C47RE-5**	102 lbs
18" x 48" x 81"	**MD1848C47RE**	106 lbs	**MD1848C47RE-5**	120 lbs
18" x 60" x 81"	**MD1860C47RE**	120 lbs	**MD1860C47RE-5**	137 lbs
24" x 36" x 81"	**MD2436C47RE**	108 lbs	**MD2436C47RE-5**	121 lbs
24" x 48" x 81"	**MD2448C47RE**	129 lbs	**MD2448C47RE-5**	145 lbs
24" x 60" x 81"	**MD2460C47RE**	152 lbs	**MD2460C47RE-5**	173 lbs

Rods & Tabs

Rods and tabs represent an economical, alternate solution for enclosure on backs and sides of mobile and stationary units.

Each kit includes:
3 - rods
9 - front/back tabs
9 - side/solid shelf tabs.


MODEL NO.	DESCRIPTION	SHIP WGT
Rods & Tabs		
52RT	3 - 52" Rods with Tabs	1 lb
61RT	3 - 61" Rods with Tabs	1 lb
72RT	3 - 72" Rods with Tabs	2 lbs
84RT	3 - 84" Rods with Tabs	2 lbs



QSRT
Side or Solid Shelf Tab



QAT
Front or Back Tab





3 SIDED STEM CASTER WIRE SHELF CART WITH 3 OR 4 WIRE SHELVES AND 1 SOLID SHELF WITH RODS AND TABS

DIMENSIONS W" x L" x H"	4 SHELF CARTS MODEL NO.	SHIP WGT	5 SHELF CARTS MODEL NO.	SHIP WGT
63"H - Post, Cart with Rods and Tabs				
18" x 36" x 69"	**M1836CG46RE**	83 lbs	**M1836CG46RE-5**	93 lbs
18" x 48" x 69"	**M1848CG46RE**	94 lbs	**M1848CG46RE-5**	108 lbs
18" x 60" x 69"	**M1860CG46RE**	114 lbs	**M1860CG46RE-5**	131 lbs
24" x 36" x 69"	**M2436CG46RE**	96 lbs	**M2436CG46RE-5**	109 lbs
24" x 48" x 69"	**M2448CG46RE**	112 lbs	**M2448CG46RE-5**	128 lbs
24" x 60" x 69"	**M2460CG46RE**	136 lbs	**M2460CG46RE-5**	157 lbs
74"H - Post, Cart with Rods and Tabs				
18" x 36" x 80"	**M1836CG47RE**	89 lbs	**M1836CG47RE-5**	99 lbs
18" x 48" x 80"	**M1848CG47RE**	101 lbs	**M1848CG47RE-5**	115 lbs
18" x 60" x 80"	**M1860CG47RE**	123 lbs	**M1860CG47RE-5**	140 lbs
24" x 36" x 80"	**M2436CG47RE**	102 lbs	**M2436CG47RE-5**	115 lbs
24" x 48" x 80"	**M2448CG47RE**	119 lbs	**M2448CG47RE-5**	135 lbs
24" x 60" x 80"	**M2460CG47RE**	144 lbs	**M2460CG47RE-5**	166 lbs

CHROME WIRE AND 18 GAUGE SOLID GALVANIZED STEEL SHELVES

DOLLY BASE 3 SIDED WIRE SHELF CART WITH 3 OR 4 WIRE SHELVES AND 1 SOLID SHELF WITH RODS AND TABS

DIMENSIONS W" x L" x H"	4 SHELF CARTS MODEL NO.	SHIP WGT	5 SHELF CARTS MODEL NO.	SHIP WGT
63"H - Post, Dolly Base Carts with Rods and Tabs				
18" x 36" x 70"	**MD1836CG46RE**	93 lbs	**MD1836CG46RE-5**	102 lbs
18" x 48" x 70"	**MD1848CG46RE**	106 lbs	**MD1848CG46RE-5**	116 lbs
18" x 60" x 70"	**MD1860CG46RE**	128 lbs	**MD1860CG46RE-5**	147 lbs
24" x 36" x 70"	**MD2436CG46RE**	109 lbs	**MD2436CG46RE-5**	132 lbs
24" x 48" x 70"	**MD2448CG46RE**	127 lbs	**MD2448CG46RE-5**	145 lbs
24" x 60" x 70"	**MD2460CG46RE**	154 lbs	**MD2460CG46RE-5**	175 lbs
74"H - Post, Dolly Base Carts with Rods and Tabs				
18" x 36" x 81"	**MD1836CG47RE**	99 lbs	**MD1836CG47RE-5**	108 lbs
18" x 48" x 81"	**MD1848CG47RE**	113 lbs	**MD1848CG47RE-5**	126 lbs
18" x 60" x 81"	**MD1860CG47RE**	137 lbs	**MD1860CG47RE-5**	143 lbs
24" x 36" x 81"	**MD2436CG47RE**	115 lbs	**MD2436CG47RE-5**	127 lbs
24" x 48" x 81"	**MD2448CG47RE**	134 lbs	**MD2448CG47RE-5**	153 lbs
24" x 60" x 81"	**MD2460CG47RE**	163 lbs	**MD2460CG47RE-5**	183 lbs



M1836CG46RE



MD1836CG46RE-5

Enclosure Carts

NSF

Enclosure carts are an effective way to keep contents from moving or falling off during transportation.

Enclosure carts using rods and tabs are adaptable to any shelf position.

Enclosure dolly base truck using rods and tabs allows for heavier load transport. The rods and tabs act as a perimeter to retain product.

For additional shelves, see ***pg. 24***.

Each units consist of:
4 - posts
3 or 4 - wire shelves
1 - solid shelf
4, 5 or 6 - rods and tabs kits

Mobile unit also includes:
4 - 5" swivel thermoplastic resin casters, 2 with brakes
4 - donut bumpers


Dolly Base unit also includes:
1 - dolly base
4 - plate thermoplastic resin casters *(2 rigid and 2 swivel with brake)*

COMPLETE CARTS INCLUDE CASTER KIT FOR MOBILITY

Up to 1,200 lb. MOBILE LOAD CAPACITY



WHITE NYLON



BLUE NYLON CLEAR VINYL

CART COVERS
Protect against pilferage, airborne dust, moisture, and other contaminants

NYLON FABRIC OR CLEAR VINYL CART COVERS AVAILABLE

See ***pg. 46***

Enclosure Carts

NSF

Finishes: Chrome and Green Epoxy

Each unit consists of:
4 - posts
4 or 5 - wire shelves
4 - enclosure panels
4 - 5" swivel thermoplastic resin casters, 2 with brakes
4 - donut bumpers

NYLON FABRIC OR CLEAR VINYL CART COVERS AVAILABLE

See ***pg. 46***



BLUE NYLON CART COVER
Protect against pilferage, airborne dust, moisture and other contaminants

Each units consist of:
4 - posts
3 or 4 - wire shelves
1 - solid shelf
4 or 5 - enclosure panels

Mobile unit also includes:
4 - 5" swivel thermoplastic resin casters, 2 with brakes
4 - donut bumpers

Dolly Base unit also includes:
1 - dolly base
4 - plate thermoplastic resin casters *(2 rigid and 2 swivel with brake)*

Add SUFFIX shown below to any Model No. to add Clear Label Holder package

▶ Ex. **M2436C46E-LH33C**
Ex. **M2436C46E-5LH33C**

• 36" L ENCLOSURE CARTS	-LH33C
• 48" L ENCLOSURE CARTS	-LH45C
• 60" L ENCLOSURE CARTS	-LH57C



M2436C46E



WRCS4-63-2460EP-5



WRDBS4-63-2460EP

NEW

CHROME & EPOXY WIRE SHELVES

3 SIDED, 4 OR 5 WIRE SHELF CART WITH ENCLOSURE PANELS

DIMENSIONS W" x L" x H"	4 SHELF CARTS MODEL NO.	SHIP WGT	5 SHELF CARTS MODEL NO.	SHIP WGT
63"H - Post, Cart with Enclosure Panels				
24" x 36" x 69"	M2436C46E	145 lbs	M2436C46E-5	158 lbs
24" x 48" x 69"	M2448C46E	179 lbs	M2448C46E-5	195 lbs
24" x 60" x 69"	M2460C46E	197 lbs	M2460C46E-5	218 lbs

• GREEN EPOXY P

REPLACE "C" in Model No. to order Epoxy Finish ▶ Ex. **M2436P46E**

COMPLETE CARTS INCLUDE CASTER KIT FOR MOBILITY

Up to **1,200 lb.**
MOBILE LOAD CAPACITY

3 SIDED STEM CASTER ENCLOSURE CART WITH 3 OR 4 WIRE SHELVES AND 1 SOLID SHELF WITH ENCLOSURE PANELS

DIMENSIONS W" x L" x H"	4 SHELF CARTS MODEL NO.	SHIP WGT	5 SHELF CARTS MODEL NO.	SHIP WGT
63"H - Post, Cart with Solid Bottom Shelf and Enclosure Panels				
24" x 36" x 69"	WRCS4-63-2436EP	113 lbs	WRCS4-63-2436EP-5	126 lbs
24" x 48" x 69"	WRCS4-63-2448EP	131 lbs	WRCS4-63-2448EP-5	147 lbs
24" x 60" x 69"	WRCS4-63-2460EP	158 lbs	WRCS4-63-2460EP-5	179 lbs
74"H - Post, Cart with Solid Bottom Shelf and Enclosure Panels				
24" x 36" x 80"	WRCS4-74-2436EP	113 lbs	WRCS4-74-2436EP-5	126 lbs
24" x 48" x 80"	WRCS4-74-2448EP	131 lbs	WRCS4-74-2448EP-5	147 lbs
24" x 60" x 80"	WRCS4-74-2460EP	158 lbs	WRCS4-74-2460EP-5	179 lbs

CHROME WIRE AND 18 GAUGE SOLID GALVANIZED STEEL SHELVES

3 SIDED DOLLY BASE ENCLOSURE CART WITH 3 OR 4 WIRE SHELVES AND 1 SOLID SHELF WITH ENCLOSURE PANELS

DIMENSIONS W" x L" x H"	4 SHELF CARTS MODEL NO.	SHIP WGT	5 SHELF CARTS MODEL NO.	SHIP WGT
63"H - Post, Dolly Base Cart with Solid Bottom Shelf and Enclosure Panels				
24" x 36" x 70"	WRDBS4-63-2436EP	124 lbs	WRDBS4-63-2436EP-5	137 lbs
24" x 48" x 70"	WRDBS4-63-2448EP	142 lbs	WRDBS4-63-2448EP-5	158 lbs
24" x 60" x 70"	WRDBS4-63-2460EP	169 lbs	WRDBS4-63-2460EP-5	190 lbs
74"H - Post, Dolly Base Cart with Solid Bottom Shelf and Enclosure Panels				
24" x 36" x 81"	WRDBS4-74-2436EP	124 lbs	WRDBS4-74-2436EP-5	137 lbs
24" x 48" x 81"	WRDBS4-74-2448EP	142 lbs	WRDBS4-74-2448EP-5	158 lbs
24" x 60" x 81"	WRDBS4-74-2460EP	169 lbs	WRDBS4-74-2460EP-5	190 lbs

Cart Covers

Protect against pilferage, airborne dust, water, and other contaminants. Velcro and zipper flap are available in clear-vinyl and blue and white denier nylon fabric. Clear vinyl is 10 gauge. Blue and white nylon fabric is 400 Denier. Specify zipper or velcro for closure.

CART COVERS OPTIONS AVAILABLE

- Custom sizes
- Hand openings
- Handle holes/slits
- Bottom tie tapes *(attach to posts)*
- Extra velcro strips
- Double flap
- Clear front flap
- Metal grommets
- 9" x 12" pocket/document holder
- Custom logos

TO ORDER:

1. *Choose size*
2. *Select color:*
   - **Clear Vinyl** *add suffix* **CV**
   - **Blue Nylon** *add suffix* **BN**
   - **White Nylon** *add suffix* **WN**
3. *Choose Zipper or Velcro*

COVERS PROTECT AGAINST PILFERAGE, AIRBORNE DUST, MOISTURE AND OTHER CONTAMINANTS

CUSTOM SIZES AND ADDITIONAL COLORS ALONG WITH ESD/CONDUCTIVE MATERIAL AVAILABLE

call for details



CLEAR VINYL





BLUE NYLON



WHITE NYLON

63"H - CART COVER				74"H - CART COVER			
DIMENSIONS W" x L" x H"	SHIP WGT	400 DENIER MODEL NO.	CLEAR VINYL MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	400 DENIER MODEL NO.	CLEAR VINYL MODEL NO.
18" x 36" x 63"	3 lbs	**CC183663**	**CC183663CV**	18" x 36" x 74"	4 lbs	**CC183674**	**CC183674CV**
18" x 48" x 63"	4 lbs	**CC184863**	**CC184863CV**	18" x 48" x 74"	5 lbs	**CC184874**	**CC184874CV**
18" x 60" x 63"	5 lbs	**CC186063**	**CC186063CV**	18" x 60" x 74"	6 lbs	**CC186074**	**CC186074CV**
18" x 72" x 63"	6 lbs	**CC187263**	**CC187263CV**	18" x 72" x 74"	7 lbs	**CC187274**	**CC187274CV**
24" x 36" x 63"	3 lbs	**CC243663**	**CC243663CV**	24" x 36" x 74"	4 lbs	**CC243674**	**CC243674CV**
24" x 48" x 63"	4 lbs	**CC244863**	**CC244863CV**	24" x 48" x 74"	5 lbs	**CC244874**	**CC244874CV**
24" x 60" x 63"	5 lbs	**CC246063**	**CC246063CV**	24" x 60" x 74"	6 lbs	**CC246074**	**CC246074CV**
24" x 72" x 63"	6 lbs	**CC247263**	**CC247263CV**	24" x 72" x 74"	7 lbs	**CC247274**	**CC247274CV**

NOW 3 FINISHES AVAILABLE

EXPANDED 1 BOX WIRE SHELVING OFFERING
NOW also available in **BLACK** and **GREEN Epoxy**



LIMITED 1 YEAR WARRANTY

CONVENIENT 1 BOX WIRE SHELVING UNIT
Chrome Finish



NEW FINISH

LIMITED 15 YEARS WARRANTY

CONVENIENT 1 BOX WIRE SHELVING UNIT
Black Epoxy Finish



NEW FINISH

LIMITED 15 YEARS WARRANTY

CONVENIENT 1 BOX WIRE SHELVING UNIT
Green Epoxy Finish

Convenient 1 Box Wire Shelving Units

Super competitive cost. All packed in 1 box for super easy inventory control, shipping, and receiving. Four shelf configuration.


FINISHES: • CHROME • GREEN EPOXY P • BLACK EPOXY BK

Add SUFFIX to Model No. to order Epoxy Finish ▶ Ex. **RWR72-1830LDP**
RWR72-1830LDBK

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Chrome One Box Shelving		
RWR72-1830LD	18" x 30" x 72"	35 lbs
RWR72-1836LD	18" x 36" x 72"	38 lbs
RWR72-1842LD	18" x 42" x 72"	42 lbs
RWR72-1848LD	18" x 48" x 72"	46 lbs
RWR72-2430LD	24" x 30" x 72"	40 lbs
RWR72-2436LD	24" x 36" x 72"	46 lbs
RWR72-2442LD	24" x 42" x 72"	51 lbs
RWR72-2448LD	24" x 48" x 72"	56 lbs



Up to 300 lb.
LOAD CAPACITY PER SHELF



CHROME BLACK EPOXY GREEN EPOXY

PERFORMANCE FEATURES:

- Up to 300 lb. load capacity per shelf (evenly distributed)
- Assembles in minutes
- Wire design allows for air circulation and minimal dust buildup
- Shelves easily adjust on 1" centers to your exact needs
- Ideal storage solution for any commercial, office, warehouse or home application
- Includes posts, shelves, and all needed hardware - all in one box
- No tools required

SUPER LOW PRICE!

SINGLE BOX SHIPMENT

SUPER LOW TRANSIT COST



SHIPS ALL IN BOX

MOBILIZE YOUR SHELVING

W-PLI - Post Insert
Each unit will require one 4-pack.

WR-3 ***(Mobile Kit)***
Set of four 3" polyurethane casters, all with brakes. Can be used with all units shown. Up to 800 lb. load capacity.

1 Box Millenia Vented Shelf Units

Vented shelves allows for storage from small to large items. Open grid surface allows for air circulation and minimal dust buildup. All vented complete shelf units consist of 4 shelves and 4 posts. Mobilize starter kit shelving unit using optional mobile kit. ***Color:*** Gray

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Millenia One Box Shelving		
QP182474VS-4	18" x 24" x 74"	35 lbs
QP183074VS-4	18" x 30" x 74"	39 lbs
QP183674VS-4	18" x 36" x 74"	43 lbs
QP184274VS-4	18" x 42" x 74"	46 lbs
QP184874VS-4	18" x 48" x 74"	50 lbs
QP212474VS-4	21" x 24" x 74"	36 lbs
QP213074VS-4	21" x 30" x 74"	41 lbs
QP213674VS-4	21" x 36" x 74"	45 lbs
QP214274VS-4	21" x 42" x 74"	49 lbs
QP214874VS-4	21" x 48" x 74"	54 lbs
QP242474VS-4	24" x 24" x 74"	43 lbs
QP243074VS-4	24" x 30" x 74"	48 lbs
QP243674VS-4	24" x 36" x 74"	54 lbs
QP244274VS-4	24" x 42" x 74"	59 lbs
QP244874VS-4	24" x 48" x 74"	65 lbs



OPTIONAL MOBILE KIT
QPPSC-5S
Includes four 5"x1-1/4" Polymer swivel casters, 2 with brake and four donut bumpers.
Up to 800 lb. mobile load capacity *(evenly distributed)*



4 SHELF UNIT

PERFORMANCE FEATURES:

- Lifetime limited warranty against rust and corrosion
- Up to 1,000 lb. load capacity per shelf
- Extremely versatile and suitable for wet, humid and dry environments
- Polymer composition makes it resistant to abrasive chemicals and salt water with built-in antimicrobial protection
- Shelves can be adjusted on 1" increments with no special tool required
- NSF Approved

SUPER LOW PRICE

SUPER LOW TRANSIT COST

SINGLE BOX SHIPMENT

INSIDE EACH SINGLE BOX UNIT
4 - vented shelves
4 - posts *(**6** pieces each)*
4 - floor adapters
4 - post caps
1 - pack *(**16** sets of split sleeves)*
1 - pack *(**16** gussets)*



POST



CAP




SPLIT SLEEVES



FLOOR ADAPTER

GUSSET

Up to 1,000 lb.
LOAD CAPACITY PER SHELF



VENTED SHELF

1 Box Polymer Wire Shelving Units

4 shelf configuration. Super competitive cost. All packed in 1 box for super easy inventory control, shipping, and receiving. ***Finish:*** Proform Green Epoxy

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Proform Green Epoxy One Box Shelving		
WR74-1830WPM	18" x 30" x 74"	48 lbs
WR74-1836WPM	18" x 36" x 74"	56 lbs
WR74-1842WPM	18" x 42" x 74"	64 lbs
WR74-1848WPM	18" x 48" x 74"	68 lbs
WR74-2130WPM	21" x 30" x 74"	56 lbs
WR74-2136WPM	21" x 36" x 74"	64 lbs
WR74-2142WPM	21" x 42" x 74"	68 lbs
WR74-2148WPM	21" x 48" x 74"	76 lbs
WR74-2430WPM	24" x 30" x 74"	64 lbs
WR74-2436WPM	24" x 36" x 74"	68 lbs
WR74-2442WPM	24" x 42" x 74"	72 lbs
WR74-2448WPM	24" x 48" x 74"	80 lbs



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)*
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity.

For additional Caster options
See ***pg. 33***



4 SHELF UNIT
Proform Green Epoxy Finish

PERFORMANCE FEATURES:

- 15 year limited warranty on Epoxy, Lifetime limited warranty on plastic
- Up to 600-800 lb. load capacity per shelf
- Smooth, vented, open grid surface allows for air circulation and minimal dust buildup
- Shelf plates are easily removable and dishwasher safe
- NSF Approved
- Antimicrobial
- Resistant against corrosion

LIMITED 15 YEARS WARRANTY

LIMITED LIFETIME WARRANTY

SHIPS ALL IN BOX



SUPER LOW PRICE

SUPER LOW TRANSIT COST

SINGLE BOX SHIPMENT

Up to 600-800 lb.
LOAD CAPACITY PER SHELF

INSIDE EACH SINGLE BOX UNIT
4 - posts *(**2** or **3** pieces each)*
4 - wire frames
4 - plastic wire mats
*(**2** or **3** pieces each)*
4 - packs of split sleeves



Security Units

Stationary and Mobile Units prevent pilferage while allowing high visibility of contents at all times. All side and back panels are heavy gauge wire construction and are manufactured of all-welded heavy-duty 1/4" diameter wire on 2" x 2" centers. Assembly is quick and easy. ***Finishes:*** Chrome and Proform Green Epoxy

WANT TO SECURE YOUR EXISTING SHELVING UNITS?



Thick wire gauge ensures strong and dependable security yet easy visibility



2436-63SECP-2

NYLON FABRIC OR CLEAR VINYL UNIT COVERS AVAILABLE FOR ALL SECURITY UNITS See *pg. 46*

Stationary Security Units

Each unit consists of:
4 - posts
2 - wire shelves *(for top and bottom)*
1 - security panel set *(includes back and sides)*
1 - pair security panel doors

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Stationary Security Units		
1836-63SEC	18" x 36" x 63"	145 lbs
1848-63SEC	18" x 48" x 63"	172 lbs
1860-63SEC	18" x 60" x 63"	204 lbs
2136-63SEC	21" x 36" x 63"	155 lbs
2148-63SEC	21" x 48" x 63"	162 lbs
2160-63SEC	21" x 60" x 63"	214 lbs
2436-63SEC	24" x 36" x 63"	165 lbs
2448-63SEC	24" x 48" x 63"	192 lbs
2460-63SEC	24" x 60" x 63"	224 lbs

ADD SUFFIX "P" TO MODEL NO. TO ORDER GREEN EPOXY FINISH
Ex. 2436-63SEC**P**

Intermediate shelves can be purchased separately for all security units see ***pg. 24****. To order unit with 2 intermediate shelves included, add* ***-2*** *to the end of each model no.*

Ex. 2436-63SEC-**2**
2436-63SECP-**2**

Security Panel Doors

Each door set has left and right panel with 4 hinge bars. Assembly is quick and easy and adapts to the appropriate shelf size, with standard post of 63" high.

CHROME MODEL NO.	GREEN EPOXY MODEL NO.	NEW SIZES DIMENSIONS W" x L" x H"	SHIP WGT
Security Panel Door Set with Hinges			
SD36-18C	**SD36-18P**	18" x 36" x 60"	64 lbs
SD48-18C	**SD48-18P**	18" x 48" x 60"	76 lbs
SD60-18C	**SD60-18P**	18" x 60" x 60"	88 lbs
SD36-21C	**SD36-21P**	21" x 36" x 60"	66 lbs
SD48-21C	**SD48-21P**	21" x 48" x 60"	78 lbs
SD60-21C	**SD60-21P**	21" x 60" x 60"	90 lbs
SD36-24C	**SD36-24P**	24" x 36" x 60"	67 lbs
SD48-24C	**SD48-24P**	24" x 48" x 60"	79 lbs
SD60-24C	**SD60-24P**	24" x 60" x 60"	91 lbs



DOOR TOP SECURITY | DOOR MIDDLE SECURITY | DOOR BOTTOM SECURITY



M2436-69SEC

Stem Caster Security Carts

Mobility adds flexibility to a unit and is beneficial in all types of operations.

Each unit consists of:
4 - posts
2 - wire shelves *(for top and bottom)*
1 - security panel set *(includes back and sides)*
1 - pair security panel doors
4 - 5" thermoplastic resin casters, 2 with brake
4 - donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Stem Caster Security Carts		
M1836-69SEC	18" x 36" x 69"	153 lbs
M1848-69SEC	18" x 48" x 69"	180 lbs
M1860-69SEC	18" x 60" x 69"	212 lbs
M2136-69SEC	21" x 36" x 69"	163 lbs
M2148-69SEC	21" x 48" x 69"	190 lbs
M2160-69SEC	21" x 60" x 69"	222 lbs
M2436-69SEC	24" x 36" x 69"	173 lbs
M2448-69SEC	24" x 48" x 69"	200 lbs
M2460-69SEC	24" x 60" x 69"	232 lbs

Security Panel Sets

Panels allow maximum security for standard shelving units. Panels are fabricated from all-welded wire and include joined back portion and two side portions.

CHROME MODEL NO.	GREEN EPOXY MODEL NO.	NEW SIZES DIMENSIONS W" x L" x H"	SHIP WGT
Security Enclosure Panel Set			
183660EPC	**183660EPP**	18" x 36" x 60"	60 lbs
184860EPC	**184860EPP**	18" x 48" x 60"	67 lbs
186060EPC	**186060EPP**	18" x 60" x 60"	77 lbs
213660EPC	**213660EPP**	21" x 36" x 60"	64 lbs
214860EPC	**214860EPP**	21" x 48" x 60"	71 lbs
216060EPC	**216060EPP**	21" x 60" x 60"	81 lbs
243660EPC	**243660EPP**	24" x 36" x 60"	70 lbs
244860EPC	**244860EPP**	24" x 48" x 60"	80 lbs
246060EPC	**246060EPP**	24" x 60" x 60"	90 lbs

Up to 1,200 lb. MOBILE LOAD CAPACITY



MD2436-70SEC

Dolly Base Security Carts

Dollies can add stability and support in heavy-duty load applications.

Each unit consists of:
4 - posts
2 - wire shelves *(for top and bottom)*
1 - security panel set *(includes back and sides)*
1 - pair security panel doors
1 - dolly base
4 - plate thermoplastic resin casters *(2 rigid and 2 swivel with brake)*

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Dolly Base Security Carts		
MD1836-70SEC	18" x 36" x 70"	165 lbs
MD1848-70SEC	18" x 48" x 70"	194 lbs
MD1860-70SEC	18" x 60" x 70"	228 lbs
MD2436-70SEC	24" x 36" x 70"	186 lbs
MD2448-70SEC	24" x 48" x 70"	215 lbs
MD2460-70SEC	24" x 60" x 70"	250 lbs

Corner Wire Shelving

When in need of more storage space, Quantum Corner Wire Shelving is the answer. It's great for any corner area. It is versatile and durable, it is easy to assemble. Each shelf holds up to 700 lbs., evenly distributed. This versatile storage option will help your rooms stay neat, organized and maximized.
Finishes: Chrome and Proform Green Epoxy

REPLACE SUFFIX "C" AT THE END OF MODEL NO. WITH "P" TO ORDER GREEN EPOXY FINISH

Ex. 1836CRN**P**
WR74-1836CRN**P**
WR74-1836CRN**P**-5


MODEL NO.	SHELF DIMENSIONS A" x B" x C" x D" x E"	SHIP WGT
Corner Wire Shelves		
1836CRNC	37-7/8" x 50-1/4" x 36" x 18" x 27"	16 lbs
2442CRNC	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	21 lbs
74"H - Corner Wire Shelving 4 Shelf System		
WR74-1836CRNC	37-7/8" x 50-1/4" x 36" x 18" x 27"	80 lbs
WR74-2442CRNC	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	100 lbs
74"H - Corner Wire Shelving 5 Shelf System		
WR74-1836CRNC-5	37-7/8" x 50-1/4" x 36" x 18" x 27"	96 lbs
WR74-2442CRNC-5	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	121 lbs


MOBILIZE YOUR SHELVING



DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H-5 ***(Mobile Kit)***
Set of five swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,500 lb. load capacity.







1836CRNP
Corner Wire Shelf Proform Green Epoxy Finish
(Use with 18" deep wire shelving)




4 SHELF UNIT
Proform Green Epoxy Finish

Up to 700 lb.
LOAD CAPACITY PER SHELF





2442CRNP
Corner Wire Shelf Proform Green Epoxy Finish
(Use with 24" deep wire shelving)




5 SHELF MOBILE UNIT

PERFORMANCE FEATURES:

- Up to 700 lb. load capacity per shelf
- Easy assembly with no tools needed
- Compatible with 18" and 24" deep wire shelving add-on units
- Shelves easily adjust on 1" centers to your exact needs
- Ideal storage solution for any commercial, office, warehouse or home application
- Bright chrome or green epoxy finish

CORNER WIRE SHELVING & ADD-ON LAYOUT OPTIONS





3 FINISHES AVAILABLE



NEW
1236RCSP
Proform Green Epoxy Finish

NEW
1236RCSGY
Gray Epoxy Finish

NEW
1236RCSBK
Black Epoxy Finish

Cantilever Single Shelf

NSF

LIMITED 15 YEARS WARRANTY

Cantilever shelves have a drop mat design that provides a ledge around the shelf. Space-efficient and easy to install. Up to 150 lbs load capacity. Unit will require taller rear posts to accommodate these shelves. ***Finishes:*** Proform Green, Gray and Black Epoxy

MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
Proform Green Epoxy Cantilever Shelves		
1224RCSP	12" x 24"	5 lbs
1230RCSP	12" x 30"	6 lbs
1236RCSP	12" x 36"	7 lbs
1242RCSP	12" x 42"	8 lbs
1248RCSP	12" x 48"	9 lbs
1260RCSP	12" x 60"	11 lbs
Gray Epoxy Cantilever Shelves		
1224RCSGY	12" x 24"	5 lbs
1230RCSGY	12" x 30"	6 lbs
1236RCSGY	12" x 36"	7 lbs
1242RCSGY	12" x 42"	8 lbs
1248RCSGY	12" x 48"	9 lbs
1260RCSGY	12" x 60"	11 lbs
Black Epoxy Cantilever Shelves		
1224RCSBK	12" x 24"	5 lbs
1230RCSBK	12" x 30"	6 lbs
1236RCSBK	12" x 36"	7 lbs
1242RCSBK	12" x 42"	8 lbs
1248RCSBK	12" x 48"	9 lbs
1260RCSBK	12" x 60"	11 lbs



Up to 150 lb.
LOAD CAPACITY PER SHELF

ATTACHES TO UNIT'S BACK POSTS

Dunnage Shelves

NSF


LIMITED 15 YEARS WARRANTY

Dunnage shelves are constructed of 1" square tubular steel with removable wire decking. Utilized in extreme load applications. 1,300-1,600 lb. load capacity depending of shelf length. ***Finishes:*** Blue Endurance or Gray Epoxy - Excellent for high humidity or corrosive applications and is fortified with an antimicrobial agent.

BLUE ENDURANCE MODEL NO.	GRAY MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
-	1824DSGY	18" x 24"	14 lbs
-	1830DSGY	18" x 30"	18 lbs
1836DS	1836DSGY	18" x 36"	21 lbs
-	1842DSGY	18" x 42"	25 lbs
1848DS	1848DSGY	18" x 48"	28 lbs
1860DS	1860DSGY	18" x 60"	34 lbs
-	2424DSGY	24" x 24"	16 lbs
-	2430DSGY	24" x 30"	20 lbs
2436DS	2436DSGY	24" x 36"	24 lbs
-	2442DSGY	24" x 42"	28 lbs
-	2448DSGY	24" x 48"	30 lbs
2460DS	2460DSGY	24" x 60"	37 lbs


Up to 1,300-1,600 lb.
LOAD CAPACITY PER SHELF

NEED EXTRA SPACE?




1836DS
Blue Endurance Finish

HEAVY-DUTY



1836DSGY
Gray Epoxy Finish



1836SL
Shown with 4"H Dividers
(Dividers are sold separately)

Slanted Shelves

NSF

Designed with a 25° slant to add structure to various applications and retain products. Perfect angle for gravity flow as well as bin storage. ***Finish:*** Chrome

CHROME MODEL NO.	DIMENSIONS W" x L"	SHIP WGT	DIVIDER MODEL NO.
1836SL	18" x 36"	7 lbs	**DIV18SL**
1848SL	18" x 48"	8 lbs	**DIV18SL**
2436SL	24" x 36"	8 lbs	**DIV24SL**
2448SL	24" x 48"	9 lbs	**DIV24SL**




Tubular 3 Sided Frames

NSF

Constructed of 1" square tubing, frame is designed for added structure to the perimeter of a dunnage or shelving unit. ***Finish:*** Gray Epoxy

NEW SIZES

GRAY MODEL NO.		DIMENSIONS W" x L"	SHIP WGT
1824FGY	NEW	18" x 24"	4 lbs
1830FGY	NEW	18" x 30"	4 lbs
1836FGY		18" x 36"	5 lbs
1842FGY	NEW	18" x 42"	5 lbs
1848FGY		18" x 48"	6 lbs
1860FGY		18" x 60"	7 lbs
2424FGY	NEW	24" x 24"	5 lbs
2430FGY	NEW	24" x 30"	6 lbs
2436FGY		24" x 36"	6 lbs
2442FGY	NEW	24" x 42"	7 lbs
2448FGY		24" x 48"	7 lbs
2460FGY		24" x 60"	10 lbs




Wire 3 Sided Snake Frames

NSF

Designed to add structure to various applications and retain products. ***Finishes:*** Chrome, 304 Stainless Steel, Proform Green Epoxy and Gray Epoxy

NEW SIZES

CHROME	STAINLESS	PROFORM	GRAY		
MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
1836FC	**1836FS**	**1836FP**	-	18" x 36"	6 lbs
1848FC	**1848FS**	**1848FP**	-	18" x 48"	7 lbs
1860FC	**1860FS**	**1860FP**	-	18" x 60"	8 lbs
-	-	-	**2148FSGY** NEW	21" x 48"	8 lbs
-	-	-	**2160FSGY** NEW	21" x 60"	9 lbs
2436FC	**2436FS**	**2436FP**	-	24" x 36"	8 lbs
2448FC	**2448FS**	**2448FP**	-	24" x 48"	9 lbs
2460FC	**2460FS**	**2460FP**	-	24" x 60"	10 lbs



48BH
Shown with **QUS220**
(Bins are sold separately)

Bin Rail Holders

NSF

Creates a more functional work area with the bin rail which allows you to adapt bins to your shelving unit. Bin rail holder adjusts on 1" increments.
Finish: Chrome


MODEL NO.		DESCRIPTION	SHIP WGT
24BH	NEW	One 24" Bin Holder	3 lbs
30BH	NEW	One 30" Bin Holder	4 lbs
36BH		One 36" Bin Holder	5 lbs
48BH		One 48" Bin Holder	7 lbs
60BH		One 60" Bin Holder	9 lbs

MODEL NO.	QUS 210	QUS 220	QUS 221	QUS 224	QUS 230
	Quantity of Ultra Bins to Fit Bin Rail Holders				
24BH	5	5	5	3	3
30BH	6	6	6	4	4
36BH	8	8	5	8	6
48BH	11	11	7	11	8
60BH	14	14	9	14	10

See ***pg. 93*** for bin dimensions



UNITS SLIDE BACK AND FORTH WITH EASE



TK-CBW
Track Roller
Included with Mobile kit
(4 per kit)

Sliding Overhead Track System

NSF

Up to 1,200 lb.
LOAD CAPACITY PER UNIT

Quantum's Overhead Track wire shelving system provides maximum storage using a minimum of space. All kits include all necessary sections of track for assembling lengths that range from 8' to 24' ***(note:** shelves and posts sold separately).* Assembly is quick and easy and the whole system requires only single-aisle access. Casters are 5" x 1-1/4" rigid thermo-plastic resin. Overhead Track design provides a clear walkway and clear aisles underneath eliminating any tripping hazard. Overhead Track extrusion manufactured of heavy-duty aluminum ensuring years of heavy-duty and reliable service.

MODEL NO.	DESCRIPTION	SHIP WGT
	Overhead Track	
TK-2	One Track - 2 Feet	7 lbs
TK-26	One Track - 2-1/2 Feet	9 lbs
TK-5	One Track - 5 Feet	17 lbs
TK-6	One Track - 6 Feet	21 lbs
TK-7	One Track - 7 Feet	24 lbs
TK-EP	Track End Plates with Hardware *(Set of 4)*	1 lb
TK-CA	Track Connector with Hardware *(Set of 4)*	6 lbs
	End Unit Single Sided Track Bracket Pair	
TK-STB18	18" Single Overhead Track Bracket Pair	4 lbs
TK-STB21	21" Single Overhead Track Bracket Pair	5 lbs
TK-STB24	24" Single Overhead Track Bracket Pair	6 lbs
	Intermediate Unit Double Sided Track Bracket Pair	
TK-DTB18	18" Double Overhead Track Bracket Pair	4 lbs
TK-DTB21	21" Double Overhead Track Bracket Pair	5 lbs
TK-DTB24	24" Double Overhead Track Bracket Pair	6 lbs
	Mobile Unit Track Rollers	
TK-CBW	Set of 4 Track Rollers	2 lbs



TK-EP
Track End Plate
(4 per kit)



TRACK WITHOUT END PLATE



TRACK WITH END PLATE

PERFORMANCE FEATURES AND BENEFITS:

- NSF approved
- Uses industrial bearings
- Corrosion free construction
- Easy to roll construction
- Fast installation
- Utilizes the structure of existing shelving
- Up to 1,200 lb. load capacity per unit
- Can increase storage areas up to 150%

INCREASE STORAGE AREAS UP TO 150%





STATIONARY END KIT
(Shelves sold separately)



INTERMEDIATE KIT
(Shelves sold separately)



MOBILE KIT
(Shelves sold separately)

STEP BY STEP ORDERING INSTRUCTIONS:

Step 1. *Select desired length of track.*
Step 2. *Select corresponding stationary end kit and intermediate kits from charts. Size should match the depth of shelving unit being utilized.*
Step 3. *Using the chart on the bottom of this page, determine how many Mobile Kits will fit on your track.*
Step 4. *Wire shelves are available on* ***pg. 24****.*



OVERHEAD TRACK KIT WITH END PLATES

Overhead Track Kits

Each kit includes two track of the same length and end plates. Available in heavy-duty aluminum.

MODEL NO.	TRACK LENGTH' (FT)	TRACK LENGTH" (IN)	SHIP WGT
	Overhead Track Kit		
TTK-8	8'	96"	53 lbs
TTK-9	9'	108"	60 lbs
TTK-10	10'	120"	67 lbs
TTK-11	11'	132"	73 lbs
TTK-12	12'	144"	80 lbs
TTK-13	13'	156"	87 lbs
TTK-14	14'	168"	93 lbs
TTK-15	15'	180"	100 lbs
TTK-16	16'	192"	107 lbs
TTK-17	17'	204"	113 lbs
TTK-18	18'	216"	120 lbs
TTK-19	19'	228"	127 lbs
TTK-20	20'	240"	133 lbs
TTK-21	21'	252"	140 lbs

ADD SUFFIX TO END OF EACH CHROME MODEL NO. WHEN SELECTING EPOXY FINISH
◆ **GREEN P** ◆ **GRAY GY** ◆ **BLACK BK** Ex. TTK-M18**BK**

Stationary End Kits



SINGLE SUPPORT BRACKET

Unit consists of:
8 - 86" Posts*
8 - Foot plates
4 - Single sided overhead track support brackets

MODEL NO.	DESCRIPTION	SHIP WGT
TTK-E18	18" Stationary End Kits	64 lbs
TTK-E21	21" Stationary End Kits	72 lbs
TTK-E24	24" Stationary End Kits	80 lbs

*86" posts are available with pre-inserted leveler and bolt by adding an **X** to the Model No. TTK-E18**X**

Intermediate Kits



DOUBLE SUPPORT BRACKET

Unit consists of:
4 - 86" Posts*
4 - Foot plates
2 - Double sided overhead track support brackets

MODEL NO.	DESCRIPTION	SHIP WGT
TTK-C18	18" Intermediate Kits	32 lbs
TTK-C21	21" Intermediate Kits	36 lbs
TTK-C24	24" Intermediate Kits	40 lbs

*86" posts are available with pre-inserted leveler and bolt by adding an **X** to the Model No. TTK-C18**X**

Mobile Kits



MOBILE KITS

Unit consists of:
4 - 74" Posts
4 - Track rollers
2 - Tie bars
4 - Rigid casters
4 - Donut bumpers

MODEL NO.	DESCRIPTION	SHIP WGT
TTK-M18	18" Mobile Kit	34 lbs
TTK-M21	21" Mobile Kit	36 lbs
TTK-M24	24" Mobile Kit	38 lbs

QUANTITY OF SHELVING UNITS BY WIDTH TO FIT ON LENGTH OF TRACK*

	8'	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'	21'
18"	3	3	4	4	5	6	6	7	7	8	9	9	10	10
21"	2	3	3	4	4	5	5	6	6	7	7	8	8	9
24"	2	2	3	3	4	4	5	5	6	6	6	7	7	8

*Using a minimum 36" aisle space


High Density Sliding Floor Track System

High Density Sliding Track System offers a unique way to maximize and efficiently move wire shelving systems. The patented design allows for quick and easy installation. Bearings in the skate are located under each post for a load capacity of up to 1,500 lb. per shelving unit. The v-groove floor track allows the shelving unit to slide back and forth with ease. Layout assistance is available.

PERFORMANCE FEATURES AND BENEFITS:

- Low shipping cost
- NSF approved
- Uses industrial bearings
- Corrosion free construction
- Easy to roll construction
- Fast installation
- Utilizes the structure of existing shelving
- Complies with ADA regulations
- Up to 1,500 lb. load capacity per unit
- Can increase storage areas up to 150%





SYSTEMS SLIDE BACK AND FORTH WITH EASE

QESTP
End Stop Kit
Includes 2 ends and 1 drill bit. Serves the dual purpose of stopping a skate and is the anchor for the track. Manufactured from shock absorbing polymer. One kit is required per track.


QVTRK
V-Groove Track
Aluminum design with 304 stainless steel inserts with a gradual taper, non-tripping hazard, 7/16" max height.
(Sold by the inch)



HD18 - HD36
One Skate
Aluminum with engineered plastic wheel housing and industrial 2,000 lb. capacity bearings on each end.

DR
Drift Resistor
Reduces speed and impact.

WK
Wing Kit
Includes four 1/4" thick aluminum plates and hardware and allows for the joining of 2 units side by side, sharing one track.





SK
Shim Kit
48"L thick aluminum strips which can be placed underneath track to help create a level surface.
(6 per kit)

MODEL NO.	DESCRIPTION	SHIP WGT
Sliding Track Skates Also Available with Drift Resistor Add Suffix "DR"		
HD18	One 18" Skate	4 lbs
HD21	One 21" Skate	5 lbs
HD24	One 24" Skate	6 lbs
HD30	One 30" Skate	7 lbs
HD36	One 36" Skate	8 lbs
Additional Components		
QESTP	End Stop Kit	1 lb
QBRK	Foot Activated Brake Kit	1 lb
QVTRK	V-Track *(Sold per inch)*	1 lb
WK	Wing Kit	2 lbs
SK*	Shim Kit	3 lbs

*Shim kit comes with (6) 2" x 48" x 1/16" thick aluminum strips which can be placed underneath track to help create a level surface

STEP BY STEP ORDERING INSTRUCTIONS:

*(**Note:** Shelves and posts to be purchased separately on **pgs. 24-25**)*


Step 1. *Select desired length (in inches) of track. Use **QVTRK** to order track. (**Note:** single units require two tracks and double units will require three tracks)*

Step 2. *Select corresponding skate size from the chart, which will be the same as the depth of shelving unit to be utilized. Two skates required per single unit and three skates required per double unit. (**Note:** post height should not exceed a 4 to 1 ratio of skate size)*


Step 3. *Purchase one End Stop Kit **QESTP** per track length.*

*For each double unit being used, a Wing Kit **WK** is required.*

SINGLE UNIT TRACK SYSTEM
(Top View)



BOUBLE UNIT TRACK SYSTEM
(Top View)



Single Unit Floor Track Assemblies

Assembly kit consists of a pair of aluminum tracks with end stop kits. Hardware and assembly instructions included. *(**Note:** custom lengths may be purchased, see **pg. 56**)*

MODEL NO.	TRACK L' (FT)	TRACK L' (IN)	SHIP WGT
Single Unit Floor Track Assembly Kit Includes 2 Tracks of Specified Length with End Stop Kits			
QVTRK-2-72EST	6'	72"	14 lbs
QVTRK-2-84EST	7'	84"	16 lbs
QVTRK-2-96EST	8'	96"	18 lbs
QVTRK-2-108EST	9'	108"	20 lbs
QVTRK-2-120EST	10'	120"	22 lbs
QVTRK-2-132EST	11'	132"	24 lbs
QVTRK-2-144EST	12'	144"	26 lbs
QVTRK-2-156EST	13'	156"	28 lbs
QVTRK-2-168EST	14'	168"	30 lbs
QVTRK-2-180EST	15'	180"	32 lbs
QVTRK-2-192EST	16'	192"	34 lbs
QVTRK-2-204EST	17'	204"	36 lbs
QVTRK-2-216EST	18'	216"	38 lbs
QVTRK-2-228EST	19'	228"	40 lbs
QVTRK-2-240EST	20'	240"	42 lbs

Single Unit Skate Assembly Kits

Each kit includes two skates and all appropriate hardware. One kit is required for each single mobile unit. *(Shelves and posts sold separately on **pgs. 24-25**)*

MODEL NO.	DESCRIPTION	SHIP WGT
Single Unit Skate Assembly Kits Also Available with Drift Resistor Add Suffix "DR"		
HD18-2	Two 18" Skates	8 lbs
HD21-2	Two 21" Skates	10 lbs
HD24-2	Two 24" Skates	12 lbs
HD30-2	Two 30" Skates	14 lbs
HD36-2	Two 36" Skates	16 lbs

Up to 1,500 lb. SLIDE LOAD CAPACITY PER SHELVING UNIT

STEP BY STEP ORDERING INSTRUCTIONS:

1. *Select desired length of track and if you require:*
   - *Single Unit track (use charts on left)*
   - *Double Unit track (use charts on right)*
2. *Select corresponding skate size from single or double unit charts below. Skate size should match the depth of shelving unit being utilized.*
3. *Using the chart on the bottom of this page, determine how many shelving units will fit on your track.*
4. *Pre-configured 4 and 5 shelf wire units are available on **pgs. 26-29**. Additional intermediate shelves are available on **pg. 24**.*

Double Unit Floor Track Assemblies

Each assembly kit consists of three aluminum tracks with end stop kits. Hardware and assembly instructions included. *(**Note:** custom lengths may be purchased, see **pg. 56**)*

MODEL NO.	TRACK L' (FT)	TRACK L' (IN)	SHIP WGT
Double Unit Floor Track Assembly Kit Includes 3 Tracks of Specified Length with End Stop Kits			
QVTRK-3-72EST	6'	72"	21 lbs
QVTRK-3-84EST	7'	84"	24 lbs
QVTRK-3-96EST	8'	96"	27 lbs
QVTRK-3-108EST	9'	108"	30 lbs
QVTRK-3-120EST	10'	120"	33 lbs
QVTRK-3-132EST	11'	132"	36 lbs
QVTRK-3-144EST	12'	144"	39 lbs
QVTRK-3-156EST	13'	156"	42 lbs
QVTRK-3-168EST	14'	168"	45 lbs
QVTRK-3-180EST	15'	180"	48 lbs
QVTRK-3-192EST	16'	192"	51 lbs
QVTRK-3-204EST	17'	204"	54 lbs
QVTRK-3-216EST	18'	216"	57 lbs
QVTRK-3-228EST	19'	228"	60 lbs
QVTRK-3-240EST	20'	240"	63 lbs

Double Unit Skate Assembly Kits

Each kit includes three skates and all appropriate hardware. One kit is required for each double mobile unit. *(Shelves and posts sold separately on **pgs. 24-25**)*


MODEL NO.	DESCRIPTION	SHIP WGT
Double Unit Skate Assembly Kits Also Available with Drift Resistor Add Suffix "DR"		
HD18-3	Three 18" Skates + Wing Kit	15 lbs
HD21-3	Three 21" Skates + Wing Kit	18 lbs
HD24-3	Three 24" Skates + Wing Kit	21 lbs
HD30-3	Three 30" Skates + Wing Kit	24 lbs
HD36-3	Three 36" Skates + Wing Kit	27 lbs

QUANTITY OF SHELVING UNITS BY WIDTH TO FIT ON LENGTH OF TRACK*

	6'	7'	8'	9'	10'	11'	12'	13'	14'	15'	16'	17'	18'	19'	20'
18"	2	2	3	4	4	5	6	6	7	8	8	9	10	10	11
21"	1	2	2	3	4	4	5	5	6	6	7	8	8	9	9
24"	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8
30"	1	1	2	2	2	3	3	4	4	4	5	5	6	6	6
36"	1	1	1	2	2	2	3	3	3	4	4	4	5	5	5

*Using a minimum 36" aisle space **Note:** Post height should not exceed the skate length by a 4 to 1 ration *(example 18" skate should not exceed a 74" post)*

MAXIMUM EFFICIENCY



AVAILABLE FINISHES
- GREEN EPOXY P
- GRAY EPOXY GY

Note: *Max capacity varies based on system configuration. Wall track has a maximum capacity of up to 250 lbs. when mounted to a wall with wood studs or plywood. Wall track and upright configuration has a maximum configuration of up to 400 lbs. Capacity is calculated based on system mounted to wood studs or plywood.*

Store Grid Mount System

NSF

LIMITED 15 YEARS WARRANTY

NEW
GRAY EPOXY FINISH

A versatile storage, utility, and display system suited to maximize efficiencies of underutilized spaces and empty walls. Store Grid is an easy to use system that integrates wall tracks, grids, wall shelving, and accessories in custom configurations and lengths. The use of the system around and above sinks, prep-stations, work tables, staging areas and equipment will keep these areas cleaner and more organized. Store Grid enables the flexibility to add wall shelving and wall mounted task stations to any space for ease of accessibility and functionality. The durability of the 15 year warranty antimicrobial epoxy and robust design of the system protects against product degradation and ensures easy installation and maintenance. ***Finishes:*** Proform Green and Gray Epoxy

- **Antimicrobial additive protects the epoxy from bacteria, mold, and mildew that causes stains, odors, and product degradation.**
- **Keep small wares, utilities, inventory, tools, containers, utensils, and supplies off of the work surface and organized for fast, easy access. The work area remains clean and free from clutter to increase efficiencies.**
- **Grids attach to the uprights and enable the customizable configurations of accessories - bulk storage shelves, small supply shelves, baskets, hooks, drying rack accessories, utensil holders, bins, small utility racks, and a variety of holders.**
- **Easy installation and assembly. Mount the wall track and configure a customized work space using uprights, grids, shelves, and accessories.**

IDEAL FOR MAXIMIZING EFFICIENCY IN ANY PREPARATION, STORAGE OR WORK SPACE



TO ORDER:
1. *Select size of Store Grid wall tracks depending on the space you have*
2. *Select size and quantity of uprights*
3. *Select number of shelves and cantilevers (two per shelf)*
4. *Select grid and accessories*

Product Notes

When configuring task stations with uprights, select shelves and grids of the same length. Longer grids may be used, although must not overhang the upright by more than 6" on either side. Grids may be mounted behind shelves. However, shelf support and grid cannot use the same slots on the upright. Maximum usable wall track mounting space is the track length minus 2" (stop fasteners are installed at each end of a run of wall track and occupy around 1" of track space on each end)

Shelves, shelf brackets, grids, and accessories may be removed for in-depth cleaning of walls. Wall tracks and uprights can be wiped clean. ***Note:*** *Do not use abrasive chemicals or materials since these may damage the protective coating. Clean with mild detergents and damp cloths.*

Recommendations

Wash Stations: use shelves, baskets, drying racks and hooks for proper air drying of items used in food preparation.

Prep Stations: use shelves, baskets, bins, hooks, spice rack, and glove box holder for a neater work space.

FLEXIBLE - WALL TRACKS AND UPRIGHTS ARE DESIGNED TO INTERFACE WITH WOOD STUDS, PLYWOOD, CONCRETE, AND OTHER SUITABLE WALL SURFACES

Wall Tracks

12 gauge cold rolled steel; obround mounting holes located at 8" increments; first and last holes are located 4" from the ends of the track; obround hole dimensions (1/8" x 3/4"). Wall tracks include stop fasteners for the ends of the tracks and joiner plates for connecting adjacent tracks. Hardware not included.



SG-WT56P
Wall Track
56"

Metal finishes: P GY

PROFORM MODEL NO.	GRAY MODEL NO.	DESCRIPTION	CTN QTY	CTN WGT
		Store Grid Wall Mount Tracks		
SG-WT40P	SG-WT40GY	40" Wall Track	1	5 lbs
SG-WT56P	SG-WT56GY	56" Wall Track	1	6 lbs
SG-WT72P	SG-WT72GY	72" Wall Track	1	7 lbs

Uprights

12 gauge cold rolled steel; slotted every 1-1/2"; 1-1/8" diameter mounting holes are spaced every 6" along the upright, sold by each upright. These slots attach to grids and shelf supports in a clip-in function.




Upright

Metal finishes: P GY

PROFORM MODEL NO.	GRAY MODEL NO.	DESCRIPTION	CTN QTY	CTN WGT
		Store Grid Wall Mount Uprights		
SG-U16P	SG-U16GY	16" Upright	1	2 lbs
SG-U31P	SG-U31GY	31" Upright	1	4 lbs
SG-U44P	SG-U44GY	44-1/2" Upright	1	5 lbs

Wire Grids

1/4" diameter cold rolled steel wire create with 3" x 3" openings that are easily attached to the uprights.



SG-1860P
Wire Grid
18" x 60"


Metal finishes: P GY

PROFORM MODEL NO.	GRAY MODEL NO.	DESCRIPTION	CTN QTY	CTN WGT
		Store Grid Wall Mount Grids		
SG-1830P	SG-1830GY	18" x 30" Grid	1	8 lbs
SG-1836P	SG-1836GY	18" x 36" Grid	1	9 lbs
SG-1848P	SG-1848GY	18" x 48" Grid	1	12 lbs
SG-1860P	SG-1860GY	18" x 60" Grid	1	14 lbs
SG-2430P*	SG-2430GY	24" x 30" Grid	1	10 lbs
SG-2436P	SG-2436GY	24" x 36" Grid	1	12 lbs
SG-2448P	SG-2448GY	24" x 48" Grid	1	15 lbs
SG-3036P	SG-3036GY	30" x 36" Grid	1	13 lbs
SG-3048P	SG-3048GY	30" x 48" Grid	1	17 lbs
SG-3354P	SG-3354GY	33" x 54" Grid	1	21 lbs


*COMING SOON!

Cantilevers

Mounts directly onto uprights. Available in single and double configurations, and in four different depths. Two single cantilevers are required for each end of a unit. Sold by the each.



SG-CS14P
Single Support



SG-CD18GY
Double Support


Metal finishes: P GY

PROFORM MODEL NO.	GRAY MODEL NO.	DESCRIPTION	CTN QTY	CTN WGT
		Store Grid Wall Mount Tracks		
SG-CS14P	SG-CS14GY	14" Shelf Single Cantilever	1	3 lbs
SG-CS18P	SG-CS18GY	18" Shelf Single Cantilever	1	3 lbs
SG-CS21P	SG-CS21GY	21" Shelf Single Cantilever	1	4 lbs
SG-CS24P	SG-CS24GY	24" Shelf Single Cantilever	1	4 lbs
SG-CD14P	SG-CD14GY	14" Shelf Double Cantilever	1	3 lbs
SG-CD18P	SG-CD18GY	18" Shelf Double Cantilever	1	3 lbs
SG-CD21P	SG-CD21GY	21" Shelf Double Cantilever	1	4 lbs
SG-CD24P	SG-CD24GY	24" Shelf Double Cantilever	1	4 lbs


Shelf Cantilevers provide support for Quantum 14", 18", 21" and 24" epoxy shelves. Double Cantilevers are used for a side-by-side configuration.

Brackets

For use in light and standard-duty applications without uprights. One kit required per grid.



SG-WTBS
Mounting Bracket Kit For Wall Track
(Pack of 6)



SG-WTBGY
Mounting Bracket Kit For Wall Track
(Pack of 6)

Finishes: S GY BK

MODEL NO.	DESCRIPTION	CTN QTY	CTN WGT
	Store Grid Wall Mount Bracket		
SG-DWB	Stainless Steel Mounting Bracket Kit For Wall *(Pack of 6)*	1	2 lbs
SG-PWM	Plastic Grid Mounting Bracket Kit For Wall *(Pack of 6)*	1	2 lbs
SG-WTBS	Stainless Steel Mounting Bracket Kit For Wall Track *(Pack of 6)*	1	2 lbs
SG-WTBGY	Epoxy Gray Mounting Bracket Kit For Wall Track *(Pack of 6)*	1	2 lbs



SG-DWB
Mounting Bracket Kit For Wall
(Pack of 6)



SG-PWM
Plastic Grid Mounting Bracket Kit For Wall
(Pack of 6)


Store Grid Kits

SGK-2448-1P
Light-Duty Task Station
- Wall storage space ideal for Prep Stations
- 24" x 48" grid space
- Easy to rearrange accessories
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 47 lbs

Unit consists of:

1 - Wire Grid - **SG-2448P**
1 - Basket 17-3/8" x 7-1/2" x 5" - **SG-B1775P**
1 - Basket 17-3/8" x 7-1/2" x 10" - **SG-B17710P**
6 - Hook - **SG-HOOK6P**
6 - Hook - **SG-HOOKSM**
1 - Mounting Bracket - **SG-DWB**




SGK-3036-1GY
Light-Duty Task Station
- Wall storage space ideal for Wash Stations
- 30" x 36" grid space
- Easy to rearrange accessories
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 44 lbs

Unit consists of:

1 - Wire Grid - **SG-3036GY**
1 - Basket 17-3/8" x 7-1/2" x 5" - **SG-B1775GY**
1 - Basket 17-3/8" x 7-1/2" x 10" - **SG-B17710GY**
1 - Shelf 9" x 18" - **SG-S918GY**
1 - Drying Rack- **SG-LH1384GY**
1 - Utensil Holder - **SG-UH4GY**
1 - Hook - **SG-HOOK6GY**
2 - Hook - **SG-HOOKSM**
1 - Hook - **SG-HOOKDB**
1 - Mounting Bracket - **SG-DWB**



SGK-401836-1P
Medium-Duty Task Station
- Wall storage space with a 1836P wire shelf
- 18" x 36" grid space
- 40" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 38 lbs

Unit consists of:

1 - Wall Track - **SG-WT40P**
2 - Upright - **SG-U31P**
2 - Single Cantilever Arm - **SG-CS18P**
1 - Shelf 18" x 36" - **1836P**
1 - Wire Grid - **SG-1836P**




SGK-401836-2GY
Medium-Duty Task Station
- Wall storage space with a 1836P wire shelf, ideal for Wash Stations
- 18" x 36" grid space
- 40" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 57 lbs

Unit consists of:

1 - Wall Track - **SG-WT40GY**
2 - Upright - **SG-U31GY**
2 - Single Cantilever Arm - **SG-CS18GY**
1 - Shelf 18" x 36" - **1836GY**
1 - Wire Grid - **SG-1836GY**
1 - Basket 17-3/8" x 7-1/2" x 5" - **SG-B1775GY**
1 - Drying Rack - **SG-LH1384GY**
1 - Flatware Cylinder - **SG-CH**
1 - Cylinder Holder- **SG-CMBGY**
2 - Hook - **SG-HOOK6GY**
6 - Hook - **SG-HOOKSM**



Store Grid Kits

SGK-401836-3P
Medium-Duty Task Station

- Wall storage space with an 18" x 36" wire and solid shelf
- 18" x 36" grid space
- 40" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 66 lbs

Unit consists of:

1 - Wall Track - **SG-WT40P**
2 - Upright - **SG-U44P**
4 - Single Cantilever Arm - **SG-CS18P**
1 - Shelf 18" x 36" - **1836P**
1 - Shelf 18" x 36" - **1836SG**
1 - Wire Grid - **SG-1836P**
1 - Shelf 16" x 16" - **SG-S1616P**
2 - Shelf 9" x 18" - **SG-S918P**



SGK-401836-4GY
Medium-Duty Task Station


- Wall storage space with a 1836GY wire shelf, ideal for Prep Stations
- 18" x 36" grid space
- 40" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Bin available in: BL GN IV RD YL BK CL

Metal finishes: P GY **Ship Weight** - 65 lbs

Unit consists of:

1 - Wall Track - **SG-WT40GY**
2 - Upright - **SG-U31GY**
2 - Single Cantilever Arm - **SG-CS18GY**
1 - Shelf 18" x 36" - **1836GY**
1 - Wire Grid - **SG-1836GY**
1 - Basket 17-3/8" x 7-1/2" x 5" - **SG-B1775GY**
2 - Hook - **SG-HOOK6GY**
6 - Hook - **SG-HOOKSM**
1 - Shelf 9" x 18" - **SG-S918GY**
1 - Bin 10-7/8" x 5-1/2" x 5" - **QUS230**
1 - Bin Holder - **SG-SBH**




SGK-402436-1P
Standard-Duty Task Station

- Wall storage space with an 18" x 36" open grid polymer shelf
- 24" x 36" grid space
- 40" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finish: P **Ship Weight** - 56 lbs

Unit consists of:

1 - Wall Track - **SG-WT40P**
2 - Single Cantilever Arm - **SG-CS18P**
1 - Shelf 18" x 36" - **1836WPM**
1 - Wire Grid - **SG-2436P**
2 - Basket 17-3/8" x 7-1/2" x 5" - **SG-B1775P**
2 - Utensil Holder - **SG-UH10P**
1 - Mounting Bracket - **SG-WTBP**




SGK-403036-1GY
Standard-Duty Task Station

- Wall storage space with an 18" x 36" grid shelf
- 30" x 36" grid space
- 40" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 22 lbs

Unit consists of:

1 - Wall Track - **SG-WT40GY**
1 - Wire Grid - **SG-3036GY**
1 - Shelf 18" x 36" - **SG-LS1836GY**
1 - Mounting Bracket - **SG-WTBGY**



Store Grid Kits


SGK-403036-2GY
Standard-Duty Task Station
- Wall storage space with an 18" x 36" grid shelf
- 30" x 36" grid space
- 40" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Bin available in: BL GN IV RD YL BK CL

Metal finishes: P GY **Ship Weight** - 44 lbs

Unit consists of:

1 - Wall Track - SG-WT40GY
1 - Wire Grid - SG-3036GY
1 - Shelf 18" x 36" - SG-LS1836GY
1 - Basket 17-3/8" x 7-1/2" x 5" - SG-B1775GY
2 - Hook - SG-HOOK6GY
10 - Hook - SG-HOOKSM
1 - Shelf 9" x 18" - SG-S918GY
1 - Bin 10-7/8" x 5-1/2" x 5" - QUS230
1 - Bin Holder - SG-SBH
1 - Mounting Bracket - SG-WTBGY



SGK-403036-3P
Medium-Duty Task Station
- Wall storage space with an 18" x 36" grid shelf, ideal for Wash Stations
- 30" x 36" grid space
- 40" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 60 lbs

Unit consists of:

1 - Wall Track - SG-WT40P
2 - Upright - SG-U31P
1 - Wire Grid - SG-3036P
1 - Shelf 18" x 36" - SG-LS1836P
1 - Shelf 9" x 18" - SG-S918P
1 - Basket 13-3/8" x 5" x 7" - SG-B1357P
1 - Basket 17-3/8" x 7-1/2" x 5" - SG-B1775P
1 - Basket 17-3/8" x 7-1/2" x 10" - SG-B17710P
1 - Flatware Cylinder - SG-CH
1 - Cylinder Holder - SG-CMBP
2 - Hook - SG-HOOK6P



SGK-562448-1GY
Medium-Duty Task Station
- Wall storage space with 1848P wire shelves, ideal for Wash Stations
- 24" x 48" grid space
- 56" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 92 lbs

Unit consists of:

1 - Wall Track - SG-WT56GY
2 - Upright - SG-U44GY
4 - Single Cantilever Arm - SG-CS18GY
2 - Shelf 18" x 48" - 1848GY
1 - Wire Grid - SG-2448GY
1 - Basket 17-3/8" x 7-1/2" x 5" - SG-B1775GY
1 - Drying Rack - SG-LH1384GY
1 - Flatware Cylinder - SG-CH
1 - Cylinder Holder- SG-CMBGY
4 - Hook - SG-HOOK6GY
6 - Hook - SG-HOOKSM




SGK-563048-1P
Medium-Duty Task Station
- Wall storage space ideal for Wash Stations
- 30" x 48" grid space
- 56" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 59 lbs

Unit consists of:

1 - Wall Track - SG-WT56P
2 - Upright - SG-U31P
1 - Wire Grid - SG-3048P
1 - Drying Rack - SG-TDR461410P
2 - Drying Rack - SG-SLH201412P
2 - Bottle Holder - SG-BR6P
2 - Hook - SG-HOOK6P



Store Grid Kits


SGK-721830-1P
Medium-Duty Task Station

- Wall storage space ideal for Wash Stations
- 36" x 60" grid space
- 72" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 89 lbs

Unit consists of:

1 - Wall Track - **SG-WT72P**
4 - Upright - **SG-U44P**
4 - Wire Grid - **SG-1830P**
2 - Shelf 18" x 30" - **SG-LS1830P**
2 - Flatware Cylinder - **SG-CH**
2 - Cylinder Holder - **SG-CMBP**
2 - Utensil Holder - **SG-UH10P**
2 - Utensil Holder - **SG-UH4P**
2 - Drying Rack - **SG-LH1384P**




SGK-723036-1GY
Medium-Duty Task Station

- Wall storage space ideal for Wash Stations
- 30" x 72" grid space
- 72" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 101 lbs

Unit consists of:

1 - Wall Track - **SG-WT72GY**
4 - Upright - **SG-U44GY**
2 - Wire Grid - **SG-3036GY**
2 - Shelf 18" x 36" - **SG-LS1836GY**
2 - Flatware Cylinder - **SG-CH**
2 - Cylinder Holder - **SG-CMBGY**
2 - Basket 17-3/8" x 7-1/2" x 10" - **SG-B17710GY**
2 - Drying Rack - **SG-LH1384GY**
4 - Hook - **SG-HOOK6GY**
10 - Hook - **SG-HOOKSM**




SGK-803036-1P
Medium-Duty Task Station

- Wall storage space with 1836P wire shelves, ideal for Prep Stations
- 30" x 72" grid space
- 80" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 107 lbs

Unit consists of:

2 - Wall Track - **SG-WT40P**
3 - Upright - **SG-U44P**
2 - Single Cantilever Arm - **SG-CS18P**
1 - Double Cantilever Arm - **SG-CD18P**
2 - Shelf 18" x 36" - **1836P**
2 - Wire Grid - **SG-3036P**
1 - Shelf 18" x 36" - **SG-LS1836P**
1 - Basket 17-3/8" x 7-1/2" x 5" - **SG-B1775P**
3 - Utility Rack - **SG-SR2254P**
1 - Utensil Holder - **SG-UH10P**
2 - Hook - **SG-HOOK6P**



SGK-961830-1GY
Medium-Duty Task Station

- Wall storage space with 1830P wire shelves
- 96" track
- Antimicrobial additive protects the epoxy coating from bacteria, mold, and mildew.

Metal finishes: P GY **Ship Weight** - 99 lbs

Unit consists of:

1 - Wall Track - **SG-WT56GY**
1 - Wall Track - **SG-WT40GY**
4 - Upright - **SG-U31GY**
4 - Single Cantilever Arm - **SG-CS18GY**
4 - Double Cantilever Arm - **SG-CD18GY**
6 - Shelf 18" x 30" - **1830GY**





Ship Weight - 22 lbs
Metal finishes: P GY

SG-A1
Accessory Pack 1

- Fits a minimum of 18" x 36" grid space

Kit consists of:

1 - Basket 17-3/8" x 7-1/2" x 5" - **SG-B1775P**
1 - Drying Rack - **SG-LH1384P**
1 - Flatware Cylinder - **SG-CH**
1 - Cylinder Holder- **SG-CMBP**
2 - Hook - **SG-HOOK6P**
6 - Hook - **SG-HOOKSM**



Ship Weight - 25 lbs
Metal finishes: P GY
Bin available in: BL GN IV RD YL BK CL

SG-A2
Accessory Pack 2

- Fits a minimum of 18" x 36" grid space

Kit consists of:

2 - Basket 17-3/8" x 7-1/2" x 5" - **SG-B1775P**
2 - Hook - **SG-HOOK6P**
6 - Hook - **SG-HOOKSM**
1 - Shelf 9" x 18" - **SG-S918P**
1 - Bin 10-7/8" x 5-1/2" x 5" - **QUS230**
1 - Bin Holder - **SG-SBH**


Store Grid Accessories

Metal finishes: P GY S

	PROFORM MODEL NO.	GRAY MODEL NO.	DESCRIPTION	CTN QTY	CTN WGT
			Shelves		
A	SG-S918P	SG-S918GY	9" x 18" Shelf with Side Ledge	1	7 lbs
B	SG-LS1436P	SG-LS1436GY	14" x 36" Large Grid Shelf with Front Ledge	1	8 lbs
	SG-LS1448P	SG-LS1448GY	14" x 48" Large Grid Shelf with Front Ledge	1	10 lbs
	SG-LS1830P	SG-LS1830GY	18" x 30" Large Grid Shelf with Front Ledge	1	9 lbs
	SG-LS1836P	SG-LS1836GY	18" x 36" Large Grid Shelf with Front Ledge	1	10 lbs
	SG-LS1848P	SG-LS1848GY	18" x 48" Large Grid Shelf with Front Ledge	1	13 lbs
C	SG-S1224P	SG-S1224GY	12" x 24" Small Grid Shelf	1	6 lbs
D	SG-S1616P	SG-S1616GY	16" x 16" Square Grid Shelf	1	5 lbs
			Baskets		
E	SG-B1357P	SG-B1357GY	13-3/8" x 5" x 7" Basket	1	9 lbs
F	SG-B1775P	SG-B1775GY	17-3/8" x 7-1/2" x 5" Basket	1	7 lbs
G	SG-B17710P	SG-B17710GY	17-3/8" x 7-1/2" x 10" Basket	1	11 lbs
			Hooks		
H	SG-HOOKSM-2	SG-HOOKSMGY-2	J Small Hook (2 pack)	1	2 lbs
I	SG-HOOKLG-2	SG-HOOKLGGY-2	J Shaped Large Hook (2 pack)	1	2 lbs
J	SG-HOOKDB	SG-HOOKDBGY	J Double Large Hook	1	1 lb
K	SG-HOOK6P-2	SG-HOOK6GY-2	6" Hook (2 pack)	1	2 lbs
L	SG-HA5P	-	Hook Arm	1	1 lb
			Drying Racks		
M	SG-TDR341410P	SG-TDR341410GY	36" Tray Drying Rack	1	12 lbs
	SG-TDR461410P	SG-TDR461410GY	48" Tray Drying Rack	1	13 lbs
N	SG-SLH201412P	SG-SLH201412GY	Slanted Lid Holder/Drying Shelf	1	5 lbs
O	SG-LH1384P	SG-LH1384GY	Lid Holder/Drying Shelf	1	2 lbs
P	SG-BR6P	SG-BR6GY	6-Prong Bottle Rack	1	2 lbs
			Utensil Holders		
Q	SG-UH10P	SG-UH10GY	Large Utensil Holder	1	4 lbs
R	SG-UH4P	SG-UH4GY	Small Utensil Holder	1	4 lbs
S	SG-CMBP	SG-CMBGY	Cylinder Holder Mounting Bracket	1	1 lb
T	SG-CH	-	Flatware Cylinder	1	1 lb
			Bin Holders		
U	SG-SBH	-	3"L x 3/4"W x 1-1/16"H - usable hanging space: 3" - Single Bin Holder	1	1 lb
V	SG-SMBH	-	11-5/8"L x 3/4"W x 3-5/8"H - usable hanging space: 9-1/8" - Small Bin Holder	1	1 lb
W	SG-LGBH	-	23-5/8"L x 3/4"W x 3-5/8"H - usable hanging space: 18-2/8" - Large Bin Holder	1	2 lbs
			Miscellaneous		
X	SG-SR2254P	SG-SR2254GY	Spice Rack Utility Rack	1	4 lbs
Y	SG-IPH	-	Insert Pan Holder Plated	1	2 lbs
Z	SG-HFF	-	Hanging File Folder Plated	1	3 lbs
AA	SG-GBHP	SG-GBHGY	Glove Box Holder	1	2 lbs
AB	SG-BH29P	SG-BH29GY	Book Holder 2" x 9"	1	3 lbs
AC	SG-HOLDERP	SG-HOLDERGY	Paper Towel Holder	1	3 lbs









































CUSTOMIZABLE CONFIGURATIONS USING A VARIETY OF ACCESSORIES

































DWB12, DWB14, DWB18, DWB21 or **DWB24**
Wire Cantilever Arm

AVAILABLE FINISHES
- CHROME
- EPOXY GREEN P
- EPOXY GRAY GY
- EPOXY BLACK BK

PWB-P
Post Mount Bracket



DCB12P, DCB14P, DCB18P, DCB21P or **DCB24P**
Post Cantilever Double Arm

POST
(Sold separately)

CB12P, CB14P, CB18P, CB21P or **CB24P**
Post Cantilever Single Arm

AVAILABLE FINISHES
- CHROME
- STAINLESS S
- EPOXY GREEN P
- EPOXY GRAY GY
- EPOXY BLACK BK



PWB
PWB-P
PWB-GY
PWB-BK
Post Mount Bracket
Used to secure cantilever post mount units and free standing shelving units to wall.
Sold in a pack of 4.
(Mounting screws are not included)

TO ORDER THIS EXACT CONFIGURATION, YOU WOULD ORDER THE FOLLOWING:

2 *- CB18P*
2 *- DCB18P*
4 *- 1836P*
3 *- P34P*

To further extend the configuration shown by an additional section to the left or right, simply order:

2 *- DCB18P*
2 *- 1836P*
1 *- P34P*

To further extend the configuration shown by an additional shelf level, simply order:

1 *- CB18P*
1 *- DCB18P*
2 *- 1836P*

Your options are unlimited.

Cantilever Single Shelf Wall Mount

Cantilever shelving is an excellent way to create storage space when floor space isn't available. Simple in design, our cantilever shelving systems are easy to assemble and install. Select from five different depths: 12",14", 18", 21" or 24". Two cantilever arms and 2 mounting brackets are included per order. Wire shelves are sold separately.

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO. **Ex. DWB12P**

MODEL NO.	DESCRIPTION	SHIP WGT
	Chrome Cantilever Arms and Mounting Brackets	
DWB12	2 - 12" Cantilever Arms & 2 Mounting Brackets	3 lbs
DWB14	2 - 14" Cantilever Arms & 2 Mounting Brackets	3 lbs
DWB18	2 - 18" Cantilever Arms & 2 Mounting Brackets	4 lbs
DWB21	2 - 21" Cantilever Arms & 2 Mounting Brackets	5 lbs
DWB24	2 - 24" Cantilever Arms & 2 Mounting Brackets	5 lbs
	Proform Green, Gray & Black Epoxy Cantilever Arms and Mounting Brackets	
DWB12 (P, GY, BK)	2 - 12" Epoxy Cantilever Arms & 2 Mounting Brackets	3 lbs
DWB14 (P, GY, BK)	2 - 14" Epoxy Cantilever Arms & 2 Mounting Brackets	3 lbs
DWB18 (P, GY, BK)	2 - 18" Epoxy Cantilever Arms & 2 Mounting Brackets	4 lbs
DWB21 (P, GY, BK)	2 - 21" Epoxy Cantilever Arms & 2 Mounting Brackets	5 lbs
DWB24 (P, GY, BK)	2 - 24" Epoxy Cantilever Arms & 2 Mounting Brackets	5 lbs
	Chrome Double Cantilever Arm and Mounting Bracket	
DWBD12	1 - 12" Double Cantilever Arm & Mounting Bracket	3 lbs
DWBD14	1 - 14" Double Cantilever Arm & Mounting Bracket	3 lbs
DWBD18	1 - 18" Double Cantilever Arm & Mounting Bracket	4 lbs
DWBD21	1 - 21" Double Cantilever Arm & Mounting Bracket	5 lbs
DWBD24	1 - 24" Double Cantilever Arm & Mounting Bracket	5 lbs
	Proform Green, Gray & Black Epoxy Double Cantilever Arm and Mounting Bracket	
DWBD12 (P, GY, BK)	1 - 12" Epoxy Double Cantilever Arm & Mounting Bracket	3 lbs
DWBD14 (P, GY, BK)	1 - 14" Epoxy Double Cantilever Arm & Mounting Bracket	3 lbs
DWBD18 (P, GY, BK)	1 - 18" Epoxy Double Cantilever Arm & Mounting Bracket	4 lbs
DWBD21 (P, GY, BK)	1 - 21" Epoxy Double Cantilever Arm & Mounting Bracket	5 lbs
DWBD24 (P, GY, BK)	1 - 24" Epoxy Double Cantilever Arm & Mounting Bracket	5 lbs

Cantilever Multiple Shelf Post Wall Mount

Adjustable post wall mount systems use a post cantilever single arm of 12", 14", 18", 21" or 24" with appropriate shelf size and post height. Two post cantilever single arms and 4 post mount brackets are included per order.
Post Cantilever Double Arm is available in 12", 14", 18", 21" and 24" and uses the center post for continuous or add-on shelf sections. One post cantilever double arm and 2 post mount brackets are included per order. Wire shelves and posts are sold separately.

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO. **Ex. CB12P**

MODEL NO.	DESCRIPTION	SHIP WGT
	Chrome Single Post Cantilever Arms	
CB12	2 - 12" Single Post Cantilever Arms & 4 Post Mount Brackets	4 lbs
CB14	2 - 14" Single Post Cantilever Arms & 4 Post Mount Brackets	5 lbs
CB18	2 - 18" Single Post Cantilever Arms & 4 Post Mount Brackets	6 lbs
CB21	2 - 21" Single Post Cantilever Arms & 4 Post Mount Brackets	7 lbs
CB24	2 - 24" Single Post Cantilever Arms & 4 Post Mount Brackets	8 lbs
	Proform Green, Gray & Black Epoxy Single Post Cantilever Arms	
CB12 (P, GY, BK)	2 - 12" Single Post Cantilever Arms & 4 Post Mount Brackets	4 lbs
CB14 (P, GY, BK)	2 - 14" Single Post Cantilever Arms & 4 Post Mount Brackets	5 lbs
CB18 (P, GY, BK)	2 - 18" Single Post Cantilever Arms & 4 Post Mount Brackets	6 lbs
CB21 (P, GY, BK)	2 - 21" Single Post Cantilever Arms & 4 Post Mount Brackets	7 lbs
CB24 (P, GY, BK)	2 - 24" Single Post Cantilever Arms & 4 Post Mount Brackets	8 lbs
	Stainless Steel Single Post Cantilever Arms	
CB14S	2 - 14" Single Post Cantilever Arms & 4 Post Mount Brackets	5 lbs
CB18S	2 - 18" Single Post Cantilever Arms & 4 Post Mount Brackets	6 lbs
	Chrome Double Post Cantilever Arms	
DCB12	1 - 12" Double Post Cantilever Arm & 2 Post Mount Brackets	10 lbs
DCB14	1 - 14" Double Post Cantilever Arm & 2 Post Mount Brackets	11 lbs
DCB18	1 - 18" Double Post Cantilever Arm & 2 Post Mount Brackets	12 lbs
DCB21	1 - 21" Double Post Cantilever Arm & 2 Post Mount Brackets	13 lbs
DCB24	1 - 24" Double Post Cantilever Arm & 2 Post Mount Brackets	14 lbs
	Proform Green, Gray & Black Epoxy Double Post Cantilever Arms	
DCB12 (P, GY, BK)	1 - 12" Double Post Cantilever Arm & 2 Post Mount Brackets	10 lbs
DCB14 (P, GY, BK)	1 - 14" Double Post Cantilever Arm & 2 Post Mount Brackets	11 lbs
DCB18 (P, GY, BK)	1 - 18" Double Post Cantilever Arm & 2 Post Mount Brackets	12 lbs
DCB21 (P, GY, BK)	1 - 21" Double Post Cantilever Arm & 2 Post Mount Brackets	13 lbs
DCB24 (P, GY, BK)	1 - 24" Double Post Cantilever Arm & 2 Post Mount Brackets	14 lbs


Direct Wall Mount Cantilever Single Shelf
Complete Packages

NSF

Versatile hanging system, ideal to create storage space in difficult spaces to accompany floor storage. Select from five different depths: 12",14", 18", 21" or 24".

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO. **Ex. WDWB1224P**

MODEL NO.	DIMENSION W" x L"	SHIP WGT
WDWB1224	12" x 24"	9 lbs
WDWB1230	12" x 30"	9 lbs
WDWB1236	12" x 36"	10 lbs
WDWB1242	12" x 42"	11 lbs
WDWB1248	12" x 48"	12 lbs
WDWB1260	12" x 60"	17 lbs
WDWB1272	12" x 72"	20 lbs
WDWB1424	14" x 24"	9 lbs
WDWB1430	14" x 30"	10 lbs
WDWB1436	14" x 36"	11 lbs
WDWB1442	14" x 42"	13 lbs
WDWB1448	14" x 48"	14 lbs
WDWB1454	14" x 54"	15 lbs
WDWB1460	14" x 60"	17 lbs
WDWB1472	14" x 72"	20 lbs
WDWB1824	18" x 24"	11 lbs
WDWB1830	18" x 30"	12 lbs
WDWB1836	18" x 36"	14 lbs
WDWB1842	18" x 42"	15 lbs
WDWB1848	18" x 48"	18 lbs
WDWB1854	18" x 54"	19 lbs
WDWB1860	18" x 60"	21 lbs
WDWB1872	18" x 72"	24 lbs
WDWB2124	21" x 24"	13 lbs
WDWB2130	21" x 30"	14 lbs
WDWB2136	21" x 36"	16 lbs
WDWB2142	21" x 42"	17 lbs
WDWB2148	21" x 48"	19 lbs
WDWB2154	21" x 54"	21 lbs
WDWB2160	21" x 60"	23 lbs
WDWB2172	21" x 72"	29 lbs
WDWB2424	24" x 24"	14 lbs
WDWB2430	24" x 30"	16 lbs
WDWB2436	24" x 36"	18 lbs
WDWB2442	24" x 42"	20 lbs
WDWB2448	24" x 48"	21 lbs
WDWB2454	24" x 54"	23 lbs
WDWB2460	24" x 60"	26 lbs
WDWB2472	24" x 72"	31 lbs



WDWB1230P
Wall Mount Cantilever Single Shelf

DWB12P, DWB14P, DWB18P, DWB21P or **DWB24P**
Wire Cantilever Arm

AVAILABLE FINISHES
- CHROME C
- EPOXY GREEN P
- EPOXY GRAY GY
- EPOXY BLACK BK

QUICK, EASY ASSEMBLY

Post Wall Mount Cantilever with Baskets
Complete Packages

Modular Wire Baskets mount to standard post to utilize wall space efficiently. Baskets allow for high visibility and quick accessibility. Baskets are adjustable and removable. ***Finish:*** Chrome

MODEL NO.	NO. OF BASKETS	BASKET MODEL NO.	BASKET DIMENSIONS W" x L" x H"	SHIP WGT
34"H - Wire Cantilever with Baskets - Complete Packages				
CAN-34-1436BC-PWB	2	1436BC	14" x 36" x 9"	26 lbs
CAN-34-1448BC-PWB	2	1448BC	14" x 48" x 9"	32 lbs
CAN-34-2036BC-PWB	2	2036BC	20" x 36" x 9"	30 lbs
CAN-34-2048BC-PWB	2	2048BC	20" x 48" x 9"	36 lbs
CAN-34-203612BC-PWB	2	203612BC	20" x 36" x 12"	34 lbs
CAN-34-204812BC-PWB	2	204812BC	20" x 48" x 12"	38 lbs



CAN-34-1436BC-PWB
Baskets shown with Clear Label Holder
(Sold separately)

COMPLETE PACKAGES WITH BASKETS



SCH1
Collar Hooks
Hooks onto basket corner allowing basket to securely hang. See ***pg.32***

Post Wall Mount Cantilever with Bin Holders
Complete Packages

Easy access, adjustable wall mounted bin systems. Available in 24", 30", 36", 48" and 60" widths. Optional bin dividers, windows fronts and clear label holders. ***Finish:*** Chrome

Bin available in: Blue Green Ivory Red Yellow Black Clear

MODEL NO.	NO. OF BIN RAILS	DIMENSIONS L" x H"	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
Wire Cantilever Bin Holder - Complete with Bins Available in Blue, Green, Ivory, Red, Yellow, Black and Clear					
CAN-34-24BH-230	3	24" x 34"	9 QUS230	10-7/8" x 5-1/2" x 5"	18 lbs
CAN-34-30BH-230	3	30" x 34"	12 QUS230	10-7/8" x 5-1/2" x 5"	20 lbs
CAN-34-36BH-230	3	36" x 34"	18 QUS230	10-7/8" x 5-1/2" x 5"	26 lbs
CAN-34-48BH-230	3	48" x 34"	24 QUS230	10-7/8" x 5-1/2" x 5"	34 lbs
CAN-34-60BH-230	3	60" x 34"	30 QUS230	10-7/8" x 5-1/2" x 5"	42 lbs



CAN-34-36BH-230

COMPLETE PACKAGES WITH BINS

Post Wall Mount Cantilever Units 1, 2 & 3 Shelves
Complete Packages

Versatile hanging system, ideal to create storage space in difficult spaces to accompany floor storage. Select from five different depths: 12",14", 18", 21" or 24". Available in 1, 2 or 3 shelf configurations.

TO CHOOSE FINISH ADD FINISH SUFFIX TO MODEL NO. Ex. WC14-CB1224P

AVAILABLE FINISHES
- CHROME C
- EPOXY GREEN P
- EPOXY GRAY GY
- EPOXY BLACK BK

QUICK, EASY ASSEMBLY



NSF



WC14-CB1230BK



WC34-CB1230GY



WC54-CB1230C

	14" Post Wall Mount 1 Shelf		34" Post Wall Mount 2 Shelf		54" Post Wall Mount 3 Shelf	
DIMENSION W" x L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
12" x 24"	**WC14-CB1224**	13 lbs	**WC34-CB1224**	26 lbs	**WC54-CB1224**	39 lbs
12" x 30"	**WC14-CB1230**	13 lbs	**WC34-CB1230**	26 lbs	**WC54-CB1230**	39 lbs
12" x 36"	**WC14-CB1236**	14 lbs	**WC34-CB1236**	28 lbs	**WC54-CB1236**	42 lbs
12" x 42"	**WC14-CB1242**	15 lbs	**WC34-CB1242**	34 lbs	**WC54-CB1242**	45 lbs
12" x 48"	**WC14-CB1248**	16 lbs	**WC34-CB1248**	36 lbs	**WC54-CB1248**	48 lbs
12" x 60"	**WC14-CB1260**	21 lbs	**WC34-CB1260**	38 lbs	**WC54-CB1260**	63 lbs
12" x 72"	**WC14-CB1272**	24 lbs	**WC34-CB1272**	42 lbs	**WC54-CB1272**	72 lbs
14" x 24"	**WC14-CB1424**	13 lbs	**WC34-CB1424**	48 lbs	**WC54-CB1424**	34 lbs
14" x 30"	**WC14-CB1430**	14 lbs	**WC34-CB1430**	28 lbs	**WC54-CB1430**	42 lbs
14" x 36"	**WC14-CB1436**	15 lbs	**WC34-CB1436**	30 lbs	**WC54-CB1436**	45 lbs
14" x 42"	**WC14-CB1442**	17 lbs	**WC34-CB1442**	34 lbs	**WC54-CB1442**	51 lbs
14" x 48"	**WC14-CB1448**	18 lbs	**WC34-CB1448**	36 lbs	**WC54-CB1448**	54 lbs
14" x 54"	**WC14-CB1454**	19 lbs	**WC34-CB1454**	38 lbs	**WC54-CB1454**	57 lbs
14" x 60"	**WC14-CB1460**	21 lbs	**WC34-CB1460**	42 lbs	**WC54-CB1460**	63 lbs
14" x 72"	**WC14-CB1472**	24 lbs	**WC34-CB1472**	48 lbs	**WC54-CB1472**	72 lbs
18" x 24"	**WC14-CB1824**	15 lbs	**WC34-CB1824**	30 lbs	**WC54-CB1824**	45 lbs
18" x 30"	**WC14-CB1830**	16 lbs	**WC34-CB1830**	32 lbs	**WC54-CB1830**	48 lbs
18" x 36"	**WC14-CB1836**	18 lbs	**WC34-CB1836**	36 lbs	**WC54-CB1836**	54 lbs
18" x 42"	**WC14-CB1842**	19 lbs	**WC34-CB1842**	38 lbs	**WC54-CB1842**	57 lbs
18" x 48"	**WC14-CB1848**	22 lbs	**WC34-CB1848**	44 lbs	**WC54-CB1848**	66 lbs
18" x 54"	**WC14-CB1854**	23 lbs	**WC34-CB1854**	46 lbs	**WC54-CB1854**	69 lbs
18" x 60"	**WC14-CB1860**	25 lbs	**WC34-CB1860**	50 lbs	**WC54-CB1860**	75 lbs
18" x 72"	**WC14-CB1872**	28 lbs	**WC34-CB1872**	56 lbs	**WC54-CB1872**	84 lbs
21" x 24"	**WC14-CB2124**	16 lbs	**WC34-CB2124**	32 lbs	**WC54-CB2124**	48 lbs
21" x 30"	**WC14-CB2130**	17 lbs	**WC34-CB2130**	34 lbs	**WC54-CB2130**	51 lbs
21" x 36"	**WC14-CB2136**	19 lbs	**WC34-CB2136**	38 lbs	**WC54-CB2136**	57 lbs
21" x 42"	**WC14-CB2142**	20 lbs	**WC34-CB2142**	40 lbs	**WC54-CB2142**	60 lbs
21" x 48"	**WC14-CB2148**	22 lbs	**WC34-CB2148**	44 lbs	**WC54-CB2148**	66 lbs
21" x 54"	**WC14-CB2154**	24 lbs	**WC34-CB2154**	48 lbs	**WC54-CB2154**	72 lbs
21" x 60"	**WC14-CB2160**	26 lbs	**WC34-CB2160**	52 lbs	**WC54-CB2160**	78 lbs
21" x 72"	**WC14-CB2172**	32 lbs	**WC34-CB2172**	64 lbs	**WC54-CB2172**	96 lbs
24" x 24"	**WC14-CB2424**	18 lbs	**WC34-CB2424**	36 lbs	**WC54-CB2424**	54 lbs
24" x 30"	**WC14-CB2430**	20 lbs	**WC34-CB2430**	40 lbs	**WC54-CB2430**	60 lbs
24" x 36"	**WC14-CB2436**	22 lbs	**WC34-CB2436**	44 lbs	**WC54-CB2436**	66 lbs
24" x 42"	**WC14-CB2442**	24 lbs	**WC34-CB2442**	48 lbs	**WC54-CB2442**	72 lbs
24" x 48"	**WC14-CB2448**	25 lbs	**WC34-CB2448**	50 lbs	**WC54-CB2448**	59 lbs
24" x 54"	**WC14-CB2454**	27 lbs	**WC34-CB2454**	54 lbs	**WC54-CB2454**	81 lbs
24" x 60"	**WC14-CB2460**	30 lbs	**WC34-CB2460**	60 lbs	**WC54-CB2460**	90 lbs
24" x 72"	**WC14-CB2472**	35 lbs	**WC34-CB2472**	70 lbs	**WC54-CB2472**	105 lbs

Stainless Steel Work Tables with Adjustable Undershelf

Heavy-duty 304 stainless steel processing tables are ideal for pack and prep in sterile environments. Units consist of a flat top work surface with hemmed edges and the lower flat bottom shelf is adjustable from 3" to 27" high. Tables are NSF approved. The support legs are 1-5/8" diameter with a leveling foot which can be converted to a mobile unit with a 4" stainless steel caster kit, all swivel and 2 with brake. *(Sold separately)* ***Finish:*** 304 Stainless Steel

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF SHELVES	SHIP WGT
Stationary Instrument Table with Shelf			
SST-2436U	24" x 36" x 34"	1	50 lbs
SST-2448U	24" x 48" x 34"	1	60 lbs
SST-2460U	24" x 60" x 34"	1	70 lbs
SST-2472U	24" x 72" x 34"	1	80 lbs
Mobile Kit			
SST-MOB	4 Swivel Casters, 2 with Brake		8 lbs



SST-2436U
24"W x 36"L x 34"H



SST-MOB
4" Stainless Steel Casters
Up to 1,000 lb. load capacity



NEW
DRIVE-THRU STATION

STORAGE AND ORGANIZATION AT YOUR FINGERTIPS

Custom Drive-thru Station

To create this exact drive-thru station unit you would need to purchase the following parts listed below.

Unit consists of:

2 - 74" Post - **P74P**
2 - 34" Post - **P34P**
1 - 24" x 36" Solid Shelf - **2436SG**
3 - 24" x 36" Wire Shelf - **2436P**
2 - 18" x 36" Wire Grid - **SG-1836P**
2 - Post Mount Grid Bracket *(Pack of 4)* - **WR-PMGP**
1 - 14" x 36" Shelf - **SG-LS1436P**
5 - Ultra Bins - **QUS230CL***
5 - Single Bin Holder - **SG-SBH**
3 - Ultra Bins - **QUS235CL***
3 - Small Bin Holder - **SG-SMBH**

*Plastic bins must be purchased in carton quantities





NEW
WR-PMGP
Post Mount Grid Bracket
See ***pg. 32***

QUICK AND EASY INSTALLATION



NEW
2430SSTOP
Stainless Steel Shelf Cover

Stainless Steel Shelf Covers

Constructed from durable 18 gauge 304 stainless steel, this stainless steel shelf covering offers commercial-grade resilience, engineered for extended durability. Unlike wire shelving that may permit small items to slip through or pose the risk of package leaks affecting lower shelves, this sturdy shelf covering transforms wire shelves into functional workstations, providing the versatility and dependability essential for a range of applications.

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
2430SSTOP	24" x 30" x 2"	20 lbs
3030SSTOP	30" x 30" x 2"	27 lbs
3036SSTOP	30" x 36" x 2"	27 lbs
3042SSTOP	30" x 42" x 2"	28 lbs
3048SSTOP	30" x 48" x 2"	28 lbs
3060SSTOP	30" x 60" x 2"	29 lbs
3072SSTOP	30" x 72" x 2"	30 lbs

Custom Stations

Preconfigured custom station starter unit is available in 36", 48" and 60" lengths. Customize your prep or drive-thru station as needed with optional accessories shows on ***pgs. 63 - 64***

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
WR74-DT2436P	24" x 36" x 74"	84 lbs
WR74-DT2448P	24" x 48" x 74"	103 lbs
WR74-DT2460P	24" x 60" x 74"	126 lbs

Each unit consists of:

2 - 74" Post
2 - 34" Post
1 - Solid Shelf
2 - Wire Shelf
2 - Wire Grid
2 - Post Mount Grid Bracket *(Pack of 4)*
1 - Cantilever Shelf

OPTIONAL ACCESSORY PACKS AND ACCESSORIES AVAILABLE

See ***pg. 63-64***

DISPLAY, ORGANIZE, SAVE SPACE

MAXIMIZE EFFICIENCY

UNIT SHOWN IS CUSTOMIZABLE USING A VARIETY OF ACCESSORIES



NEW
WR74-DT2436P



WR74-DT2436P + SG-A2BL

Polymer Dunnage Racks

NSF

Smooth top and rounded edges promote safe handling and protects against product damage. Open surface enables airflow, cleanability, and prevents bacteria buildup. Heavy-duty polymer construction gives racks the strength to hold up to 4,000 lbs. No assembly required. Multiple combinations enable custom storage space layouts. Racks can be loaded/unloaded easily from all sides. Withstands temperatures from -20°F to 180°F. Won't overheat or overcool. Antimicrobial additive protects against rust, corrosion, bacteria, mold, and mildew. Ideal to elevate products off of the floor in coolers, freezers, backrooms, food preparation, and storage areas. Polymer composition makes these racks resistant to rust, corrosion, and food acids. ***Color:*** Gray

Available in: Gray

MODEL NO.	DESCRIPTION	SHIP WGT
	Dunnage Racks	
QFSD-2236	22"D x 36"W x 12"H - Dunnage Rack	18 lbs
QFSD-2248	22"D x 48"W x 12"H - Dunnage Rack	24 lbs
QFSD-2260	22"D x 60"W x 12"H - Dunnage Rack	28 lbs

Up to **2,200 lb.**
LOAD CAPACITY



QFSD-2236

Up to **4,000 lb.**
LOAD CAPACITY



QFSD-2248

SAFE
SANITARY
STRONG


Up to **4,000 lb.**
LOAD CAPACITY



QFSD-2260

SUPERIOR CHOICE AND STRENGTH OVER ALUMINUM AND OTHER TYPE RACKS







MODEL NO.	DIMENSIONS W" x L" x H"	LOAD CAPACITY	SHIP WGT
Ventilated Top			
362412DPP	24" x 36" x 12"	500 lbs	13 lbs
363612DPP	36" x 36" x 12"	750 lbs	22 lbs
482412DPP	24" x 48" x 12"	700 lbs	19 lbs
662412DPP	24" x 66" x 12"	1,000 lbs	23 lbs
663612DPP	36" x 66" x 12"	1,500 lbs	37 lbs
962412DPP	24" x 96" x 12"	1,400 lbs	34 lbs
963612DPP	36" x 96" x 12"	2,000 lbs	53 lbs
Solid Top			
362412DPS	24" x 36" x 12"	700 lbs	17 lbs
363612DPS	36" x 36" x 12"	1,000 lbs	26 lbs
482412DPS	24" x 48" x 12"	900 lbs	21 lbs
662412DPS	24" x 66" x 12"	1,400 lbs	28 lbs
663612DPS	36" x 66" x 12"	1,900 lbs	49 lbs
962412DPS	24" x 96" x 12"	1,800 lbs	41 lbs
963612DPS	36" x 96" x 12"	2,700 lbs	64 lbs

Polymer Dunnage Racks

Our Dunnage Racks are as portable as they are versatile. Made from lightweight, heavy-duty high density polyethylene, these are the perfect match for wet or chemically intense manufacturing environments. A simple snap together design makes it a breeze to raise finished goods and raw materials off the ground and away from moisture, dirt and traffic. When it comes to cleanup time, just sweep underneath! We offer the largest commercially available sizes in a high-capacity, low-cost dunnage solution that lets you reset and move workstations as often as you see fit. Plus, the grid-top design simplifies working with fluids and bagged goods because any spilled items will flow through the surface to the floor below. ***Color:*** Black




EASILY STORE SUPPLIES AND MATERIALS OFF THE GROUND

Expandable EZ Lock Platform Rack & Pallet


Quantum's EZ Lock platform and pallet allows you to customize your storage space in seconds. Its patented interlocking design allows true flexibility in building the exact size pallet or platform you need. Using 12" x 40" footprints, each unit locks together making this an all-purpose storage, moving, and shipping solution. Manufactured of recycled high density polyethylene, the vented deck is freezer safe and chemical resistant. Its one piece body design and structure allows for a 4 way forklift and hand truck entry, and it meets GMA industry standards. Enhances any 5S Lean initiative. Withstands temperatures from -30°F – 200°F and offers up to 2,500 lb. load capacity when connected. Once built, the structure will maintain its dimensions with no sagging or stretching. Plastic will not absorb any liquids or chemicals and is resistant to insect infestation. Perfect for use in hospitals, pharmacies, clean rooms, food and beverage areas, manufacturing environments, and supermarket and grocery store back rooms. ***Color:*** Black

MODEL NO.	DIMENSIONS W" x L" x H"	CTN QTY	SHIP WGT
EL-12406	12" x 40" x 6"	1 Pair *(2 Pieces)*	14 lbs





QUICK AND TROUBLE-FREE ASSEMBLY UP TO 2,500 LB. LOAD CAPACITY



STACKABLE FOR EASY STORAGE

Mobile Dunnage Platform Racks

Units can be used for moving case goods and other heavy items for cleaning, warehouse and stock room applications. Non-marking casters add flexibility. ***Finish:*** Gray Epoxy

Each unit consists of:
4 - 6" posts
1 - 3 sided frame
1 - dunnage shelf
4 - 5" swivel thermoplastic resin casters, 2 with brakes
4 - donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
M18246DGY	18" x 24" x 12"	36 lbs
M18306DGY	18" x 30" x 12"	40 lbs
M18366DGY	18" x 36" x 12"	44 lbs
M18426DGY	18" x 42" x 12"	48 lbs
M18486DGY	18" x 48" x 12"	52 lbs
M18606DGY	18" x 60" x 12"	59 lbs
M24246DGY	24" x 24" x 12"	39 lbs
M24306DGY	24" x 30" x 12"	44 lbs
M24366DGY	24" x 36" x 12"	48 lbs
M24426DGY	24" x 42" x 12"	53 lbs
M24486DGY	24" x 48" x 12"	55 lbs
M24606DGY	24" x 60" x 12"	63 lbs



M18366DGY

Up to 1,300-1,600 lb.
MOBILE LOAD CAPACITY

Modular Dunnage Racks

Ideal for extreme load capacities *(up to 1,300-1,600 lb.)*. Includes tubular 1" square frame super structure and removable wire top mat. ***Finish:*** Gray Epoxy

Each unit consists of:
4 - 14" posts
1 - 3 sided frame
1 - dunnage shelf

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
182414DGY	18" x 24" x 14"	22 lbs
183014DGY	18" x 30" x 14"	26 lbs
183614DGY	18" x 36" x 14"	30 lbs
184214DGY	18" x 42" x 14"	34 lbs
184814DGY	18" x 48" x 14"	38 lbs
186014DGY	18" x 60" x 14"	45 lbs
242414DGY	24" x 24" x 14"	25 lbs
243014DGY	24" x 30" x 14"	30 lbs
243614DGY	24" x 36" x 14"	34 lbs
244214DGY	24" x 42" x 14"	39 lbs
244814DGY	24" x 48" x 14"	41 lbs
246014DGY	24" x 60" x 14"	49 lbs



183614DGY


Up to 1,300-1,600 lb.
LOAD CAPACITY

Shelf Platform Racks

Represents an ergonomic solution for keeping case goods off the floor. Platforms are often used at workstations and prep storage areas. ***Finishes:*** Chrome and Proform Green Epoxy

Each unit consists of:
4 - 14" posts
1 - shelf

CHROME MODEL NO.	GREEN MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
183614PC	**183614PP**	18" x 36" x 14"	14 lbs
184814PC	**184814PP**	18" x 48" x 14"	18 lbs
186014PC	**186014PP**	18" x 60" x 14"	21 lbs
243614PC	**243614PP**	24" x 36" x 14"	17 lbs
244814PC	**244814PP**	24" x 48" x 14"	20 lbs
246014PC	**246014PP**	24" x 60" x 14"	25 lbs



183614PC

Up to 600-800 lb.
LOAD CAPACITY PER SHELF

Keg Racks

NSF

Quantum Food Service Keg Rack and Dunnage Platforms are the most cost-effective, durable, and efficient storage solution in the industry. The solution accommodates the irregular shape of the keg rounds and is perfect for getting all bulk items off the floor. These systems provide maximum storage space, inventory management, and efficiency in the cooler and other storage spaces.

The open and removable wire decking design of these racks shelves minimizes dust accumulation while keeping the kegs off of the floor for cleanliness. It also offers an easier and neat way of handling kegs, barrels, and cases. Multiple kegs can be stored in series allowing the handling of more brands. All racks come in gray epoxy antimicrobial finish, which represents an ideal solution for high humidity, wet, or walk-in-cooler applications (15 year warranty). ***Finish:*** Gray Epoxy

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	WGT CAP	KEGS* CAP
1 Shelf				
182434DGY	18" x 24" x 34"	26 lbs	1,600 lbs	1
183034DGY	18" x 30" x 34"	30 lbs	1,600 lbs	1
183634DGY	18" x 36" x 34"	34 lbs	1,600 lbs	2
184234DGY	18" x 42" x 34"	38 lbs	1,600 lbs	2
184834DGY	18" x 48" x 34"	42 lbs	1,600 lbs	3
186034DGY	18" x 60" x 34"	49 lbs	1,300 lbs	3
242434DGY	24" x 24" x 34"	29 lbs	1,600 lbs	1
243034DGY	24" x 30" x 34"	34 lbs	1,600 lbs	1
243634DGY	24" x 36" x 34"	38 lbs	1,600 lbs	2
244234DGY	24" x 42" x 34"	43 lbs	1,600 lbs	2
244834DGY	24" x 48" x 34"	45 lbs	1,600 lbs	3
246034DGY	24" x 60" x 34"	55 lbs	1,300 lbs	3

* Half barrel size keg

Up to 1,300-1,600 lb.
LOAD CAPACITY

MAXIMUM STORAGE SPACE

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	WGT CAP	KEGS* CAP
2 Shelf				
182454DGY	18" x 24" x 54"	48 lbs	3,200 lbs	2
183054DGY	18" x 30" x 54"	56 lbs	3,200 lbs	2
183654DGY	18" x 36" x 54"	64 lbs	3,200 lbs	4
184254DGY	18" x 42" x 54"	72 lbs	3,200 lbs	4
184854DGY	18" x 48" x 54"	80 lbs	3,200 lbs	6
186054DGY	18" x 60" x 54"	94 lbs	2,600 lbs	6
242454DGY	24" x 24" x 54"	54 lbs	3,200 lbs	2
243054DGY	24" x 30" x 54"	34 lbs	3,200 lbs	2
243654DGY	24" x 36" x 54"	72 lbs	3,200 lbs	4
244254DGY	24" x 42" x 54"	82 lbs	3,200 lbs	4
244854DGY	24" x 48" x 54"	86 lbs	3,200 lbs	6
246054DGY	24" x 60" x 54"	106 lbs	2,600 lbs	6

* Half barrel size keg

Up to 2,600-3,200 lb.
LOAD CAPACITY

WEIGHT CAPACITY BASED ON EVEN LOAD DISTRIBUTION PER SHELF






183634DGY

Each 1 Shelf unit consists of:
4 - 34" posts
1 - 3 sided frame
1 - dunnage shelf




183654DGY

Each 2 Shelf unit consists of:
4 - 54" posts
2 - 3 sided frame
2 - dunnage shelf



ADJUSTABLE BRACKETS ALLOW YOU TO CHOOSE YOUR IDEAL POSITION AND EASIEST ACCESS TO STORED PRODUCT



DIVIDERS
Basket divider allows you to quickly and easily organize the contents of your basket unit by creating separate compartments within each basket
(Sold separately)

COMPLETE PACKAGES WITH BASKETS



WS70-SS36-4S3L
Shown with dividers
(Sold separately)

PARtition Wall Systems - *Complete Packages*

PARtition Wall Hanging Baskets are uniquely designed for instant visibility and easy access while maximizing your storage area. The wire construction minimizes dirt accumulation and allows air circulation. Baskets have a 1/2" x 1/2" grid pattern to partition product while letting you know when to reorder product and restock items. Available in 11-7/8" and 17-7/8" widths, and in 18", 36", and 48" lengths. ***Finish:*** Chrome

STARTER UNITS		ADD-ON		BASKET		ACCESSORIES		
						DIVIDER	LABEL HOLDERS	DUST SHELF
MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	NO. OF BASKET	MODEL NO.	MODEL NO.	MODEL NO.
18" - Single Sided Systems - Complete with Baskets								
WS70-SS18-7S	83 lbs	**WS70-SS18AD-7S**	71 lbs	**1017HBC**	7	**1006DHB/1006DHB-SQ**	**HBL165C**	**WS-1218DSHC**
WS70-SS18-4S3L	86 lbs	**WS70-SS18AD-4S3L**	86 lbs	**1017HBC** **1617HBC**	4 3	**1006DHB/1006DHB-SQ** **1606DHB/1606DHB-SQ**	**HBL165C** **HBL165C**	**WS-1818DSHC**
36" - Single Sided Systems - Complete with Baskets								
WS70-SS36-7S	117 lbs	**WS70-SS36AD-7S**	105 lbs	**1035HBC**	7	**1006DHB/1006DHB-SQ**	**HBL345C**	**WS-1236DSHC**
WS70-SS36-4S3L	123 lbs	**WS70-SS36AD-4S3L**	111 lbs	**1035HBC** **1635HBC**	4 3	**1006DHB/1006DHB-SQ** **1606DHB/1606DHB-SQ**	**HBL345C** **HBL345C**	**WS-1836DSHC**
48" - Single Sided Systems - Complete with Baskets								
WS70-SS48-7S	131 lbs	**WS70-SS48AD-7S**	119 lbs	**1047HBC**	7	**1006DHB/1006DHB-SQ**	**HBL465C**	**WS-1248DSHC**
WS70-SS48-4S3L	140 lbs	**WS70-SS48AD-4S3L**	128 lbs	**1047HBC** **1647HBC**	4 3	**1006DHB/1006DHB-SQ** **1606DHB/1606DHB-SQ**	**HBL465C** **HBL465C**	**WS-1848DSHC**

Starter Units

Starter units come complete with two uprights and three tie-bars.



WS70-SS18HC | WS70-SS36HC | WS70-SS48HC

Add-On Units

Add-On units allow you to expand your Starter unit by sharing an upright. Add-On unit includes one common upright and three tie-bars.



WS70-SS18ADHC | WS70-SS36ADHC | WS70-SS48ADHC

	STARTER UNITS		ADD-ON UNITS		ACCESSORIES				
					HANG BAR	12" DUST SHELF	18" DUST SHELF	LOUVERED PANEL	PANEL FRAME*
L"	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.
Single Sided Units									
18"	WS70-SS18HC	31 lbs	WS70-SS18ADHC	31 lbs	-	WS-1218DSHC	WS-1818DSHC	QLP-1861HC	WS-PM18HC
36"	WS70-SS36HC	37 lbs	WS70-SS36ADHC	25 lbs	WS-HB36HC	WS-1236DSHC	WS-1836DSHC	QLP-3661HC	WS-PM36HC
48"	WS70-SS48HC	42 lbs	WS70-SS48ADHC	30 lbs	WS-HB48HC	WS-1248DSHC	WS-1848DSHC	QLP-4861HC	WS-PM48HC
Double Sided Units									
18"	WS70-DS18HC	34 lbs	WS70-DS18ADHC	21 lbs	-	WS-1218DSHC	WS-1818DSHC	QLP-1861HC	WS-PM18HC
36"	WS70-DS36HC	40 lbs	WS70-DS36ADHC	27 lbs	WS-HB36HC	WS-1236DSHC	WS-1836DSHC	QLP-3661HC	WS-PM36HC
48"	WS70-DS48HC	45 lbs	WS70-DS48ADHC	32 lbs	WS-HB48HC	WS-1248DSHC	WS-1848DSHC	QLP-4861HC	WS-PM48HC

*Required to mount louvered panels

CUSTOMIZE YOUR OWN UNIT

For Units using Hanging Brackets:


1. *Determine total space you want to fill from left to right*
2. *Select a Starter Unit (either 18", 36" or 48" wide)*
3. *Fill remaining space by utilizing Add-On Units*
4. *Determine how many basket levels you want to have per unit, which will correspond to the total number of brackets needed*
5. *Dividers and label holders are available for all basket sizes*

For Units using Louvered Panels:

1. *Determine total space you want to fill from left to right*
2. *Select a Starter Unit (either 18", 36" or 48" wide)*
3. *Fill remaining space by utilizing Add-On Units*
4. *Each unit (both Starter or Add-On) will fit a corresponding 18", 36" or 48" louvered panel (**note:** Louvered panel requires one panel frame)*
5. *Louvered panel will accommodate:*
   - ***Hanging Baskets** - available on **pg. 75***
   - ***Clear Tip Out Bins** - available on **pg. 132** (**note:** one hanging bracket pair **QTB-LP-BKT** is needed per Tip Out Bin)*
   - ***Mesh Bins** - available on **pg. 98***
   - ***Plastic Bins** - available on **pgs. 93, 96 and 100***

Hanging Baskets


- 125 lb. load capacity per basket *(up to twice as strong as plastic bins)*
- Mesh design ensures no accumulation of dirt or dust and instant visibility
- Brilliant chrome finish ensures professional appearance and years of heavy-duty service
- Baskets can be divided allowing maximization of all space



WS-DS36HC
Shown with Baskets
(Sold separately)

UNIQUELY DESIGNED FOR HIGH VISIBILITY AND EASY ACCESS

MODEL NO.	OUTSIDE DIMENSIONS W" x L" x H"	INSIDE DIMENSIONS W" x L" x H"	SHIP WGT
Hanging Baskets			
1017HBC	11-7/8" x 18" x 7-1/2"	11" x 17-3/8" x 7"	5 lbs
1035HBC	11-7/8" x 36" x 7-1/2"	11" x 35" x 7"	9 lbs
1047HBC	11-7/8" x 48" x 7-1/2"	11" x 47" x 7"	11 lbs
1617HBC	17-7/8" x 18" x 7-1/2"	17" x 17-3/8" x 7"	6 lbs
1635HBC	17-7/8" x 36" x 7-1/2"	17" x 35" x 7"	11 lbs
1647HBC	17-7/8" x 48" x 7-1/2"	17" x 47" x 7"	14 lbs




1017HBC | 1035HBC | 1617HBC | 1635HBC | 1647HBC

Dividers


8 SIZES AVAILABLE


MODEL NO.	DIMENSIONS W" x H"	SHIP WGT
Hanging Basket Dividers		
4X3HBD	3" x 4-1/2"	1 lb
4X6HBD	6" x 4-1/2"	1 lb
4X9HBD	9" x 4-1/2"	1 lb
4X15HBD	15" x 4-1/2"	2 lbs
1006DHB	10" x 6"	1 lb
1606DHB	16" x 6"	2 lbs
1006DHB-SQ	10" x 6"	1 lb
1606DHB-SQ	16" x 6"	2 lbs

4X9HBD



1006DHB





1606DHB-SQ




Separate product in basket with use of optional dividers. Dividers are used front to back to create individual compartments.

Clear Label Holders

Super easy method for identifying product. Affixes directly to the front on any basket. Four lengths available. *(Label inserts sold separately).*

MODEL NO.	DESCRIPTION	SHIP WGT
Clear Label Holders		
HBL3C	3" Clear Label Holder	1 lb
HBL165C	16-1/2" Clear Label Holder Fits 18" Basket	1 lb
HBL345C	34-1/2" Clear Label Holder Fits 36" Basket	1 lb
HBL465C	46-1/2" Clear Label Holder Fits 48" Basket	1 lb



HBL165C




Dust Shelves

WS-1218DSHC

MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
Dust Shelves		
WS-1218DSHC	12" x 18"	5 lbs
WS-1236DSHC	12" x 36"	10 lbs
WS-1248DSHC	12" x 48"	15 lbs
WS-1818DSHC	18" x 18"	7 lbs
WS-1836DSHC	18" x 36"	15 lbs
WS-1848DSHC	18" x 48"	20 lbs

Dust Shelves not designed for load bearing

Spikes & Holders



WS-HTH
Horizontal Tape/Reel Holder
Up to 25 lb. load capacity

WS-VTH
Vertical Tape/Reel Holder
Up to 25 lb. load capacity

WS-SR9C
9" Single Rod
Up to 15 lb. load capacity

WS-DR10C
10" Double Rod
Up to 15 lb. load capacity

WS-HDS12
Heavy-Duty 12" Spike
Up to 50 lb. load capacity

WS-HDS6
Heavy-Duty 6" Spike
Up to 65 lb. load capacity

Hanging Brackets



WS-HBB



WS-HBBA

MODEL NO.	DESCRIPTION	SHIP WGT
Hanging Brackets for Starter and Add-On Units		
WS-HBB	90º Bracket Pair *(2 pcs)*	1 lb
WS-HBBA	Adjustable Bracket Pair *(2 pcs)*	1 lb

Louvered Panels

MODEL NO.	DIMENSIONS L" x H"	SHIP WGT
Oyster White Louvered Panels		
QLP-1861HC	18" x 61"	21 lbs
QLP-3661HC	36" x 61"	40 lbs
QLP-4861HC	48" x 61"	60 lbs

Louvered Panels require panel frame in order to affix to PARtition Wall Systems

Hang Bars

Used to mount wire louvered panels on PARtition Wall Systems. Wire Panels available on ***pg. 99***




WS-HB36HC

MODEL NO.	DESCRIPTION	SHIP WGT
Hang Bars		
WS-HB36HC	36" Hang Bar	4 lbs
WS-HB48HC	48" Hang Bar	5 lbs

QLP-4861HC

QLP-3661HC



QLP-1861HC

Bin Cart Systems

Bin carts can be used for transporting and holding product. A modular drawer system allows for storage of smaller specialty components while the open shelf design maximizes the storage area. The option of cart covers ***pg.46***, enclosure panels ***pg. 30***, ledges and dividers ***pg. 31*** add to the flexibility of the unit. ***Cart Finish:*** Chrome

Bins available in: Blue Red Gray Clear *(One color per unit)*

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
24"W x 36"L x 69"H - Bin Cart with Dividable Grids			
WRC5-63-2436-93060	4 DG93060	22-1/2" x 17-1/2" x 6"	113 lbs
24"W x 48"L x 69"H - Bin Cart with Dividable Grids			
WRC5-63-2448-93060	4 DG93060	22-1/2" x 17-1/2" x 6"	128 lbs
24"W x 60"L x 69"H - Bin Cart with Dividable Grids			
WRC5-63-2460-93060	4 DG93060	22-1/2" x 17-1/2" x 6"	153 lbs



COMPLETE PACKAGES
WITH BINS



CLEAR VIEW BINS AVAILABLE

WRC5-63-2436-93060

Each unit consists of:
- **4** - 63" posts
- **5** - wire shelves
- **4** - **DS18-24** bin slides
- **4** - 5" swivel thermoplastic resin casters, 2 with brake
- **4** - donut bumpers
- **4** - **DG93060** bins *(Blue, Red, Gray or Clear)*

ALL MOBILE UNITS INCLUDE FOUR 5" x 1-1/4" SWIVEL CASTERS, 2 WITH BRAKES

Up to 1,200 lb.
MOBILE LOAD CAPACITY



DIVIDERS
Containers can be divided by length and/or width allowing a subdivision down to a 1-1/8" square compartment size.
See ***pg. 123***



CLEAR ACRYLIC INLAYS
Keep stored items visible while protecting against airborne dust and other contaminants. Cover lays inside on rim of container.
See ***pg. 123***

Bin Carts

Offering two heights and four bin quantity designs, these modular carts are the ultimate work-in-process and transport carts. Dividable grids slide easily in and out and with their ability to be divided into multiple compartments with long and short dividers, truly any type of storage is possible, see ***pg. 123*** for dividers and label holders. ***Cart Finish:*** Chrome

Bins available in: Blue Red Gray Clear *(One color per unit)*

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
21"W x 24"L x 45"H - Bin Cart with Dividable Grid Containers			
BC212434M1	4 DG93060	22-1/2" x 17-1/2" x 6"	58 lbs
BC212439M2	7 DG93030	22-1/2" x 17-1/2" x 3"	79 lbs
21"W x 24"L x 69"H - Bin Cart with Dividable Grid Containers			
BC212469M1	7 DG93060	22-1/2" x 17-1/2" x 6"	107 lbs
BC212469M2	11 DG93030	22-1/2" x 17-1/2" x 3"	111 lbs
21"W x 24"L x 45"H - Bin Cart with No Dividable Grid Containers			
BC212439M4	No Containers *(includes slides for 4 bin levels)*		46 lbs
BC212439M7	No Containers *(includes slides for 7 bin levels)*		55 lbs
21"W x 24"L x 69"H - Bin Cart with No Dividable Grid Containers			
BC212469M	No Containers *(includes slides for 7 bin levels)*		63 lbs
BC212469M11	No Containers *(includes slides for 11 bin levels)*		75 lbs
One Pair - 24" Wire Bin Slides			
WR-S24W	-	-	3 lbs



BC212434M1



BC212469M1

Work Station Carts - *The ideal work-in-process cart*

The sloped shelves allow for high visibility, productive rotations and gravity feed. ***Cart Finish:*** Chrome

Each unit consists of:
2 - 34" longer back posts
2 - 29" shorter front posts
1 - flat wire shelf
1 - slanted wire shelf
4 - 5" swivel thermoplastic resin casters, 2 with brakes
4 - donut bumpers

MOBILE MODEL NO.	SHELF DIMENSIONS W" x L"	NO. OF SHELVES	SHIP WGT
40"H - Work Station Carts			
M1836SL34C	18" x 36"	2	38 lbs
M1848SL34C	18" x 48"	2	48 lbs
M2436SL34C	24" x 36"	2	44 lbs
M2448SL34C	24" x 48"	2	50 lbs



M1836SL34C
Shown with Bins
(Bins are sold separately)



MWRS-5-92060



WRSL6-74-1848-260

NO. OF BINS	BIN DIMENSIONS L" x W" x H"	NO. OF SHELVES	STATIONARY MODEL NO.	STATIONARY SHIP WGT	MOBILE MODEL NO.	MOBILE SHIP WGT
18"W x 36"L x 63"H - Wire Shelving System with 2 Flat Shelves and 3 Slanted Shelves Includes Dividable Grid Containers Available in Blue, Gray, Red and Clear						
12 DG92035	16-1/2" x 10-7/8" x 3-1/2"	5	**WRS-5-92035**	89 lbs	**MWRS-5-92035**	100 lbs
12 DG92060	16-1/2" x 10-7/8" x 6"	5	**WRS-5-92060**	96 lbs	**MWRS-5-92060**	107 lbs
12 DG92080	16-1/2" x 10-7/8" x 8"	5	**WRS-5-92080**	107 lbs	**MWRS-5-92080**	118 lbs
18"W x 36"L x 74"H - Wire Shelving System with 2 Flat Shelves and 5 Slanted Shelves Includes Economy Shelf Bins Available in Blue, Green, Ivory, Red, Yellow, Black and Clear						
48 QSB103	17-7/8" x 4-1/8" x 4"	7	**WRS-7-103**	118 lbs	**MWRS-7-103**	129 lbs
30 QSB104	17-7/8" x 6-5/8" x 4"	7	**WRS-7-104**	110 lbs	**MWRS-7-104**	121 lbs
24 QSB108	17-7/8" x 8-3/8" x 4"	7	**WRS-7-108**	113 lbs	**MWRS-7-108**	124 lbs
18 QSB110	17-7/8" x 11-1/8" x 4"	7	**WRS-7-110**	111 lbs	**MWRS-7-110**	122 lbs
18"W x 36"L x 74"H - Wire Shelving System with 2 Flat Shelves and 5 Slanted Shelves Includes Euro Drawers Available in Blue, Red, Yellow and Gray						
48 QED604	17-5/8" x 3-3/4" x 4-5/8"	7	**WRS-7-604**	144 lbs	**MWRS-7-604**	155 lbs
30 QED602	17-5/8" x 5-9/16" x 4-5/8"	7	**WRS-7-602**	126 lbs	**MWRS-7-602**	137 lbs
18 QED606	17-5/8" x 8-3/8" x 4-5/8"	7	**WRS-7-606**	132 lbs	**MWRS-7-606**	143 lbs
18"W x 48"L x 74"H - Wire Shelving System with 2 Flat Shelves and 4 Slanted Shelves Includes Ultra Bins Available in Blue, Green, Ivory, Red, Yellow, Black and Clear						
16 QUS260	18" x 11" x 10"	6	**WRSL6-74-1848-260**	168 lbs	**WRCSL6-74-1848-260**	179 lbs
24"W x 48"L x 74"H - Wire Shelving System with 2 Flat Shelves and 4 Slanted Shelves Includes Hulk 24" Containers Available in Blue, Red, Yellow and Clear						
16 QUS953	23-7/8" x 11" x 10"	6	**WRSL6-74-2448-953**	184 lbs	**WRCSL6-74-2448-953**	195 lbs

Slanted Shelf Carts - *Stationary and Mobile*

Stationary and Mobile Slanted Shelf units create a unique combination of modular components to enhance supply distribution applications. The sloped shelves allow for high visibility, productive rotations and gravity feed. (***Note:*** *Build a system with your bin requirements or consult a product specialist for appropriate components)*

Each unit consists of:
4 - 63" posts
2 - flat wire shelves
3 - slanted wire shelves

Each mobile unit consists of:
4 - 63" posts
2 - flat wire shelves
3 - slanted wire shelves
4 - 5" swivel thermoplastic resin casters, 2 with brakes
4 - donut bumpers

63"H - SLANTED SHELF CARTS					
		STATIONARY		MOBILE	
SHELF DIMENSIONS W" x L"	NO. OF SHELVES	MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
18" x 36"	5	**1836SL6C**	66 lbs	**M1836SL6C**	76 lbs
18" x 48"	5	**1848SL6C**	86 lbs	**M1848SL6C**	96 lbs
24" x 36"	5	**2436SL6C**	81 lbs	**M2436SL6C**	91 lbs
24" x 48"	5	**2448SL6C**	96 lbs	**M2448SL6C**	106 lbs

COMPLETE PACKAGES
WITH BINS



MWRS-7-104

Up to 1,200 lb.
MOBILE LOAD CAPACITY

Slanted Shelf with Bin Holders Combo Carts

A systems cart that offers hanging bins, slanted bins and bins on a flat surface all in one unit. Carts offer the ability to store pre-packed items or sloped storage for dispensing small parts. This combination creates a highly customized exchange and storage system. ***Cart Finish:*** Chrome

Bins available in: Blue Green Ivory Red Yellow Black Clear *(One color per unit)*

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
18"W x 36"L x 80"H - Slanted Wire Shelf Cart with Bin Holders and Bins				
WRCSL5-74-1836-104220	5	20 QSB104 24 QUS220	17-7/8" x 6-5/8" x 4" 7-3/8" x 4-1/8" x 3"	105 lbs
WRCSL5-74-1836-104230	5	20 QSB104 18 QUS230	17-7/8" x 6-5/8" x 4" 10-7/8" x 5-1/2" x 5"	112 lbs
18"W x 48"L x 80"H - Slanted Wire Shelf Cart with Bin Holders and Bins				
WRCSL5-74-1848-104220	5	24 QSB104 30 QUS220	17-7/8" x 6-5/8" x 4" 7-3/8" x 4-1/8" x 3"	128 lbs

Slanted Shelf Carts - *Open or Enclosed*

Units are designed for quick and easy accessibility for pre-packed items. The wire end panel maintains product while the slanted shelf allows for gravity feed. Available with or without side enclosures. ***Cart Finish:*** Chrome

OPEN		ENCLOSED	
MODEL NO.	SHIP WGT	MODEL NO.	SHIP WGT
5 Shelf - Slanted Cart 2 Flat Shelves and 3 Slanted Shelves			
WRCSL5-63-1836	76 lbs	**WRCSL5-63-1836EP**	88 lbs
WRCSL5-63-1848	96 lbs	**WRCSL5-63-1848EP**	108 lbs
WRCSL5-63-2436	91 lbs	**WRCSL5-63-2436EP**	105 lbs
WRCSL5-63-2448	106 lbs	**WRCSL5-63-2448EP**	120 lbs

COMPLETE PACKAGES
WITH BINS



WRCSL5-74-1836-104230



WRCSL5-63-1836EP

QUANTUM
HAS A NEW ANGLE FOR STORAGE



WRCSL5-63-1836-104

Up to 1,200 lb.
MOBILE LOAD CAPACITY

Dividers, Bin Cups and Clear Label Holders
See *pg. 114*

Bins available in: Blue Green Ivory Red Yellow Black Clear *(One color per unit)*

NO. OF BINS	BIN DIMENSIONS L" x W" x H"	OPEN MODEL NO.	OPEN SHIP WGT	ENCLOSED MODEL NO.	ENCLOSED SHIP WGT
5 Shelf - Slanted Shelf Cart with Bins 2 Flat Shelves and 3 Slanted Shelves					
20 QSB104	17-7/8" x 6-5/8" x 4"	**WRCSL5-63-1836-104**	94 lbs	**WRCSL5-63-1836EP-104**	103 lbs
28 QSB104	17-7/8" x 6-5/8" x 4"	**WRCSL5-63-1848-104**	114 lbs	**WRCSL5-63-1848EP-104**	123 lbs
20 QSB106	23-5/8" x 6-5/8" x 4"	**WRCSL5-63-2436-106**	115 lbs	**WRCSL5-63-2436EP-106**	131 lbs
28 QSB106	23-5/8" x 6-5/8" x 4"	**WRCSL5-63-2448-106**	136 lbs	**WRCSL5-63-2448EP-106**	152 lbs

IDEAL STORAGE SOLUTION!

Wine Cradle Wire Shelf

Quantum's NEW Wine Cradle Shelf is a perfect storage solution for all wine enthusiasts. Shelves comes in two sizes: a 36"L that holds up to 9 bottles and a 48"L that holds up to 12 bottles. ***Finishes:*** Chrome and Black Epoxy

Up to 12
BOTTLES PER SHELF





1436WSC
1436WSBK
Wine Cradle Wire Shelf
14"W x 36"L

Wine Cradle Cart


Excellent mobile storage solution for your wine collection. These carts includes two cradle shelves, a wire or stainless steel top shelf and a bottom wire shelf for additional storage. All units include 4 posts, 4 donut bumpers and 4 casters, 2 with brakes.



NEW
WRC-1436WSBK-1SS
Wine Cradle Cart
14"W x 36"L x 45"H
2 cradle shelves. Holds up to **18** bottles.
1 stainless steel top shelf. **1** wire bottom shelf.

Wine Cradle Wire Unit

The complete storage solution for your location. This practical unit can be used in most indoor and/or outdoor settings. Units come with up to 17 cradle shelves and can holds up to 204 bottles, includes 4 posts, foot plates and wall brackets.



NEW
WR74-1436WSBK
Wine Cradle Wire Unit
14"W x 36"L x 74"H
14 cradle shelves. Holds up to **126** bottles

FINISHES:

◆ CHROME C ◆ BLACK EPOXY BK

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Wine Cradle Wire Shelves		
1436WSC	14" x 36"	7 lbs
1436WSBK	14" x 36"	7 lbs
1448WSC	14" x 48"	9 lbs
1448WSBK	14" x 48"	9 lbs
Wine Cradle Carts		
WRC-1436WSC	14" x 36" x 45"	53 lbs
WRC-1436WSC-1SS	14" x 36" x 45"	58 lbs
WRC-1436WSBK	14" x 36" x 45"	53 lbs
WRC-1436WSBK-1SS	14" x 36" x 45"	58 lbs
Wine Cradle Wire Units		
WR74-1436WSC	14" x 36" x 74"	120 lbs
WR74-1436WSBK	14" x 36" x 74"	120 lbs
WR86-1436WSC	14" x 36" x 86"	145 lbs
WR86-1436WSBK	14" x 36" x 86"	145 lbs
WR74-1448WSC	14" x 48" x 74"	148 lbs
WR74-1448WSBK	14" x 48" x 74"	148 lbs
WR86-1448WSC	14" x 48" x 86"	179 lbs
WR86-1448WSBK	14" x 48" x 86"	179 lbs

LIMITED 1 YEAR WARRANTY CHROME

LIMITED 15 YEARS WARRANTY EPOXY

PERFORMANCE FEATURES:

- Assembles in minutes
- Wire design allows for air circulation and minimal dust buildup
- Shelves easily adjust on 1" centers to your exact needs
- 1 year limited warranty on Chrome and 15 year limited warranty on Black Epoxy
- Includes posts, shelves, and all needed hardware
- No tools required

Wine Cantilever Systems

Versatile adjustable post wall-mount system, perfect for maximizing storage in challenging areas alongside floor storage. Offered in both single and double configurations, capable of accommodating up to 96 bottles. ***Finishes:*** Chrome and Black Epoxy

SINGLE MODEL NO.	DIMENSIONS L" x H"	SHIP WGT
14" W Single Wine Cantilever System		
WC14-1436WC	36" x 14"	16 lbs
WC14-1448WC	48" x 14"	19 lbs
WC34-1436WC-2	36" x 34"	31 lbs
WC34-1448WC-2	48" x 34"	36 lbs
WC34-1436WC-3	36" x 34"	42 lbs
WC34-1448WC-3	48" x 34"	52 lbs
WC54-1436WC-4	36" x 54"	60 lbs
WC54-1448WC-4	48" x 54"	70 lbs
14" W Double Wine Cantilever System		
WC14-1436WC-2	72" x 14"	35 lbs
WC14-1448WC-2	96" x 14"	51 lbs
WC34-1436WC-4	72" x 34"	61 lbs
WC34-1448WC-4	96" x 34"	79 lbs
WC34-1436WC-6	72" x 34"	100 lbs
WC34-1448WC-6	96" x 34"	115 lbs
WC54-1436WC-8	72" x 54"	135 lbs
WC54-1448WC-8	96" x 54"	155 lbs



Wine Cradle shelves can be adjusted on a 1" increments.

Wine Bulk Shelving

Allows for storing a substantial wine collection within a confined area. Angles bottles at a 10° incline to preserve cork moisture. The open-wire design facilitates airflow, crucial for temperature regulation. Each unit is enclosed by rear and side panels to ensure bottle security and prevent accidents. ***Finishes:*** Chrome and Black Epoxy

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
74" W Wine Bulk Shelving		
WR74-BW1436C	14" x 36" x 74"	140 lbs
WR74-BW1448C	14" x 48" x 74"	170 lbs

FINISHES:

◆ CHROME C ◆ BLACK EPOXY BK

REPLACE SUFFIX "C" WITH "BK" IN MODEL NO. TO ORDER BLACK EPOXY FINISH

Ex. WC34-1436W**BK**-2 WR74-BW1436**BK**



NEW

WR74-BW1436BK
Wine Bulk Shelving
14"W x 36"L x 74"H



NEW

WC34-1436WBK-4
Wine Cantilever System
72"L x 34"H

QUICK, EASY ASSEMBLY

Wine Wire Security Units

Security units prevent pilferage while allowing high visibility of contents at all times. All side and back panels are heavy gauge wire construction and are manufactured of all-welded heavy-duty 1/4" diameter wire on 2" x 2" centers. Assembly is quick and easy. ***Finishes:*** Chrome and Black Epoxy

ADD SUFFIX "BK" TO MODEL NO. TO ORDER BLACK EPOXY FINISH

Ex. 1436-74BWSEC**BK**

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
74" Stationary Bulk		
1436-74BWSEC	14" x 36" x 74"	202 lbs
1448-74BWSEC	14" x 48" x 74"	244 lbs
74" Stationary Mixed		
1436-74MIXSEC	14" x 36" x 74"	210 lbs
1448-74MIXSEC	14" x 48" x 74"	252 lbs
69" Mobile Bulk		
M1436-69BWSEC	14" x 36" x 69"	205 lbs
M1448-69BWSEC	14" x 48" x 69"	246 lbs
69" Mobile Mixed		
M1436-69MIXSEC	14" x 36" x 69"	213 lbs
M1448-69MIXSEC	14" x 48" x 69"	254 lbs



NEW

M1436-69MIXSEC
Wine Wire Security Cart
14"W x 36"L x 69"H



NEW

M1436-69BWSECBK
Wine Wire Security Cart
14"W x 36"L x 69"H

Stationary and Mobile Wire Garment Racks

Ideal storage rack for hanging any type of coat or garment. Includes handy bottom shelf for additional storage.
Finish: Chrome

Each unit consists of:
4 - 63" posts
2 - wire shelves
1 - hang bar *(Up to 75 lb. hang capacity evenly distributed)*

Mobile unit also includes:
4 - 5" swivel thermoplastic resin casters, 2 with brakes
4 - donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF SHELVES	SHIP WGT
Stationary Wire Garment Racks			
WRGR-63-2436	24" x 36" x 63"	2	45 lbs
WRGR-63-2448	24" x 48" x 63"	2	52 lbs
WRGR-63-2460	24" x 60" x 63"	2	63 lbs
Mobile Wire Garment Racks			
WRCGR-63-2436	24" x 36" x 69"	2	59 lbs
WRCGR-63-2448	24" x 48" x 69"	2	66 lbs
WRCGR-63-2460	24" x 60" x 69"	2	77 lbs



WRCGR-63-2436



RACK AND CART COVERS
Protect against pilferage, airborne dust, moisture and other contaminants.

NYLON FABRIC OR CLEAR VINYL RACK AND CART COVERS AVAILABLE
See ***pg. 46***

CARTS INCLUDE CASTER KIT FOR MOBILITY

Up to 1,200 lb.
MOBILE LOAD CAPACITY

Apparel Cart

Ideal for patient care situations where the distribution and holding of apparel is required. The horizontal bar accommodates hangers and the shelves are divided into separate visible compartments.
Finish: Chrome

Unit consists of:
4 - 63" posts
2 - 54" posts
2 - 24"W x 60"L wire shelves
3 - 24"W x 36"L wire shelves
8 - 24" dividers
2 - 61" rods and tabs kits
1 - 24" hang bar *(Up to 75 lb. hang capacity evenly distributed)*
4 - 5" swivel thermoplastic resin casters, 2 with brakes
4 - donut bumpers

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF SHELVES	SHIP WGT
WRCPL-63-2460	24" x 60" x 69"	5	146 lbs



WRCPL-63-2460

Mobile To Go

NSF NEW

This Mobile To Go station comes with five shelves and offers a black epoxy finish, which helps packages stand out, making them easier to spot. Eliminate congestion around counter spaces by reducing traffic around the register so that customers and delivery drivers may easily pick up their orders in a convenient location. Use the label holders on each shelf to arrange and alphabetize the orders. Adjustable shelves enhance order visibility, accessibility, and security. This station has a pick up sign to draw customers and delivery people's attention and give them the convenient pick up experience.

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
QTG63-1824BK	18" x 24" x 63"	63 lbs
QTG63-1836BK	18" x 36" x 63"	82 lbs
QTG63-1848BK	18" x 48" x 63"	108 lbs
QTG63-1860BK	18" x 60" x 63"	124 lbs

Up to 600-800 lb.
LOAD CAPACITY PER SHELF



1836SM

Note: *Sign does require additional time for shipping*



Each unit consists of:
2 - 63" posts
2 - 54" posts
5 - wire shelves
5 - shelf inlay mats
1 - hang rail
5 - 3" label holders
1 - sign

QTG63-1836BK
Black Epoxy Finish

Mobile Ingredient Organizer

NSF NEW

Ideal for combining work station and storage on the go.

Bins available in: Blue Green Ivory Red Yellow Black Clear

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF BINS	SHIP WGT
WRC-CC1430GY	14" x 30" x 33"	12	64 lbs
WRC-CC1436GY	14" x 36" x 33"	18	76 lbs
WRC-CC1830GY	18" x 30" x 33"	12	69 lbs
WRC-CC1836GY	18" x 36" x 33"	18	80 lbs

(One color per unit)

Each unit consists of:
4 - 27" cut posts
1 - wire shelf
1 - solid stainless shelf
3 - bin rail holders
4 - donut bumpers
4 - 5" thermoplastic resin casters, 2 with brakes
*(Quantity of **QUS230** bins listed in chart above)*



WRC-CC1436GYGN
Bins shown with dividers
*(Dividers sold separately see **pg. 93**)*

Countertop Ingredient Organizer

NSF NEW

Ideal for serving areas and lunch rooms, minimizing clutter on the counter.

Bins available in: Blue Green Ivory Red Yellow Black Clear

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF BINS/DIVIDERS	SHIP WGT
CT27-1824GY-230	18" x 24" x 27"	12	40 lbs
CT27-1830GY-230	18" x 30" x 27"	16	53 lbs
CT27-1836GY-230	18" x 36" x 27"	24	59 lbs

(One color per unit)

Each unit consists of:
2 - 27" cut posts
2 - 6" posts
1 - 3 sided frame
4 - bin rail holders
*(Quantity of **QUS230** bins and dividers listed in chart above)*



CT27-1830GY-230BL

Pizza Dough Boxes

Quantum's Pizza Dough Boxes are built to perfect the proofing process. Made from heavy-duty polypropylene, these boxes are lightweight, durable, and break resistant.

- Freezer and Microwaveable safe
- Bulk, no carton packaging available at discount prices, call for details

FSB-DL1813
"ARTISAN LID"



FSB-PL2618





FSB-DT18133
"ARTISAN DOUGH TRAY"



FSB-PT26183



FSB-PT26183
Shown with LID **FSB-PL2618**

IDEAL FOR STORING, PROOFING, TRANSPORTING AND COOLING PIZZA DOUGH



FSB-PT26186

Up to 800 lb.
MOBILE LOAD CAPACITY



FSB-MD3LP3L

2 COLORS AVAILABLE WHITE & GRAY



FSB-PTDLY
25-5/8"L X 18"W X 7"H
Includes four 5" x 1-1/4" poly casters, two rigid, two swivel, one with brake. Available in Black.

Unit consists of:
6 - Artisan Dough Box Lid - **FSB-DL1813**
6 - Artisan Dough Box Tray - **FSB-DT18133**
6 - Pizza Dough Box - **FSB-PL2618**
6 - Pizza Dough Box Lid - **PT26183**
1 - Dolly - **FSB-PTDLY**

ADD SUFFIX TO END OF EACH MODEL NO. WHEN SELECTING COLOR	• WHITE WT • GRAY GY

Precision engineering and design ensures a space-efficient and secure stacked configuration to reduce the need for extra lids, while keeping ideal moisture and temperature for the yeast to grow. The boxes withstand temperatures ranging from -40°F to 160°F. **Colors:** White and Gray. Custom colors are also available, please call for details.

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CAPACITY (CU FT)	CTN QTY	CTN WGT
FSB-PT26183	25-5/8" x 18" x 3-3/8"	23-7/8" x 16" x 3"	0.66	6	25 lbs
FSB-PT26186	25-5/8" x 18" x 6-3/8"	23-7/8" x 16" x 6"	1.33	6	31 lbs
FSB-PL2618	25-5/8" x 18" x 1-3/4"	23-7/8" x 16" x 1"	0.22	6	16 lbs
FSB-DT18133	17-3/4" x 12-3/4" x 3-3/8"	15-7/8" x 11-1/8" x 3"	0.31	6	11 lbs
FSB-DL1813	17-3/4" x 12-3/4" x 3/4"	15-7/8" x 11-1/8" x 3/4"	0.08	6	6 lbs

To order a full case add **CS** suffix to Model No. FSB-PT26183GY**CS**



Cross Stack Tubs

Manufactured from approved USDA/FDA materials, totes nest when empty or can be turned 90° to cross stack. Easy access to items when stacked. Injection molded from durable, high impact polypropylene. Easy to clean. Built in handle grips and bottom grooves makes handling easy. Holds up to 100 lbs. per bin 1/4" drill hole pattern on bottom of bin allows for easy hole insertion for optional drainage and air flow.

Available in: ●Blue ●Gray ○White — **TUB2516-8/LID2516-8 also available in:** ●Red ●Yellow

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE BOTTOM DIMENSIONS L" x W"	CAP GAL	CTN QTY	CTN WGT	LID	CTN QTY
TUB1711-8	17-1/4" x 11" x 8"	13" x 7-1/2"	3.85	6	14 lbs	**LID1711**	6
TUB1711-12	17-1/4" x 11" x 12"	12-5/8" x 7"	5.51	6	17 lbs	**LID1711**	6
TUB2417-8	23-3/4" x 17-1/4" x 8"	19-5/8" x 13-3/4"	9.81	6	25 lbs	**LID2417**	6
TUB2417-12	23-3/4" x 17-1/4" x 12"	18-7/8" x 13-1/4"	14.38	6	30 lbs	**LID2417**	6
TUB2516-8	25-1/8" x 16" x 8-1/2"	20-1/2" x 13-3/8"	9.75	6	20 lbs	**LID2516-8**	6
SNH010	Six Clear Label Holders - 3" x 5"			6	1 lb	-	-

To order a full carton add **CS** suffix to Model No. TUB1711-8BL**CS**. **Note:** Bins must be ordered in carton quantities only.

5 SIZES AND 5 COLORS AVAILABLE



TUB2516-8
Nesting and Cross Stack

Tub Racks - *Complete Packages*

All-welded aluminum Tub Rack transports and stores all types of product. Cart comes with four swivel 5" x 1" Polyolefin casters. Runners allow bins to slide in and out from both sides. Rack comes complete with tubs.

Tubs available in: ●Blue ●Gray ○White ●Red ●Yellow

MODEL NO.	DIMENSIONS L" x W" x H"	NO. OF BINS	SHIP WGT
	Tub Rack with Cross Stack Tubs Tub Dimensions 25-1/8"L x 16"W x 8-1/2"H		
TR1-2516-8	27" x 19" x 19"	1	13 lbs
TR2-2516-8	27" x 19" x 31"	2	25 lbs
TR3-2516-8	27" x 19" x 41"	3	33 lbs
TR4-2516-8	27" x 19" x 51"	4	46 lbs
TR5-2516-8	27" x 19" x 61"	5	54 lbs
TR6-2516-8	27" x 19" x 71"	6	58 lbs
TR12-2516-8	27" x 37" x 71"	12	114 lbs



TR1-2516-8
Comes with **1 TUB2516-8**

TR2-2516-8
Comes with **2 TUB2516-8**

TR3-2516-8
Comes with **3 TUB2516-8**

QuanTub Nesting Tote

Manufactured of approved USDA/FDA materials, this tote is ideal in food service and storage and general product handling. Strong and durable tote is injection molded from high-density polypropylene. Each tote can hold up to 100 lbs. Tote is easy to clean. Rolled top rim for comfortable grip. Rounded corners add strength to stress points. Totes nest when empty and prevent jamming with rib top. 1/4" drill hole pattern on bottom of bin allows for easy hole insertion for optional air flow and drainage.

Available in: ●Blue ●Gray

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE BOTTOM DIMENSIONS A" x B"	CAP GAL	CTN QTY	CTN WGT
TUB2419-9	24-1/2" x 19" x 9-1/2"	20-1/4" x 15-1/4"	14.6	6	33 lbs

To order a full carton add **CS** suffix to Model No. TUB2419-9GY**CS**. **Note:** Bins must be ordered in carton quantities only.



TUB2419-9

Polymer Dolly

DLY-3018 is 30"L x 18"W with padded rubber trim, available in Blue. Set of four 4" x 1-1/4" non-marking swivel poly casters. Up to 1,000 lb. load capacity.

MODEL NO.	DESCRIPTION	CTN WGT
DLY-3018	Dolly with Padded Rubber Trim	19 lbs
HANDLE-DLY	32" Dolly Pull Rod with Handle	2 lbs



ATTACHED PULL RING
allows dolly to be pulled with ease



HANDLE-DLY
Dolly Pull Rod

Modular Trays

Heavy-duty 18" x 26" white trays are NSF approved and can be used in any application. Perimeter ends are reinforced for additional strength. 20" x 26" size offers a deep stacking tray. All trays are manufactured from fiberglass reinforced thermoset material, allowing up to 200 lb. weight capacity when evenly distributed. Quantum's modular trays will withstand temperatures of -40°F to +350°F. 18" x 26" Trays available in White and Black, 20" x 26" Trays are available in Gray, White and Black.

Available in: ◉Gray ○White ●Black

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
18" x 26" - Trays		
1826TR	18" x 26" x 1-1/8" White Tray	4 lbs
1826ESD	18" x 26" x 1-1/8" Black Tray	4 lbs
20" x 26" - Stackable Trays		
2026TRGY	20" x 26" x 1-1/2" Gray Tray	5 lbs
2026TRWT	20" x 26" x 1-1/2" White Tray	5 lbs
2026ESD	20" x 26" x 1-1/2" Black Tray	5 lbs



1826TR



1826ESD



2026TRGY
Stackable Tray

Tray Slides

Efficiently utilize space between shelves using standard trays and/or bins.

- Available in 18" and 24" depths, overall height 23"
- Accommodates up to 10 trays

MODEL NO.	DESCRIPTION	SHIP WGT
Tray Slide		
TS18C	18" Tray Slide Set	10 lbs
TS24C	24" Tray Slide Set	11 lbs



Up to 200 lb.
LOAD CAPACITY PER TRAY

Modular Tray Carts

Tray Carts are offered in half size and full size units, designed to handle work in process. Optional Tray Stop prevents trays from falling out. ***Cart Finish:*** Chrome

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT	NO. OF TRAYS	TRAY MODEL NO.	TRAY STOP MODEL NO.
39"H - Side Load Tray Cart					
TC-19	18" x 30" x 39"	45 lbs	19	**1826ESD 1826TR**	**TS32C**
69"H - Side Load Tray Carts					
TC-20	18" x 30" x 69"	72 lbs	20	**1826ESD 1826TR**	**TS32C**
TC-39	18" x 30" x 69"	74 lbs	39	**1826ESD 1826TR**	**TS62C**
TC-31	21" x 30" x 69"	68 lbs	31	**2026ESD 2026TR**	**TS62C**
69"H - End Load Tray Cart					
TC-EL38	21-3/4" x 27" x 69"	74 lbs	38	**1826ESD 1826TR**	**TS62C**

Trays are sold separately



TC-19 + 1826TR
(Trays sold separately)



TC-EL38 + 1826TR
End Load Cart
(Trays sold separately)

TS62C
Tray Stop
(Optional)



TC-39 + 1826ESD
Side Load Cart
Tray Stops can be used on back as shown here or one in the back and one in the front.
(Trays sold separately)

Bussing Tubs and Utility Boxes

Quantum's heavy-duty bussing tubs and utility boxes are built to last! Available in Polypropylene, these containers are engineered for rigorous and continuous usage. ABS, HDPE and custom colors are also available, please call for details. All tubs are super easy to clean and dishwasher safe. Virgin grade materials afford lifetime protection against bacteria, mold, mildew, and product degradation. Antimicrobial material additives available as well. ***Colors:*** Black, Brown or Gray



FSB-1295



FSB-1544

4 COLORS AVAILABLE



FSB-21155



FSB-21155R
(Ribbed bottom)



FSB-20113



FSB-21165



FSB-22175



FSB-22177R
"AIRPORT STYLE"
(Ribbed bottom) Also available in Blue(**BL**)



FSB-20155



FSB-20155R
"AIRPORT STYLE"
(Ribbed bottom) Also available in Blue(**BL**)



FSB-21157



FSB-21157R
(Ribbed bottom)





FSB-L2216
*Lid for **FSB-20155R**
Also available in Blue(**BL**)

All-purpose tubs provide a storage, cleaning, and transportation solution for multiple applications. Built in handles are ergonomically designed for comfortable and easy-grip and handling. All tubs nest when empty saving valuable workspace.

ADD SUFFIX TO END OF EACH MODEL NO. WHEN SELECTING COLOR

◆ GRAY GY ◆ BROWN BN ◆ BLACK BK ◆ BLUE BL **Ex. FSB-20155BK**

NEST WHEN EMPTY TO SAVE SPACE

- Bulk, no carton packaging available at discount prices, call for details

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CAPACITY (CU FT)	CTN QTY	CTN WGT	LID MODEL NO.
FSB-1295	12-1/16" x 9-1/16" x 5-1/8"	11-1/4" x 8-1/4" x 5"	0.325	12	11 lbs	-
FSB-1544	14-3/16" x 4-7/16" x 4-1/8"	13-1/2" x 16" x 4"	0.150	12	5 lbs	-
FSB-20113	20-7/16" x 11-3/8" x 3-3/4"	19-7/8" x 16" x 3-5/8"	0.496	12	20 lbs	-
FSB-20155	20" x 15" x 5"	19-1/4" x 14-1/4" x 4-7/8"	0.868	12	20 lbs	**FSB-L2016**
FSB-20155R	20" x 15" x 5"	19-1/4" x 14-1/4" x 4-7/8"	0.868	12	19 lbs	**FSB-L2216**
FSB-21155	21" x 15" x 5"	20-1/4" x 14-1/4" x 4-7/8"	0.911	12	24 lbs	**FSB-L2115**
FSB-21155R	21" x 15" x 5"	20-1/4" x 14-1/4" x 4-7/8"	0.911	12	26 lbs	**FSB-L2115R**
FSB-21157	21" x 15" x 7"	20-1/4" x 14-1/4" x 6-7/8"	1.276	12	26 lbs	**FSB-L2115**
FSB-21157R	21" x 15" x 7"	20-1/4" x 14-1/4" x 6-7/8"	1.276	12	27 lbs	**FSB-L2115R**
FSB-21165	20" x 15" x 5"	19-1/2" x 14-1/4" x 4-7/8"	0.868	12	32 lbs	-
FSB-22175	22" x 17" x 5"	21-1/4" x 16-1/4" x 4-7/8"	1.082	12	27 lbs	**FSB-L2217**
FSB-22177R	21-1/2" x 17" x 7"	21-1/4" x 16-1/4" x 6-7/8"	1.057	12	32 lbs	-

To order a full carton add **CS** suffix to Model No. FSB-20155BK**CS**. **Note:** Bins must be ordered in carton quantities only.

SUPER EASY TO CLEAN



Open Utility Carts

Corrosion-free open utility carts helps transport and deliver multiple food products from storage to aisles with easy. ***Finish:*** Stainless Steel

3 Sided Frames

NSF

STAINLESS MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
2436FS	24" x 36"	8 lbs
2448FS	24" x 48"	9 lbs
2460FS	24" x 60"	10 lbs

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF SHELVES	SHIP WGT
48" Polymer Flat Top Shelf Cart			
WRSC3-42-2436FS	24" x 36" x 48"	3	77 lbs
WRSC3-42-2448FS	24" x 48" x 48"	3	88 lbs
WRSC3-42-2460FS	24" x 60" x 48"	3	106 lbs
60" Polymer Flat Top Shelf Cart			
WRSC4-54-2436FS	24" x 36" x 60"	4	94 lbs
WRSC4-54-2448FS	24" x 48" x 60"	4	108 lbs
WRSC4-54-2460FS	24" x 60" x 60"	4	131 lbs


CARTS INCLUDE CASTER KIT FOR MOBILITY



WRSC3-42-2436FS
24"W x 36"L x 48"H

Up to 1,200 lb. MOBILE LOAD CAPACITY

SUPER EASY WAIST HIGH PUSH HANDLES



WRC-1836-2
Chrome Wire



Black Epoxy Wire



Solid Stainless Steel

UTILITY CARTS
IN ANY STYLE, FINISH, OR CONFIGURATION

Wire Utility Carts


Give versatility to any operation: food service, hospitals and maintenance. Carts consists of 2 u-handles, 4 donut bumpers, 4 swivel casters *(2 with brakes)* and wire or solid shelf combinations.

	WIRE SHELF						WIRE & SOLID SHELF			SOLID SHELF		
DIMENSIONS W" x L" x H"	**CHROME MODEL NO.**	**STAINLESS MODEL NO.**	**PROFORM GREEN EPOXY MODEL NO.**	**GRAY EPOXY MODEL NO.**	**BLACK EPOXY MODEL NO.**	**SHIP WGT**	**CHROME MODEL NO.**	**STAINLESS MODEL NO.**	**SHIP WGT**	**GALVANIZED MODEL NO.**	**STAINLESS MODEL NO.**	**SHIP WGT**
	2 Wire Shelf Utility Cart						**1 Wire and 1 Solid Shelf Utility Cart**			**2 Solid Shelf Utility Cart**		
18" x 30" x 37-1/2"	**WRC-1830-2**	**WRSC-1830-2**	**WRC-1830P-2**	**WRC-1830GY-2**	**WRC-1830BK-2**	34 lbs	**WRC-1830-2CG**	**WRSC-1830SS-2S**	40 lbs	**WRC-1830-2G**	**WRSC-1830-2SS**	48 lbs
18" x 36" x 37-1/2"	**WRC-1836-2**	**WRSC-1836-2**	**WRC-1836P-2**	**WRC-1836GY-2**	**WRC-1836BK-2**	38 lbs	**WRC-1836-2CG**	**WRSC-1836SS-2S**	44 lbs	**WRC-1836-2G**	**WRSC-1836-2SS**	50 lbs
18" x 42" x 37-1/2"	**WRC-1842-2**	**WRSC-1842-2**	**WRC-1842P-2**	**WRC-1842GY-2**	**WRC-1842BK-2**	40 lbs	**WRC-1842-2CG**	**WRSC-1842SS-2S**	47 lbs	**WRC-1842-2G**	**WRSC-1842-2SS**	54 lbs
18" x 48" x 37-1/2"	**WRC-1848-2**	**WRSC-1848-2**	**WRC-1848P-2**	**WRC-1848GY-2**	**WRC-1848BK-2**	46 lbs	**WRC-1848-2CG**	**WRSC-1848SS-2S**	52 lbs	**WRC-1848-2G**	**WRSC-1848-2SS**	58 lbs
18" x 60" x 37-1/2"	**WRC-1860-2**	**WRSC-1860-2**	**WRC-1860P-2**	**WRC-1860GY-2**	**WRC-1860BK-2**	52 lbs	**WRC-1860-2CG**	**WRSC-1860SS-2S**	59 lbs	**WRC-1860-2G**	**WRSC-1860-2SS**	68 lbs
21" x 30" x 37-1/2"	**WRC-2130-2**	**WRSC-2130-2**	**WRC-2130P-2**	**WRC-2130GY-2**	-	38 lbs	**WRC-2130-2CG**	**WRSC-2130SS-2S**	44 lbs	**WRC-2130-2G**	**WRSC-2130-2SS**	52 lbs
21" x 36" x 37-1/2"	**WRC-2136-2**	**WRSC-2136-2**	**WRC-2136P-2**	**WRC-2136GY-2**	-	42 lbs	**WRC-2136-2CG**	**WRSC-2136SS-2S**	49 lbs	**WRC-2136-2G**	**WRSC-2136-2SS**	58 lbs
21" x 42" x 37-1/2"	**WRC-2142-2**	**WRSC-2142-2**	**WRC-2142P-2**	**WRC-2142GY-2**	-	44 lbs	**WRC-2142-2CG**	**WRSC-2142SS-2S**	53 lbs	**WRC-2142-2G**	**WRSC-2142-2SS**	64 lbs
21" x 48" x 37-1/2"	**WRC-2148-2**	**WRSC-2148-2**	**WRC-2148P-2**	**WRC-2148GY-2**	-	48 lbs	**WRC-2148-2CG**	**WRSC-2148SS-2S**	57 lbs	**WRC-2148-2G**	**WRSC-2148-2SS**	68 lbs
21" x 60" x 37-1/2"	**WRC-2160-2**	**WRSC-2160-2**	**WRC-2160P-2**	**WRC-2160GY-2**	-	56 lbs	**WRC-2160-2CG**	**WRSC-2160SS-2S**	66 lbs	**WRC-2160-2G**	**WRSC-2160-2SS**	78 lbs
24" x 30" x 37-1/2"	**WRC-2430-2**	**WRSC-2430-2**	**WRC-2430P-2**	**WRC-2430GY-2**	**WRC-2430BK-2**	42 lbs	**WRC-2430-2CG**	**WRSC-2430SS-2S**	48 lbs	**WRC-2430-2G**	**WRSC-2430-2SS**	56 lbs
24" x 36" x 37-1/2"	**WRC-2436-2**	**WRSC-2436-2**	**WRC-2436P-2**	**WRC-2436GY-2**	**WRC-2436BK-2**	46 lbs	**WRC-2436-2CG**	**WRSC-2436SS-2S**	52 lbs	**WRC-2436-2G**	**WRSC-2436-2SS**	60 lbs
24" x 42" x 37-1/2"	**WRC-2442-2**	**WRSC-2442-2**	**WRC-2442P-2**	**WRC-2442GY-2**	**WRC-2442BK-2**	50 lbs	**WRC-2442-2CG**	**WRSC-2442SS-2S**	57 lbs	**WRC-2442-2G**	**WRSC-2442-2SS**	66 lbs
24" x 48" x 37-1/2"	**WRC-2448-2**	**WRSC-2448-2**	**WRC-2448P-2**	**WRC-2448GY-2**	**WRC-2448BK-2**	52 lbs	**WRC-2448-2CG**	**WRSC-2448SS-2S**	60 lbs	**WRC-2448-2G**	**WRSC-2448-2SS**	68 lbs
24" x 60" x 37-1/2"	**WRC-2460-2**	**WRSC-2460-2**	**WRC-2460P-2**	**WRC-2460GY-2**	**WRC-2460BK-2**	62 lbs	**WRC-2460-2CG**	**WRSC-2460SS-2S**	72 lbs	**WRC-2460-2G**	**WRSC-2460-2SS**	84 lbs
	3 Wire Shelf Utility Cart						**2 Wire and 1 Solid Shelf Utility Cart**			**3 Solid Shelf Utility Cart**		
18" x 30" x 37-1/2"	**WRC-1830-3**	**WRSC-1830-3**	**WRC-1830P-3**	**WRC-1830GY-3**	**WRC-1830BK-3**	42 lbs	**WRC-1830-3CG**	**WRSC-1830SS-3S**	48 lbs	**WRC-1830-3G**	**WRSC-1830-3SS**	62 lbs
18" x 36" x 37-1/2"	**WRC-1836-3**	**WRSC-1836-3**	**WRC-1836P-3**	**WRC-1836GY-3**	**WRC-1836BK-3**	48 lbs	**WRC-1836-3CG**	**WRSC-1836SS-3S**	54 lbs	**WRC-1836-3G**	**WRSC-1836-3SS**	66 lbs
18" x 42" x 37-1/2"	**WRC-1842-3**	**WRSC-1842-3**	**WRC-1842P-3**	**WRC-1842GY-3**	**WRC-1842BK-3**	51 lbs	**WRC-1842-3CG**	**WRSC-1842SS-3S**	58 lbs	**WRC-1842-3G**	**WRSC-1842-3SS**	72 lbs
18" x 48" x 37-1/2"	**WRC-1848-3**	**WRSC-1848-3**	**WRC-1848P-3**	**WRC-1848GY-3**	**WRC-1848BK-3**	60 lbs	**WRC-1848-3CG**	**WRSC-1848SS-3S**	66 lbs	**WRC-1848-3G**	**WRSC-1848-3SS**	78 lbs
18" x 60" x 37-1/2"	**WRC-1860-3**	**WRSC-1860-3**	**WRC-1860P-3**	**WRC-1860GY-3**	**WRC-1860BK-3**	69 lbs	**WRC-1860-3CG**	**WRSC-1860SS-3S**	76 lbs	**WRC-1860-3G**	**WRSC-1860-3SS**	92 lbs
21" x 30" x 37-1/2"	**WRC-2130-3**	**WRSC-2130-3**	**WRC-2130P-3**	**WRC-2130GY-3**	-	47 lbs	**WRC-2130-3CG**	**WRSC-2130SS-3S**	53 lbs	**WRC-2130-3G**	**WRSC-2130-3SS**	67 lbs
21" x 36" x 37-1/2"	**WRC-2136-3**	**WRSC-2136-3**	**WRC-2136P-3**	**WRC-2136GY-3**	-	53 lbs	**WRC-2136-3CG**	**WRSC-2136SS-3S**	60 lbs	**WRC-2136-3G**	**WRSC-2136-3SS**	76 lbs
21" x 42" x 37-1/2"	**WRC-2142-3**	**WRSC-2142-3**	**WRC-2142P-3**	**WRC-2142GY-3**	-	56 lbs	**WRC-2142-3CG**	**WRSC-2142SS-3S**	65 lbs	**WRC-2142-3G**	**WRSC-2142-3SS**	85 lbs
21" x 48" x 37-1/2"	**WRC-2148-3**	**WRSC-2148-3**	**WRC-2148P-3**	**WRC-2148GY-3**	-	62 lbs	**WRC-2148-3CG**	**WRSC-2148SS-3S**	71 lbs	**WRC-2148-3G**	**WRSC-2148-3SS**	91 lbs
21" x 60" x 37-1/2"	**WRC-2160-3**	**WRSC-2160-3**	**WRC-2160P-3**	**WRC-2160GY-3**	-	74 lbs	**WRC-2160-3CG**	**WRSC-2160SS-3S**	84 lbs	**WRC-2160-3G**	**WRSC-2160-3SS**	106 lbs
24" x 30" x 37-1/2"	**WRC-2430-3**	**WRSC-2430-3**	**WRC-2430P-3**	**WRC-2430GY-3**	**WRC-2430BK-3**	53 lbs	**WRC-2430-3CG**	**WRSC-2430SS-3S**	59 lbs	**WRC-2430-3G**	**WRSC-2430-3SS**	73 lbs
24" x 36" x 37-1/2"	**WRC-2436-3**	**WRSC-2436-3**	**WRC-2436P-3**	**WRC-2436GY-3**	**WRC-2436BK-3**	59 lbs	**WRC-2436-3CG**	**WRSC-2436SS-3S**	65 lbs	**WRC-2436-3G**	**WRSC-2436-3SS**	79 lbs
24" x 42" x 37-1/2"	**WRC-2442-3**	**WRSC-2442-3**	**WRC-2442P-3**	**WRC-2442GY-3**	**WRC-2442BK-3**	65 lbs	**WRC-2442-3CG**	**WRSC-2442SS-3S**	72 lbs	**WRC-2442-3G**	**WRSC-2442-3SS**	88 lbs
24" x 48" x 37-1/2"	**WRC-2448-3**	**WRSC-2448-3**	**WRC-2448P-3**	**WRC-2448GY-3**	**WRC-2448BK-3**	68 lbs	**WRC-2448-3CG**	**WRSC-2448SS-3S**	76 lbs	**WRC-2448-3G**	**WRSC-2448-3SS**	92 lbs
24" x 60" x 37-1/2"	**WRC-2460-3**	**WRSC-2460-3**	**WRC-2460P-3**	**WRC-2460GY-3**	**WRC-2460BK-3**	83 lbs	**WRC-2460-3CG**	**WRSC-2460SS-3S**	93 lbs	**WRC-2460-3G**	**WRSC-2460-3SS**	115 lbs

Polymer Utility Carts

RUGGED, HEAVY-DUTY, DURABLE

Industrial strength cart is ideal for many industrial and commercial material handling applications. Set of 2 swivel and 2 rigid 5" x 1-1/4" heavy-duty casters allow for up to 550 lb. load capacity. Available in two sizes with a 2 or 3 shelf combination.





PC4026-33

Available in: Gray

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE SHELF DIMENSIONS L" x W" x H"	NO. OF SHELVES	SHIP WGT
PC3518-33	34-1/4" x 17-1/2" x 32-1/2"	29-1/4" x 15-1/4" x 2-5/8"	2	38 lbs
PC3518-33-3	34-1/4" x 17-1/2" x 32-1/2"	29-1/4" x 15-1/4" x 2-5/8"	3	51 lbs
PC4026-33	40" x 26" x 32-1/2"	35" x 23" x 2-5/8"	2	54 lbs
PC4026-33-3	40" x 26" x 32-1/2"	35" x 23" x 2-5/8"	3	74 lbs
Polymer Flat Top Shelf Cart				
PFTC4026-33-2	40" x 26" x 32-1/2"	35" x 23"*	2	51 lbs
PFTC4026-33-3	40" x 26" x 32-1/2"	35" x 23"*	3	71 lbs
Additional Shelves				
PC3518SHELF	34-1/4" x 17-1/2" x 4-3/16"	29-1/4" x 15-1/4" x 2-5/8"	1	13 lbs
PC4026SHELF	40" x 26" x 4-3/16"	35" x 23" x 2-5/8"	1	20 lbs
Replacement Casters				
PC-CAS-SW	One Replacement Swivel Caster			2 lbs
PC-CAS-RG	One Replacement Rigid Caster			2 lbs

*Inside dimension for middle and bottom shelf 35" x 23" x 2-5/8"

CARTS OFFER Up to 550 lb. LOAD CAPACITY

Up to 1,200 lb. MOBILE LOAD CAPACITY

UTILITY CARTS IN ANY STYLE, FINISH, OR CONFIGURATION



WRCP-1836BK-3

Push Handle Wire Utility Carts

Give versatility to any operation: food service, hospitals and maintenance. Carts consists of 1 push handle, 4 donut bumpers, 4 swivel casters *(2 with brakes)* and wire or solid shelf combinations.

	WIRE SHELF						WIRE & SOLID SHELF			SOLID SHELF		
DIMENSIONS W" x L" x H"	**CHROME MODEL NO.**	**STAINLESS MODEL NO.**	**PROFORM GREEN EPOXY MODEL NO.**	**GRAY EPOXY MODEL NO.**	**BLACK EPOXY MODEL NO.**	**SHIP WGT**	**CHROME MODEL NO.**	**STAINLESS MODEL NO.**	**SHIP WGT**	**GALVANIZED MODEL NO.**	**STAINLESS MODEL NO.**	**SHIP WGT**
	2 Wire Shelf Push Handle Utility Cart						**1 Wire and 1 Solid Shelf Push Handle Utility Cart**			**2 Solid Shelf Push Handle Utility Cart**		
18" x 30" x 40"	**WRCP-1830-2**	**WRSCP-1830-2**	**WRCP-1830P-2**	**WRCP-1830GY-2**	**WRCP-1830BK-2**	40 lbs	**WRCP-1830-2CG**	**WRSCP-1830SS-2S**	46 lbs	**WRCP-1830-2G**	**WRSCP-1830-2SS**	52 lbs
18" x 36" x 40"	**WRCP-1836-2**	**WRSCP-1836-2**	**WRCP-1836P-2**	**WRCP-1836GY-2**	**WRCP-1836BK-2**	44 lbs	**WRCP-1836-2CG**	**WRSCP-1836SS-2S**	50 lbs	**WRCP-1836-2G**	**WRSCP-1836-2SS**	56 lbs
18" x 42" x 40"	**WRCP-1842-2**	**WRSCP-1842-2**	**WRCP-1842P-2**	**WRCP-1842GY-2**	**WRCP-1842BK-2**	46 lbs	**WRCP-1842-2CG**	**WRSCP-1842SS-2S**	53 lbs	**WRCP-1842-2G**	**WRSCP-1842-2SS**	60 lbs
18" x 48" x 40"	**WRCP-1848-2**	**WRSCP-1848-2**	**WRCP-1848P-2**	**WRCP-1848GY-2**	**WRCP-1848BK-2**	52 lbs	**WRCP-1848-2CG**	**WRSCP-1848SS-2S**	58 lbs	**WRCP-1848-2G**	**WRSCP-1848-2SS**	64 lbs
18" x 60" x 40"	**WRCP-1860-2**	**WRSCP-1860-2**	**WRCP-1860P-2**	**WRCP-1860GY-2**	**WRCP-1860BK-2**	58 lbs	**WRCP-1860-2CG**	**WRSCP-1860SS-2S**	65 lbs	**WRCP-1860-2G**	**WRSCP-1860-2SS**	72 lbs
21" x 30" x 40"	**WRCP-2130-2**	**WRSCP-2130-2**	**WRCP-2130P-2**	**WRCP-2130GY-2**	-	43 lbs	**WRCP-2130-2CG**	**WRSCP-2130SS-2S**	49 lbs	**WRCP-2130-2G**	**WRSCP-2130-2SS**	55 lbs
21" x 36" x 40"	**WRCP-2136-2**	**WRSCP-2136-2**	**WRCP-2136P-2**	**WRCP-2136GY-2**	-	47 lbs	**WRCP-2136-2CG**	**WRSCP-2136SS-2S**	54 lbs	**WRCP-2136-2G**	**WRSCP-2136-2SS**	61 lbs
21" x 42" x 40"	**WRCP-2142-2**	**WRSCP-2142-2**	**WRCP-2142P-2**	**WRCP-2142GY-2**	-	49 lbs	**WRCP-2142-2CG**	**WRSCP-2142SS-2S**	58 lbs	**WRCP-2142-2G**	**WRSCP-2142-2SS**	67 lbs
21" x 48" x 40"	**WRCP-2148-2**	**WRSCP-2148-2**	**WRCP-2148P-2**	**WRCP-2148GY-2**	-	53 lbs	**WRCP-2148-2CG**	**WRSCP-2148SS-2S**	62 lbs	**WRCP-2148-2G**	**WRSCP-2148-2SS**	71 lbs
21" x 60" x 40"	**WRCP-2160-2**	**WRSCP-2160-2**	**WRCP-2160P-2**	**WRCP-2160GY-2**	-	61 lbs	**WRCP-2160-2CG**	**WRSCP-2160SS-2S**	71 lbs	**WRCP-2160-2G**	**WRSCP-2160-2SS**	81 lbs
24" x 30" x 40"	**WRCP-2430-2**	**WRSCP-2430-2**	**WRCP-2430P-2**	**WRCP-2430GY-2**	**WRCP-2430BK-2**	47 lbs	**WRCP-2430-2CG**	**WRSCP-2430SS-2S**	53 lbs	**WRCP-2430-2G**	**WRSCP-2430-2SS**	59 lbs
24" x 36" x 40"	**WRCP-2436-2**	**WRSCP-2436-2**	**WRCP-2436P-2**	**WRCP-2436GY-2**	**WRCP-2436BK-2**	51 lbs	**WRCP-2436-2CG**	**WRSCP-2436SS-2S**	57 lbs	**WRCP-2436-2G**	**WRSCP-2436-2SS**	63 lbs
24" x 42" x 40"	**WRCP-2442-2**	**WRSCP-2442-2**	**WRCP-2442P-2**	**WRCP-2442GY-2**	**WRCP-2442BK-2**	55 lbs	**WRCP-2442-2CG**	**WRSCP-2442SS-2S**	62 lbs	**WRCP-2442-2G**	**WRSCP-2442-2SS**	69 lbs
24" x 48" x 40"	**WRCP-2448-2**	**WRSCP-2448-2**	**WRCP-2448P-2**	**WRCP-2448GY-2**	**WRCP-2448BK-2**	57 lbs	**WRCP-2448-2CG**	**WRSCP-2448SS-2S**	65 lbs	**WRCP-2448-2G**	**WRSCP-2448-2SS**	73 lbs
24" x 60" x 40"	**WRCP-2460-2**	**WRSCP-2460-2**	**WRCP-2460P-2**	**WRCP-2460GY-2**	**WRCP-2460BK-2**	67 lbs	**WRCP-2460-2CG**	**WRSCP-2460SS-2S**	77 lbs	**WRCP-2460-2G**	**WRSCP-2460-2SS**	87 lbs
	3 Wire Shelf Push Handle Utility Cart						**2 Wire and 1 Solid Shelf Push Handle Utility Cart**			**3 Solid Shelf Push Handle Utility Cart**		
18" x 30" x 40"	**WRCP-1830-3**	**WRSCP-1830-3**	**WRCP-1830P-3**	**WRCP-1830GY-3**	**WRCP-1830BK-3**	48 lbs	**WRCP-1830-3CG**	**WRSCP-1830SS-3S**	54 lbs	**WRCP-1830-3G**	**WRSCP-1830-3SS**	66 lbs
18" x 36" x 40"	**WRCP-1836-3**	**WRSCP-1836-3**	**WRCP-1836P-3**	**WRCP-1836GY-3**	**WRCP-1836BK-3**	54 lbs	**WRCP-1836-3CG**	**WRSCP-1836SS-3S**	60 lbs	**WRCP-1836-3G**	**WRSCP-1836-3SS**	72 lbs
18" x 42" x 40"	**WRCP-1842-3**	**WRSCP-1842-3**	**WRCP-1842P-3**	**WRCP-1842GY-3**	**WRCP-1842BK-3**	57 lbs	**WRCP-1842-3CG**	**WRSCP-1842SS-3S**	64 lbs	**WRCP-1842-3G**	**WRSCP-1842-3SS**	78 lbs
18" x 48" x 40"	**WRCP-1848-3**	**WRSCP-1848-3**	**WRCP-1848P-3**	**WRCP-1848GY-3**	**WRCP-1848BK-3**	66 lbs	**WRCP-1848-3CG**	**WRSCP-1848SS-3S**	72 lbs	**WRCP-1848-3G**	**WRSCP-1848-3SS**	84 lbs
18" x 60" x 40"	**WRCP-1860-3**	**WRSCP-1860-3**	**WRCP-1860P-3**	**WRCP-1860GY-3**	**WRCP-1860BK-3**	75 lbs	**WRCP-1860-3CG**	**WRSCP-1860SS-3S**	82 lbs	**WRCP-1860-3G**	**WRSCP-1860-3SS**	96 lbs
21" x 30" x 40"	**WRCP-2130-3**	**WRSCP-2130-3**	**WRCP-2130P-3**	**WRCP-2130GY-3**	-	52 lbs	**WRCP-2130-3CG**	**WRSCP-2130SS-3S**	58 lbs	**WRCP-2130-3G**	**WRSCP-2130-3SS**	70 lbs
21" x 36" x 40"	**WRCP-2136-3**	**WRSCP-2136-3**	**WRCP-2136P-3**	**WRCP-2136GY-3**	-	58 lbs	**WRCP-2136-3CG**	**WRSCP-2136SS-3S**	65 lbs	**WRCP-2136-3G**	**WRSCP-2136-3SS**	79 lbs
21" x 48" x 40"	**WRCP-2148-3**	**WRSCP-2148-3**	**WRCP-2148P-3**	**WRCP-2148GY-3**	-	61 lbs	**WRCP-2148-3CG**	**WRSCP-2148SS-3S**	70 lbs	**WRCP-2148-3G**	**WRSCP-2148-3SS**	88 lbs
21" x 42" x 40"	**WRCP-2142-3**	**WRSCP-2142-3**	**WRCP-2142P-3**	**WRCP-2142GY-3**	-	67 lbs	**WRCP-2142-3CG**	**WRSCP-2142SS-3S**	76 lbs	**WRCP-2142-3G**	**WRSCP-2142-3SS**	94 lbs
21" x 60" x 40"	**WRCP-2160-3**	**WRSCP-2160-3**	**WRCP-2160P-3**	**WRCP-2160GY-3**	-	79 lbs	**WRCP-2160-3CG**	**WRSCP-2160SS-3S**	84 lbs	**WRCP-2160-3G**	**WRSCP-2160-3SS**	109 lbs
24" x 30" x 40"	**WRCP-2430-3**	**WRSCP-2430-3**	**WRCP-2430P-3**	**WRCP-2430GY-3**	**WRCP-2430BK-3**	58 lbs	**WRCP-2430-3CG**	**WRSCP-2430SS-3S**	64 lbs	**WRCP-2430-3G**	**WRSCP-2430-3SS**	76 lbs
24" x 36" x 40"	**WRCP-2436-3**	**WRSCP-2436-3**	**WRCP-2436P-3**	**WRCP-2436GY-3**	**WRCP-2436BK-3**	64 lbs	**WRCP-2436-3CG**	**WRSCP-2436SS-3S**	70 lbs	**WRCP-2436-3G**	**WRSCP-2436-3SS**	82 lbs
24" x 48" x 40"	**WRCP-2448-3**	**WRSCP-2448-3**	**WRCP-2448P-3**	**WRCP-2448GY-3**	**WRCP-2448BK-3**	70 lbs	**WRCP-2448-3CG**	**WRSCP-2448SS-3S**	77 lbs	**WRCP-2448-3G**	**WRSCP-2448-3SS**	91 lbs
24" x 42" x 40"	**WRCP-2442-3**	**WRSCP-2442-3**	**WRCP-2442P-3**	**WRCP-2442GY-3**	**WRCP-2442BK-3**	73 lbs	**WRCP-2442-3CG**	**WRSCP-2442SS-3S**	81 lbs	**WRCP-2442-3G**	**WRSCP-2442-3SS**	97 lbs
24" x 60" x 40"	**WRCP-2460-3**	**WRSCP-2460-3**	**WRCP-2460P-3**	**WRCP-2460GY-3**	**WRCP-2460BK-3**	88 lbs	**WRCP-2460-3CG**	**WRSCP-2460SS-3S**	98 lbs	**WRCP-2460-3G**	**WRSCP-2460-3SS**	118 lbs

Millenia Drying Racks

Drying racks allow items to be spread out reducing the risk of mold and bacteria growth. All drying rack complete units include 4 shelf frames with corresponding cradles or shelf plates, 4 posts and mobile kit.

MODEL NO.	NOMINAL DIMENSIONS W" x L" x H"	SHIP WGT
Millenia Universal Drying Racks		
QPM243068DR	24" x 30" x 68"	58 lbs
QPM244268DR	24" x 42" x 68"	67 lbs
QPM245468DR	24" x 54" x 68"	78 lbs
Millenia Pronged Drying Racks		
QPM243068PDR1	24" x 30" x 68"	54 lbs
QPM244268PDR1	24" x 42" x 68"	62 lbs
QPM245468PDR1	24" x 54" x 68"	70 lbs
QPM243068PDR2	24" x 30" x 68"	62 lbs
QPM244268PDR2	24" x 42" x 68"	74 lbs
QPM245468PDR2	24" x 54" x 68"	86 lbs
Millenia Waved Drying Racks		
QPM243068WDR	24" x 30" x 68"	62 lbs
QPM244268WDR	24" x 42" x 68"	74 lbs
QPM245468WDR	24" x 54" x 68"	86 lbs

BUILT FOR EFFICIENT AND CONVENIENT DRYING

NEW



SANITATION WITH DURABILITY



UNIVERSAL DRYING RACK COMPLETE UNIT
QPM244268DR



NEW
M2448W46DR
Green Polymer and Gray Epoxy Finish

FITS FROM 24-43 TRAYS PER RACK



FITS FROM 10-17 PANS PER RACK

Drying Rack Unit - 4 Shelf Units

Drying rack allows you to store and dry cutting boards, trays and pans. All units include 2 cutting board/trays and 2 pan drying racks. ***Finish:*** Proform Green/Gray Epoxy

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Complete Drying Rack Units		
M2436W46DR	24" x 36" x 63"	134 lbs
M2448W46DR	24" x 48" x 63"	162 lbs
M2460W46DR	24" x 60" x 63"	194 lbs

Tool Caddy

Industrial strength, hand-held caddy ideal for tools and supplies. This portable, high density polypropylene caddy has extra strength ribs for support. Deep compartments make transporting tools, supplies and loose items super easy.

Available in: ●Blue ●Gray

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
TC-500	13-3/8" x 18-1/4" x 5-1/2"*	6	14 lbs

*Overall height including handle is 9-1/8". To order a full carton add **CS** suffix to Model No. TC-500BL**CS**.
Note: Must be ordered in carton quantities only.

RUGGED, HEAVY-DUTY, DURABLE

Deep compartments are ideal for cleaning sanitation items, hardware or cleaning supplies. Inside pockets measures 16-3/4"L x 4-1/2"W

Comfortable grip handle even when carrying heavy loads 9-1/8"H



TC-500



Industrial-strength polypropylene

Perfect for tools, parts and janitorial supplies



Tool Box

This tough Tool Box will not warp or bend even when it is loaded to capacity. Ideal for carrying hand tools, hardware or small to medium sized items. Handle provides comfortable smooth grip. Flush top surface for convenient stacking and storing. Manufactured from heavy-duty polypropylene.

Available in: ●Red ○Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
TB12	5-1/2" x 12" x 4-1/8"	12	9 lbs
TB12CL	5-1/2" x 12" x 4-1/8"	12	9 lbs

To order a full carton add **CS** suffix to Model No. TB12**CS**. **Note:** Must be ordered in carton quantities only.



TB12CL
CLEAR COLOR

IDEAL FOR CARRYING HAND TOOLS



TB12

TOUGH, DURABLE, LOW COST



NPB1076



Economy All-Purpose Nesting Parts Bin

Organize your small to medium items with our tough, durable, high density Nesting Parts Bins. Bins save space and nest when empty. Manufactured from heavy-duty polypropylene.

Available in: ○White ●Black

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE BOTTOM DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
NPB1076	10-1/4" x 7-1/2" x 6"	8" x 5-1/2" x 5-3/4"	20	10 lbs

Inside top width: 6-1/2". Inside height to open hopper front: 3-3/4".
To order a full carton add **CS** suffix to Model No. NPB1076BK**CS**. **Note:** Must be ordered in carton quantities only.

HEAVY-DUTY INDUSTRIAL-STRENGTH PLASTIC

Wrench Holder

Versatile Wrench Holder can be mounted on any wall surface. Manufactured from high impact polystyrene and can hold up to 15 wrenches of different sizes. Mounting hardware is not included.

Available in: ●Black


MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
WH-15	1" x 7-1/8" x 11-5/8"	12	5 lbs



WH-15
(Wrenches not included)

Ultra Stack & Hang Bins





PERFORMANCE FEATURES:


- Available in 22 sizes
- Standard colors: Blue, Green, Ivory, Red, Yellow, Black and Clear
  Crystal Clear and Stone color are available in select sizes
  (additional colors available on request, subject to upcharge and minimum run quantity)
- Bins are made from heavy-duty, virgin grade, high density FDA approved polypropylene
- Large label slot provide easy label insertion and parts' identification
- Extra wide stacking ledge ensures stability for high stacking
- Reinforced design adds strength and prevents spreading of side walls of bins
- Will not rust or corrode, unaffected by weak acids and alkalis, and are waterproof
- Autoclavable up to 250°F
- Interchangeable with other manufactured brands of bins

1. *Full width hanger supports bin when hanging from louvered panels or rails*
2. *Reinforced rib design adds strength and prevents spreading of side walls*
3. *Extra-wide stacking ledge for secure stacking*
4. *Large front label slot allows larger bar code scanning and content identification*
5. *Anti-slide stop prevents stacked bins from shifting forward*
6. *Optional dividers increase storage options*
7. *Optional windows maximize storage capacity, prevent spillage and protect parts from dust and dirt*



QUS230BL with COV230
Lid pivots up and down via insertion in holes in rear of bin
(Sold separately)





QUS239CL and QUS240YL
Shown with optional clear window front and dividers in clear or black
(Sold separately)

CLEAR LABEL HOLDER
Clear label holders and laser label inserts slide into front label slot of all bins.
(Sold in packages of 25)





MOBILE ULTRA BIN
Ideal for transport of heavy and bulky parts. Bin comes with 4 swivel, 3" polyurethane casters, all with brakes, allowing up to 250 lb. mobile load capacity



POLYMER DOLLY
DLY-3018 Dolly with padded rubber trim, available in Blue. Dimensions 30"L x 18"W. Set of four 4" x 1-1/4" non-marking swivel poly casters, 1,000 lb. load capacity.
(Bin sold separately)



ATTACHED PULL RING
Allows dolly to be pulled with ease



32" Dolly Pull Rod with handle
Finish: Chrome

MODEL NO.	DESCRIPTION	CTN WGT
DLY-3018	Dolly with Padded Rubber Trim	19 lbs
HANDLE-DLY	32" Dolly Pull Rod with Handle	2 lbs

Bins sold separately

NEW CRYSTAL CLEAR

CLEAR VIEW BINS AVAILABLE

22 SIZES AND 9 COLORS AVAILABLE

THE LARGEST SELECTION ANYWHERE




Ultra Stack & Hang Bins

MADE IN THE USA · CA PROP 65 · PARCEL CARRIER

HEAVY-DUTY

LIFETIME USE

Bin Dimensions Guide
L *(length)* **W** *(width)* **H** *(height)*
X *(inside bottom length)*



Organize your inventory with these strong bins, manufactured with FDA approved materials. Front, back and side grips for easy handling. Built-in rear hanger allows bins to hang from louvered panels or rails. Optional clear injection molded crystal styrene window front increases bin capacity and provides quick view of bin contents. Dividers, available in black or clear, maximize flexibility and keep contents organized. Wide stacking ledge and anti-slide lock keep stacked bins steady and prevent forward shifting. Water, rust, and corrosion proof. Easily cleaned with soap and water and impervious to most chemicals. Large molded front label slots for ID labels. Autoclavable up to 250°F and resistant to extreme cold. Guaranteed not to break or crack under normal load conditions.

Available in: Blue, Green, Ivory, Red, Yellow, Black, Clear

QUS210, QUS220, QUS224, QUS230, QUS234, QUS240, QUS250, QUS265, QUS270 also available in: Stone

NEW **QUS210, QUS220, QUS230, QUS240 also available in:** Crystal Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CTN QTY	CTN WGT	BIN LOAD CAPACITY*	CLEAR WINDOW	CTN QTY	***DIVIDER & CROSS DIVIDER	CTN QTY	DIVIDER SLOTS	CLEAR LABEL HOLDER & INSERT	CLEAR LID	CTN QTY
QUS210	5-3/8" x 4-1/8" x 3"	4-3/4" x 3-7/16" x 2-13/16"	4"	24	6 lbs	15 lbs	-	-	**DUS210**	6	1	**LTR-1300**	**COV210**	24
QUS220	7-3/8" x 4-1/8" x 3"	6-3/4" x 3-7/16" x 2-13/16"	6"	24	8 lbs	15 lbs	-	-	**DUS220**	6	1	**LTR-1300**	**COV220**	24
QUS221	9-1/4" x 6" x 5"	8-1/2" x 5-1/8" x 4-1/2"	7-1/4"	12	6 lbs	25 lbs	**WUS221**	12	**DUS221**	6	1	**LTR-1754**	-	-
QUS224	10-7/8" x 4-1/8" x 4"	10-1/4" x 3-3/16" x 3-3/4"	9"	12	8 lbs	35 lbs	**WUS224**	12	**DUS224**	6	1	**LTR-1253**	**COV224**	12
QUS230	10-7/8" x 5-1/2" x 5"	10-1/4" x 4-3/8" x 4-3/4"	9"	12	10 lbs	35 lbs	**WUS230/234**	12	**DUS230/235**	6	1	**LTR-1754**	**COV230**	12
QUS232	5-3/8" x 11" x 3"	4-3/4" x 10-1/8" x 2-13/16"	4"	8	5 lbs	35 lbs	-	-	**DUS210**	6	3	**LTR-1300**	**COV232**	8
QUS234	14-3/4" x 5-1/2" x 5"	14-1/16" x 4-3/8" x 4-3/4"	12-13/16"	12	14 lbs	55 lbs	**WUS230/234**	12	**DUS234**	6	1	**LTR-1754**	-	-
QUS235	10-7/8" x 11" x 5"	10-1/4" x 10" x 4-3/4"	9"	6	10 lbs	55 lbs	**WUS235**	6	**DUS230/235**	6	3	**LTR-1754**	**COV235**	6
QUS236	7-3/8" x 11" x 3"	6-3/4" x 10-1/8" x 2-13/16"	6"	8	9 lbs	35 lbs	-	-	**DUS220**	6	3	**LTR-1300**	**COV236**	8
QUS238	18" x 5-1/2" x 5"	17-1/8" x 4-3/8" x 4-3/4"	15-7/8"	12	16 lbs	45 lbs	**WUS230/234**	12	**DUS238** **CRDUS238**	6 6	1 3	**LTR-1754**	**COV238**	12
QUS239	10-3/4" x 8-1/4" x 7"	10" x 6-9/16" x 6-3/4"	8"	6	10 lbs	55 lbs	**WUS239/240**	6	**DUS239**	6	1	**LTR-1754**	**COV239**	6
QUS240	14-3/4" x 8-1/4" x 7"	14" x 6-9/16" x 6-3/4"	12"	12	24 lbs	65 lbs	**WUS239/240**	6	**DUS240/250**	6	1	**LTR-1754**	**COV240**	12
QUS241	13-5/8" x 8-1/4" x 6"	12-1/2" x 6-3/4" x 5-3/8"	11-1/8"	12	22 lbs	65 lbs	**WUS241**	12	**DUS241**	6	1	**LTR-1754**	-	-
QUS242	13-5/8" x 8-1/4" x 8"	12-1/2" x 6-3/4" x 7-3/8"	11-1/8"	12	25 lbs	65 lbs	**WUS242**	12	**DUS242**	6	1	**LTR-1754**	-	-
QUS245	10-7/8" x 16-1/2" x 5"	9-3/4" x 15" x 4-3/4"	9"	6	13 lbs	65 lbs	**WUS245**	6	**DUS245**	6	3	**LTR-1754**	-	-
QUS248	18" x 8-1/4" x 7"	17" x 6-1/2" x 6-1/2"	15-1/4"	6	19 lbs	80 lbs	**WUS239/240**	6	**DUS248** **CRDUS248**	6 6	1 3	**LTR-1754**	**COV248**	6
QUS250	14-3/4" x 16-1/2" x 7"	14" x 14-3/4" x 6-3/4"	12"	6	21 lbs	80 lbs	**WUS250**	6	**DUS240/250**	6	3	**LTR-1754**	-	-
QUS255	16" x 11" x 8"	15-1/8" x 10" x 7-3/4"	11-5/8"	4	14 lbs	80 lbs	**WUS255**	4	**DUS255**	6	3	**LTR-1754**	-	-
QUS260	18" x 11" x 10"	17" x 9-1/2" x 9-3/4"	14-3/16"	4	17 lbs	80 lbs	**WUS260**	4	**DUS260**	6	3	**LTR-1754**	-	-
QUS265	18" x 8-1/4" x 9"	17-1/8" x 6-3/4" x 8-1/4"	14-1/2"	6	17 lbs	65 lbs	**WUS265**	6	**DUS265**	6	1	**LTR-1754**	-	-
QUS270	18" x 16-1/2" x 11"	17-1/8" x 14-3/4" x 10-1/4"	14"	3	16 lbs	80 lbs	**WUS270**	3	**DUS270** **CRDUS270**	6	3	**LTR-2400**	-	-
QUS275MOB**	18" x 16-1/2" x 11"	17-1/8" x 14-3/4" x 10-1/4"	14"	3	25 lbs	-	**WUS270**	3	**DUS270** **CRDUS270**	6	3	**LTR-2400**	-	-

*When attached to panels or rails **With casters, overall height is 14" ***To order clear dividers add **CL** suffix to divider Model No. DUS210**CL**. To order a full carton add **CS** suffix to Model No. QUS210GN**CS**. **Note:** Bins must be ordered in carton quantities only.

Giant Open Hopper Steel Shelving Systems - *Complete Packages*

These economical high density bin storage systems include heavy-duty giant stack bins with open hopper fronts for easy access. Optional clear window fronts maximize capacity, prevent spillage and convert the bin to a true tote. Optional dividers keep contents organized - available on ***pg. 93***. Heavy-duty, industrial grade shelving with 400 lb. load capacity per shelf.

CLEAR VIEW BINS AVAILABLE

COMPLETE PACKAGES
WITH BINS

12" Deep Systems



QSBU-230240
12"D x 36"W x 75"H
10 shelves and **36 QUS230**
10-7/8"L x 5-1/2"W x 5"H bins
and **12 QUS240**
14-3/4"L x 8-1/4"W x 7"H bins



QSBU-239
12"D x 36"W x 75"H
8 shelves and **28 QUS239**
10-3/4"L x 8-1/4"W x 7"H bins



QSBU-240
12"D x 36"W x 75"H
8 shelves and **28 QU240**
14-3/4"L x 8-1/4"W x 7"H bins



QSBU-250
12"D x 36"W x 75"H
8 shelves and **14 QUS250**
14-3/4"L x 16-1/2"W x 7"H bins

18" Deep Systems



QSBU-255
18"D x 36"W x 75"H
8 shelves and **21 QUS255**
16"L x 11"W x 8"H bins
(Windows sold separately)



QSBU-260
18"D x 36"W x 75"H
6 shelves and **15 QUS260**
18"L x 11"W x 10"H bins
(Windows and dividers sold separately)



QSBU-265
18"D x 36"W x 75"H
7 shelves and **24 QUS265**
18"L x 8-1/4"W x 9"H bins



QSBU-270
18"D x 36"W x 75"H
6 shelves and **10 QUS270**
18"L x 16-1/2"W x 11"H bins

Bins available in: Blue Green Ivory Red Yellow Black Clear ***(One color per unit)***

Giant Open Hopper Wire Shelving Systems - *Complete Packages*

CLEAR VIEW BINS AVAILABLE



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Up to 1,200 lb. load capacity. **Mobile kits recommended only for shelves 18" and deeper.*

COMPLETE PACKAGES
WITH BINS

12" and 14" Deep Systems



WR8-239
12"W x 36"L x 74"H
8 shelves and **28 QUS239**
10-3/4"L x 8-1/4"W x 7"H bins



WR8-240
14"W x 36"L x 74"H
8 shelves and **28 QU240**
14-3/4"L x 8-1/4"W x 7"H bins



WR8-250
14"W x 36"L x 74"H
8 shelves and **14 QUS250**
14-3/4"L x 16-1/2"W x 7"H bins



WR10-230240
14"W x 36"L x 74"H
10 shelves and **36 QUS230**
10-7/8"L x 5-1/2"W x 5"H bins and
12 QUS240 14-3/4"L x 8-1/4"W x 7"H bins

18" Deep Systems



WR8-255
18"W x 36"L x 74"H
8 shelves and **21 QUS255**
16"L x 11"W x 8"H bins



WR6-260
18"W x 36"L x 74"H
6 shelves and **15 QUS260**
18"L x 11"W x 10"H bins



WR6-265
18"W x 36"L x 74"H
6 shelves and **20 QUS265**
18"L x 8-1/4"W x 9"H bins



WR5-270
18"W x 36"L x 74"H
5 shelves and **8 QUS270**
18"L x 16-1/2"W x 11"H bins

Bins available in: Blue Green Ivory Red Yellow Black Clear ***(One color per unit)***

NEW CRYSTAL CLEAR BINS

Introducing our revolutionary crystal clear hang and stack bin, a cutting-edge solution designed for any application where transparency is paramount, our product stands out as a game-changer

CRYSTAL CLEAR



HEAVY-DUTY
LIFETIME USE

CRYSTAL-CLEAR VISIBILITY

Crystal Clear Ultra Stack & Hang Bins

Our crystal clear hang and stack bins provides unparalleled clarity, allowing a direct and unobstructed view of products or materials. This transparency enhances safety and efficiency in all settings.

PERFORMANCE FEATURES:

- FDA approved clear thermoplastic
- Large label slot provide easy label insertion and parts identification
- Will not rust or corrode, unaffected by weak acids and alkalis, and are waterproof
- Autoclavable up to 250°F

Available in: ◯ Crystal Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CTN QTY	CTN WGT	BIN LOAD CAPACITY*	CLEAR WINDOW	CTN QTY	**DIVIDER & CROSS DIVIDER	CTN QTY	DIVIDER SLOTS	CLEAR LABEL HOLDER & INSERT	CLEAR LID	CTN QTY
QUS210CC	5-3/8" x 4-1/8" x 3"	4-3/4" x 3-7/16" x 2-13/16"	4"	24	6 lbs	15 lbs	-	-	**DUS210**	6	1	**LTR-1300**	**COV210**	24
QUS220CC	7-3/8" x 4-1/8" x 3"	6-3/4" x 3-7/16" x 2-13/16"	6"	24	8 lbs	15 lbs	-	-	**DUS220**	6	1	**LTR-1300**	**COV220**	24
QUS230CC	10-7/8" x 5-1/2" x 5"	10-1/4" x 4-3/8" x 4-3/4"	9"	12	10 lbs	35 lbs	**WUS230/234**	12	**DUS230/235**	6	1	**LTR-1754**	**COV230**	12
QUS240CC	14-3/4" x 8-1/4" x 7"	14" x 6-9/16" x 6-3/4"	12"	12	24 lbs	65 lbs	**WUS239/240**	6	**DUS240/250**	6	1	**LTR-1754**	**COV240**	12

*When attached to panels or rails **To order clear dividers add **CL** suffix to divider Model No. DUS210**CL**. To order a full carton add **CS** suffix to Model No. QUS210CC**CS**. **Note:** Bins must be ordered in carton quantities only.

Super Tuff Euro Drawers

Super Tuff Euro Drawers are available in nine sizes and four colors and are designed for efficient organization of heavy parts, supplies, tools or equipment. Super Tuff Euro Drawers are injection molded form virgin grade high impact polystyrene and are virtually unbreakable. These heavy-duty drawers can be used on Quantum's open and closed shelf units and pick racks.

Available in: Blue Red Yellow Gray


MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"*	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	NUMBER OF DIVIDER SLOTS	DIVIDER	DIV CTN QTY
QED401	11-5/8" x 5-9/16" x 2-1/8"	10-1/4" x 5-1/8" x 2"	24	17 lbs	8	**DIV401**	4
QED501	11-5/8" x 3-3/4" x 4-5/8"	10-1/4" x 3-1/4" x 4-3/8"	24	19 lbs	8	**DIV501/604**	4
QED601	11-7/8" x 5-9/16" x 4-5/8"	10-3/4" x 5-1/8" x 4-3/8"	24	24 lbs	8	**DIV6123**	4
QED701	11-5/8" x 8-3/8" x 4-5/8"	10-1/4" x 7-3/4" x 4-3/8"	24	31 lbs	8	**DIV701/606**	4
QED801	11-5/8" x 11-1/8" x 4-5/8"	10-1/4" x 10-5/8" x 4-3/8"	12	19 lbs	8	**DIV801**	4
QED604	17-5/8" x 3-3/4" x 4-5/8"	16-1/2" x 3-1/4" x 4-1/4"	24	29 lbs	15	**DIV501/604**	4
QED602	17-3/4" x 5-9/16" x 4-5/8"	16-1/2" x 5-1/8" x 4-3/8"	24	32 lbs	13	**DIV6123**	4
QED606	17-5/8" x 8-3/8" x 4-5/8"	16-1/4" x 7-7/8" x 4-3/8"	24	46 lbs	13	**DIV701/606**	4
QED603	24" x 5-9/16" x 4-5/8"	22-5/8" x 5-1/8" x 4-3/8"	12	25 lbs	18	**DIV6123**	4

Rear tab adds an additional 3/8" to rear height. To order a full carton add **CS** suffix to Model No. QED401BL**CS**. **Note:** Bins must be ordered in carton quantities only.

PERFORMANCE FEATURES:

- Available in 9 sizes
- Bins are injection molded from a virgin grade high impact polystyrene and are virtually unbreakable
- Drawers are completely waterproof
- Drawers are oil and chemical resistant
- Smooth front curved pull handle has ample room for adhesive labels or bar codes
- Front handle has 3/4" opening for convenient easy gripping
- Full width back ledge ensures spill free use
- Optional dividers are full height for subdividing bins and prevents mixing of parts
- Available in four colors ideal for color coding inventory: Blue, Yellow, Red and Gray

9 SIZES AND 4 COLORS AVAILABLE



AL-23
2" x 3-1/2" Adhesive clear label holder and inserts. Fits all sizes of drawers 5-9/16"W and wider except **QED401**. Package of 24 *(Sold separately)*

HEAVY-DUTY DRAWERS VIRTUALLY UNBREAKABLE

12" Deep Euro Drawers



QED401 QED501 QED601 QED701 QED801

18" Deep Euro Drawers



QED604 QED602 QED606

24" Deep Euro Drawer



QED603

12 SIZES AVAILABLE




Exclusive! Mesh Stack & Hang Bins

New patented wire Mesh Bins are an industry exclusive. Our innovative mesh design offers a bright-chrome finish and a 3/8" x 3/8" grid pattern allowing complete visibility of the bin's contents. This unique mesh pattern provides a dust and dirt free storage environment. Ultra strong design allows for superior hang capacity perfect for industrial parts storage or anything where hang capacities are vital. Quantum's Mesh Bins feature a rear hanger that allows them to hang from any louvered wall panel or rail system and optional side stacking ledge which allow bins to stack one on top of the other. The open hopper design allows for easy picking while allowing visual access to stored contents. Two styles of optional label holders are available for all Mesh Bins. ***Finish:*** Chrome

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	SIDE STACKING LEDGE SOLD PER PAIR	DIVIDER
QMB510C	5-1/4" x 4-1/4" x 3"	4-3/4" x 3" x 2-3/4"	20	12 lbs	**HMB510C**	**DMB510C**
QMB520C	7-1/4" x 4-1/4" x 3"	6-3/4" x 3" x 2-3/4"	20	15 lbs	**HMB520C**	**DMB520C**
QMB524C	11" x 4-3/4" x 4"	10-3/8" x 3-1/2" x 3-3/4"	10	15 lbs	**HMB530C/535C**	**DMB524C**
QMB530C	10-3/4" x 5-1/2" x 5"	10-1/4" x 4" x 4-3/4"	10	12 lbs	**HMB530C/535C**	**DMB530C/535C**
QMB534C	15" x 6" x 5"	14-1/4" x 4-3/4" x 4-3/4"	10	17 lbs	**HMB540C/550C**	**DMB534C**
QMB535C	10-3/4" x 11" x 5"	10-1/4" x 9-3/4" x 4-3/4"	10	19 lbs	**HMB530C/535C**	**DMB530C/535C**
QMB539C	10-1/2" x 8" x 7"	10" x 6-5/8" x 6-5/8"	10	20 lbs	**HMB539C**	**DMB539C**
QMB540C	14-1/2" x 8" x 7"	14" x 6-5/8" x 6-5/8"	10	30 lbs	**HMB540C/550C**	**DMB540C/550C**
QMB550C	14-1/2" x 16-1/4" x 7"	14" x 14-7/8" x 6-5/8"	5	17 lbs	**HMB540C/550C**	**DMB540C/550C**
QMB560C	18-1/2" x 11" x 10-1/8"	18" x 9-5/8" x 9-7/8"	5	21 lbs	**HMB560C/570C**	**DMB560C/570C**
QMB565C	17-3/4" x 8-1/8" x 9"	17-1/8" x 5-1/4" x 8-3/4"	5	19 lbs	**HMB565C**	**DMB565C**
QMB570C	18-1/2" x 17-1/8" x 11-1/8"	18" x 15-5/8" x 10-7/8"	5	28 lbs	**HMB560C/570C**	**DMB560C/570C**

To order a full carton add **CS** suffix to Model No. QMB510C**CS**. **Note:** Bins must be ordered in carton quantities only.



REAR HANGER
All Mesh Bins have a super strong rear hanger that allows hanging from a Louvered Panel or Rail System

STACKING MESH BINS
Shown with optional Hanging Label Tag & Side Stacking Ledge
Mesh Bins can easily stack one on top of another with optional Side Stacking Ledges *(Sold separately)*



Shown with optional **Divider** *(Sold separately)*



Shown with optional **Side Stacking Ledge Pair** *(Sold separately)*


Accessories

INSTANT VISIBILITY
NO DUST OR DIRT BUILDUP
ALL WELDED


2 LABEL HOLDER OPTIONS



Shown with optional **HBL3C Clear Label Holder** Fits 1-1/8" x 3" Label *(Sold separately)*



Shown with optional **PS-LH3 Hanging Label Tag** Fits 1-3/8" x 3" Label
CL RD YL BL GN
OR PU *(Sold separately)*




WLP-1836C
36"L x 18"H
Accepts all sizes of Ultra Stack & Hang Bins and Mesh Bins.
Includes 8 direct mount clips.
Up to 175 lb. load capacity.

Exclusive! Wire Louvered Panels

QUANTUM® STORAGE SYSTEMS eXclusive

Quantum's chrome Wire Louvered Panels offer a perfect mounting solution for all plastic hanging and wire mesh hanging bins. Quantum's exclusive offering of wire panels, available in three sizes, completely resist any buildup of dust or dirt. Included direct mounting clips enable fastening to any surface *(wall, wood, concrete, drywall, etc.)* a snap (***note:*** *mounting screws are not included as they differ based on what type of surface the panels are being mounted to).* Offset mounting clips are also available, can be used in place of **WLP-DMC** if you want to have wire panel mounted offset *(away)* from a wall surface making it easier to clean behind the panel *(sold separately).* Manufactured of heavy-duty chrome wire, Quantum's wire panels will offer years of dependable and heavy-duty service.

MODEL NO.	DIMENSIONS L" x H"	CTN QTY	CTN WGT
Wire Wall Mounted Louvered Panels			
WLP-1836C	36" x 18" Wire Louvered Panel	1	12 lbs
WLP-3036C	36" x 30" Wire Louvered Panel	1	19 lbs
WLP-3048C	48" x 30" Wire Louvered Panel	1	26 lbs



WLP-3036C
36"L x 30"H
Accepts all sizes of Ultra Stack & Hang Bins and Mesh Bins.
Includes 12 direct mount clips.
Up to 250 lb. load capacity.


Accessories



WLP-DMC
Direct Mount Clips - 4 pack
(Included with wire louvered panels)
Extra packages available *(if needed). (Sold separately)*



WLP-OSC
Offset Mount Clips - 4 pack
Offsets panel from wall surface allowing easy access to clean behind panel
(Sold separately)



WLP-3048C
48"L x 30"H
Accepts all sizes of Ultra Stack & Hang Bins and Mesh Bins.
Includes 12 direct mount clips.
Up to 300 lb. load capacity.


SIMPLE TO MOUNT
EASY TO CLEAN
ALL WELDED

	QUANTITY OF MESH BINS TO FIT LOUVERED PANELS												QUANTITY OF ULTRA BINS TO FIT LOUVERED PANELS																							
MODEL NO.	QMB 510	QMB 520	QMB 524	QMB 530	QMB 534	QMB 535	QMB 539	QMB 540	QMB 550	QMB 560	QMB 565	QMB 570	QUS 200	QUS 210	QUS 220	QUS 221	QUS 224	QUS 230	QUS 232	QUS 234	QUS 235	QUS 236	QUS 238	QUS 239	QUS 240	QUS 241	QUS 242	QUS 245	QUS 248	QUS 250	QUS 255	QUS 260	QUS 265	QUS 270
WLP-1836C	32	32	18	18	18	9	8	8	4	3	4	2	32	32	32	18	18	18	12	18	9	12	18	8	8	8	8	6	8	4	6	3	4	2
WLP-3036C	56	56	30	30	30	15	16	16	6	6	8	6	56	56	56	30	30	30	21	30	15	21	30	16	16	16	16	10	16	6	9	6	8	6
WLP-3048C	77	77	40	40	40	20	20	20	8	12	15	6	77	77	77	40	40	40	28	40	20	28	40	20	20	20	20	10	20	8	12	12	15	6

See ***pg. 93 & 98*** for bin dimensions

STACKABLE SHELF BIN

10 SIZES AND 5 COLORS AVAILABLE



Exclusive! Stackable Shelf Bins

Quantum's exclusive Stackable Shelf Bins are an industry first and are ideal for medium size and large or heavy item storage. These strong, durable polypropylene bins are available in 4 lengths and 3 widths. 12", 14" and 18" deep bins have a built in rear hanger which allows bin to hang from louvered panels and rails. Bins have a raised front opening when compared to any like product allowing you to truly maximize the complete bin's storage capacity. Optional cross dividers allow flexibility and keep parts organized. Waterproof bins resist rust and corrosion. Large molded in front label slots for ID labels. Autoclavable up to 250°F and resistant to extreme cold.



STACKABLE SHELF BIN
Shown with optional Divider and **DLT-6** Divider Label Tabs attach to existing dividers to improve the visibility of bin labels and scanning of barcodes. Package of 6.
(Dividers and Label Tabs sold separately)




LTR-2400
Clear Label Holder and Insert
Package of 25.

Available in: Blue Gray Ivory Black Orange

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CTN QTY	CTN WGT	DIVIDER	CTN QTY	CTN WGT	CLEAR LABEL HOLDER & INSERT
SSB423	12" x 8-1/4" x 7"	11-1/2" x 7-3/8" x 6-1/2"	7-1/2"	6	9 lbs	**DSS403**	6	1 lb	**LTR-2400**
SSB425	12" x 11" x 7"	11-1/2" x 10-1/8" x 6-1/2"	7-1/2"	6	11 lbs	**DSS405**	6	2 lbs	**LTR-2400**
SSB441	14" x 6" x 7"	13-1/2" x 5-3/8" x 6-1/2"	9-3/8"	6	8 lbs	**DSS401**	6	1 lb	**LTR-2400**
SSB443	14" x 8-1/4" x 7"	13-1/2" x 7-3/8" x 6-1/2"	9-3/8"	12	18 lbs	**DSS403**	6	1 lb	**LTR-2400**
SSB445	14" x 11" x 7"	13-1/2" x 10-1/8" x 6-1/2"	9-3/8"	6	12 lbs	**DSS405**	6	2 lbs	**LTR-2400**
SSB461	18" x 6" x 7"	17-1/2" x 5-3/8" x 6-1/2"	13-1/2"	6	11 lbs	**DSS401**	6	1 lb	**LTR-2400**
SSB463	18" x 8-1/4" x 7"	17-1/2" x 7-3/8" x 6-1/2"	13-3/8"	6	12 lbs	**DSS403**	6	1 lb	**LTR-2400**
SSB465	18" x 11" x 7"	17-1/2" x 10-1/8" x 6-1/2"	13-3/8"	6	15 lbs	**DSS405**	6	2 lbs	**LTR-2400**
SSB483*	20-1/2" x 8-1/4" x 7"	20" x 7-3/8" x 6-1/2"	15-7/8"	6	14 lbs	**DSS403**	6	1 lb	**LTR-2400**
SSB485*	20-1/2" x 11" x 7"	20" x 10-1/8" x 6-1/2"	15-7/8"	6	17 lbs	**DSS405**	6	2 lbs	**LTR-2400**

*Do not have rear hanger. To order a full carton add **CS** suffix to Model No. SSB423BL**CS**. **Note:** Bins must be ordered in carton quantities only.



Bin Dimensions Guide
L *(length)* **W** *(width)* **H** *(height)*
X *(inside length)*

PERFORMANCE FEATURES:

- Available in 10 sizes
- Standard colors: Blue, Gray, Ivory, Black and Orange
  (additional colors available on request, subject to upcharge and minimum runs)
- Bins are made from heavy-duty, virgin, high density FDA approved polypropylene
- Large label slot provide easy label insertion and parts identification
- Extra wide stacking ledge assures stability for high stacking
- Reinforced design adds strength and prevents spreading
- Will not rust or corrode, unaffected by weak acids and alkalis, and are waterproof
- Autoclavable up to 250°F





2475-485
24"D x 36"W x 75"H
8 shelves and **21 SSB485**
20-1/2"L x 11"W x 7"H bins

Stackable Shelf Bin Steel Shelving Systems - *Complete Packages*

Up to 400 lb. LOAD CAPACITY PER SHELF

Bins available in: Blue Gray Ivory Black Orange *(One color per unit)*

MODEL NO.	OUTSIDE DIMENSIONS D" x W" x H"	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
1275-423	12" x 36" x 75"	8	28 SSB423	12" x 8-1/4" x 7"	129 lbs
1275-425	12" x 36" x 75"	8	21 SSB425	12" x 11" x 7"	126 lbs
1275-441	12" x 36" x 75"	8	35 SSB441	14" x 6" x 7"	134 lbs
1275-443	12" x 36" x 75"	8	28 SSB443	14" x 8-1/4" x 7"	129 lbs
1275-445	12" x 36" x 75"	8	21 SSB445	14" x 11" x 7"	129 lbs
1875-461	18" x 36" x 75"	8	35 SSB461	18" x 6" x 7"	173 lbs
1875-463	18" x 36" x 75"	8	28 SSB463	18" x 8-1/4" x 7"	165 lbs
1875-465	18" x 36" x 75"	8	21 SSB465	18" x 11" x 7"	165 lbs
2475-483	24" x 36" x 75"	8	28 SSB483	20-1/2" x 8-1/4" x 7"	197 lbs
2475-483485	24" x 36" x 75"	8	12 SSB483 12 SSB485	20-1/2" x 8-1/4" x 7" 20-1/2" x 11" x 7"	195 lbs
2475-485	24" x 36" x 75"	8	21 SSB485	20-1/2" x 11" x 7"	194 lbs

COMPLETE PACKAGES
WITH BINS



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Up to 1,200 lb. load capacity.
**Mobile kits recommended only for shelves 18" and deeper.*



WR8-463
18"W x 36"L x 74"H
8 shelves and **28 SSB463**
18"L x 8-1/4"W x 7"H bins

STACKABLE SHELF BIN

Stackable Shelf Bin Wire Shelving Systems - *Complete Packages*

Up to 800 lb. LOAD CAPACITY PER SHELF

Bins available in: Blue Gray Ivory Black Orange *(One color per unit)*

MODEL NO.	OUTSIDE DIMENSIONS W" x L" x H"	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
WR8-423	12" x 36" x 74"	8	28 SSB423	12" x 8-1/4" x 7"	114 lbs
WR8-425	12" x 36" x 74"	8	21 SSB425	12" x 11" x 7"	107 lbs
WR8-441	14" x 36" x 74"	8	35 SSB441	14" x 6" x 7"	136 lbs
WR8-443	14" x 36" x 74"	8	28 SSB443	14" x 8-1/4" x 7"	129 lbs
WR8-445	14" x 36" x 74"	8	21 SSB445	14" x 11" x 7"	122 lbs
WR8-461	18" x 36" x 74"	8	35 SSB461	18" x 6" x 7"	190 lbs
WR8-463	18" x 36" x 74"	8	28 SSB463	18" x 8-1/4" x 7"	180 lbs
WR8-465	18" x 36" x 74"	8	21 SSB465	18" x 11" x 7"	184 lbs
WR8-483	21" x 36" x 74"	8	28 SSB483	20-1/2" x 8-1/4" x 7"	198 lbs
WR8-483485	21" x 36" x 74"	8	12 SSB483 12 SSB485	20-1/2" x 8-1/4" x 7" 20-1/2" x 11" x 7"	199 lbs
WR8-485	21" x 36" x 74"	8	21 SSB485	20-1/2" x 11" x 7"	198 lbs

HULK containers

10 SIZES AND 4 COLORS AVAILABLE

CLEAR VIEW BINS AVAILABLE



REAR LARGE HANDLE
Molded onto back of containers makes them easy to carry!



QUS957
Shown with optional cross divider



MOBILE HULK CONTAINER
Ideal for transport of heavy and bulky parts. Bin comes with 4 swivel, 3" polyurethane casters, all with brakes, allowing up to 250 lb. mobile load capacity

AL-23
2" x 3-1/2" Adhesive clear label holder and inserts. Package of 24 *(Sold separately)*




QUS953
Shown with optional divider, window front, adhesive label holder and insert



POLYMER DOLLY
DLY-3018 Dolly with padded rubber trim, available in Blue. Dimensions 30"L x 18"W. Set of four 4" x 1-1/4" non-marking swivel poly casters, up to 1,000 lb. load capacity. *(Bin sold separately)*



ATTACHED PULL RING
allows dolly to be pulled with ease



Bin Dimensions Guide
L *(length)* **W** *(width)*
H *(height)* **X** *(inside length)*

HULK 24" Containers

Organize and store your large and bulky items with these strong injection molded polypropylene, stackable containers. These extra large stacking containers offer a generous 2 feet in length to store your larger items. These huge stack bins are ideal for heavy-duty, extra deep shelving and are available in a variety of widths and heights. Heavy-duty front, back and side grips allow for easy handling. Optional clear styrene plastic window increases bin capacity and provides a quick view of the bin contents. Optional dividers maximize flexibility and keep contents organized. Wide stacking ledge and anti-slide lock keep stacked bins steady and prevent forward shifting. Waterproof bins are corrosion free. Bins are autoclavable up to 250°F and are resistant to extreme cold.

Available in: Blue Red Yellow Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CTN QTY	CTN WGT	CLEAR WINDOW	CTN QTY	DIVIDER & CROSS DIVIDER	CTN QTY	CLEAR LABEL HOLDER & INSERT	CTN QTY
QUS950	23-7/8" x 8-1/4" x 7"	21-7/8" x 6-1/4" x 6-5/8"	19"	6	18 lbs	**WUS950/970**	6	**DUS950**	6	**-**	-
QUS951	23-7/8" x 8-1/4" x 9"	21-7/8" x 6-1/4" x 8-3/4"	18-3/4"	6	21 lbs	**WUS951**	6	**DUS951**	6	**-**	-
QUS952	23-7/8" x 11" x 7"	21-7/8" x 9" x 6-7/8"	19"	4	14 lbs	**WUS952**	4	**DUS952**	4	**-**	-
QUS953	23-7/8" x 11" x 10"	21-1/2" x 8-7/8" x 9-3/4"	18-3/4"	4	18 lbs	**WUS953/973**	4	**DUS953**	4	**-**	-
QUS954	23-7/8" x 16-1/2" x 11"	21-7/8" x 14-1/4" x 10-3/4"	18-3/4"	1	7 lbs	**WUS954/974**	1	**DUS954**	1	**AL-23**	24
QUS964MOB*	23-7/8" x 16-1/2" x 11"	21-7/8" x 14-1/4" x 10-3/4"	18-3/4"	1	9 lbs	**WUS954/974**	1	**DUS954**	1	**AL-23**	24
QUS955	23-7/8" x 18-1/4" x 12"	21-1/2" x 16" x 11-3/4"	17-3/4"	1	8 lbs	**WUS955/975**	1	**DUS955**	1	**AL-23**	24
QUS965MOB*	23-7/8" x 18-1/4" x 12"	21-1/2" x 16" x 11-3/4"	17-3/4"	1	10 lbs	**WUS955/975**	1	**DUS955**	1	**AL-23**	24
QUS957	23-7/8" x 22-1/2" x 12"	21-1/8" x 20-1/2" x 11-3/8"	18"	1	8 lbs	**WUS957**	1	**DUS957 CRDUS957**	1	**AL-23**	24
QUS967MOB*	23-7/8" x 22-1/2" x 12"	21-1/8" x 20-1/2" x 11-3/8"	18"	1	10 lbs	**WUS957**	1	**DUS957 CRDUS957**	1	**AL-23**	24

*With caster, overall height for mobile container will be increased by 3". To order a full carton add **CS** suffix to Model No. QUS950BL**CS**. **Note:** Bins must be ordered in carton quantities only.

HULK 24" Container Wire Shelving Systems - *Complete Packages*

Up to 800 lb. LOAD CAPACITY PER SHELF



WR8-950
24"W x 36"L x 74"H
8 shelves and **28 QUS950**
23-7/8"L x 8-1/4"W x 7"H bins



WR7-951
24"W x 36"L x 74"H
7 shelves and **24 QUS951**
23-7/8"L x 8-1/4"W x 9"H bins



WR8-952
24"W x 36"L x 74"H
8 shelves and **21 QUS952**
23-7/8"L x 11"W x 7"H bins



WR6-953
24"W x 36"L x 74"H
6 shelves and **15 QUS953**
23-7/8"L x 11"W x 10"H bins



WR6-954
24"W x 36"L x 74"H
6 shelves and **10 QUS954**
23-7/8"L x 16-1/2"W x 11"H bins



WR5-955
24"W x 42"L x 74"H
5 shelves and **8 QUS955**
23-7/8"L x 18-1/4"W x 12"H bins



WR6-957
24"W x 48"L x 74"H
6 shelves and **10 QUS957**
23-7/8"L x 22-1/2"W x 12"H bins



WR7-20-MIX
24"W x 36"L x 74"H
7 shelves and **8 QUS950**
23-7/8"L x 8-1/4"W x 7"H bins
and **3 QUS952**
23-7/8"L x 11"W x 7"H bins
and **4 QUS951**
23-7/8"L x 8-1/4"W x 9"H bins
and **3 QUS953**
23-7/8"L x 11"W x 10"H bins
and **2 QUS954** bins
23-7/8"L x 16-1/2"W x 11"H bins



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)*
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity.

CLEAR VIEW BINS AVAILABLE

HULK containers

Bins available in: Blue Red Yellow Clear *(One color per unit)*

14 SIZES AND 3 COLORS AVAILABLE

HEAVY-DUTY

HULK containers

Up to 150 lb. STACK CAPACITY PER BIN

QUS974

QUS973

QUS975

QUS970

29-7/8"L

QUS976

ADHESIVE CLEAR LABEL HOLDER AND INSERTS

AL-23
2" x 3-1/2"
(Fits bins 12"H and shorter)

AL-35
3" x 5"
(Fits bins 15"H and taller)
Package of 24
(Sold separately)


LABEL 3" x 5"

QUS997

35-7/8"L

REAR LARGE HANDLE
Molded onto back of containers makes them easy to carry!

CLEAR PLASTIC WINDOW FRONT
Increases bin capacity and provides a quick view of the bin contents.
(Sold separately)



Bin Dimensions Guide
L *(length)* **W** *(width)*
H *(height)* **X** *(inside length)*

HULK 30" & 36" Containers

Organize and store your large and bulky items with these strong injection molded high impact polypropylene, stackable containers. These extra large stacking containers offer a generous 2-1/2 - 3 feet in length to store your larger items. These huge stack bins are ideal for heavy-duty, extra deep shelving and are available in a variety of widths and heights. Heavy-duty front, back and side grips allow for easy handling. Wide stacking ledge and anti-slide lock keep stacked bins steady and prevent forward shifting. Waterproof bins are corrosion-free. Bins are autoclavable up to 250°F and are resistant to extreme cold.

Available in: Blue Red Yellow

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CTN QTY	CTN WGT	CLEAR WINDOW	CTN QTY	DIVIDER	CTN QTY
HULK 30" Containers									
QUS970	29-7/8" x 8-1/4" x 7"	27-7/8" x 6-1/4" x 6-3/4"	25"	6	23 lbs	**WUS950/970**	6	**DUS970**	6
QUS973	29-7/8" x 11" x 10"	27-7/8" x 8-7/8" x 9-5/8"	24-3/4"	4	22 lbs	**WUS953/973**	4	**DUS973**	4
QUS974	29-7/8" x 16-1/2" x 11"	27-5/8" x 14-1/4" x 10-5/8"	24-3/4"	1	8 lbs	**WUS954/974**	1	**DUS974**	1
QUS984M0B*	29-7/8" x 16-1/2" x 11"	27-5/8" x 14-1/4" x 10-5/8"	24-3/4"	1	10 lbs	**WUS954/974**	1	**DUS974**	1
QUS975	29-7/8" x 18-1/4" x 12"	27-1/2" x 16" x 11-3/4"	23-3/4"	1	9 lbs	**WUS955/975**	1	**DUS975**	1
QUS985M0B*	29-7/8" x 18-1/4" x 12"	27-1/2" x 16" x 11-3/4"	23-3/4"	1	11 lbs	**WUS955/975**	1	**DUS975**	1
QUS976	29-7/8" x 16-1/2" x 15"	27-3/8" x 14" x 14-3/4"	23-1/2"	1	10 lbs	**WUS976**	1	**DUS976**	1
QUS986M0B*	29-7/8" x 16-1/2" x 15"	27-3/8" x 14" x 14-3/4"	23-1/2"	1	12 lbs	**WUS976**	1	**DUS976**	1
HULK 36" Containers									
QUS993	35-7/8" x 16-1/2" x 17-1/2"	33-1/8" x 14" x 17-1/4"	28-1/4"	1	14 lbs	-	-	**DUS993**	1
QUS994M0B*	35-7/8" x 16-1/2" x 17-1/2"	33-1/8" x 14" x 17-1/4"	28-1/4"	1	16 lbs	-	-	**DUS993**	1
QUS995	35-7/8" x 19-7/8" x 17-1/2"	33-1/8" x 17-3/8" x 17-1/4"	28-1/4"	1	15 lbs	-	-	**DUS995**	1
QUS996M0B*	35-7/8" x 19-7/8" x 17-1/2"	33-1/8" x 17-3/8" x 17-1/4"	28-1/4"	1	17 lbs	-	-	**DUS995**	1
QUS997	35-7/8" x 23-7/8" x 17-1/2"	33-1/4" x 21-3/8" x 17-1/4"	28-1/4"	1	18 lbs	-	-	**DUS997**	1
QUS998M0B*	35-7/8" x 23-7/8" x 17-1/2"	33-1/4" x 21-3/8" x 17-1/4"	28-1/4"	1	20 lbs	-	-	**DUS997**	1

*With caster, overall height for mobile container will be increased by 3". To order a full carton add **CS** suffix to Model No. QUS970BL**CS**. **Note:** Bins must be ordered in carton quantities only.



HULK 30" Container Wire Shelving Systems - *Complete Packages*

Up to 700 lb. LOAD CAPACITY PER SHELF



WR8-970
30"W x 36"L x 74"H
8 shelves and **28 QUS970**
29-7/8"L x 8-1/4"W x 7"H bins



WR6-973
30"W x 36"L x 74"H
6 shelves and **15 QUS973**
29-7/8"L x 11"W x 10"H bins



WR6-974
30"W x 36"L x 74"H
6 shelves and **10 QUS974**
29-7/8"L x 16-1/2"W x 11"H bins



WR6-973974
30"W x 36"L x 74"H
6 shelves and **9 QUS973**
29-7/8"L x 11"W x 10"H bins
and **4 QUS974**
29-7/8"L x 16-1/2"W x 11"H bins

HULK containers

QUANTUM CHROME WIRE SHELVING SYSTEMS COMPLETE WITH BINS



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)*
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity.

Bins available in: Blue Red Yellow ***(One color per unit)***



WR5-975
30"W x 42"L x 74"H
5 shelves and **8 QUS975**
29-7/8"L x 18-1/4"W x 12"H bins

HULK 36" Container Wire Shelving Systems - *Complete Packages*



WR5-993
36"W x 36"L x 86"H
5 shelves and **8 QUS993**
35-7/8"L x 16-1/2"W x 17-1/2"H bins

HULK containers ON SHELVING

SIZE DOES MATTER



WR5-995
36"W x 48"L x 86"H
5 shelves and **8 QUS995**
35-7/8"L x 19-7/8"W x 17-1/2"H bins



WR5-997
36"W x 60"L x 86"H
5 shelves and **8 QUS997**
35-7/8"L x 23-7/8"W x 17-1/2"H bins

Up to 600 lb. STACK CAPACITY PER SHELF

QUANTUM CHROME WIRE SHELVING SYSTEMS COMPLETE WITH BINS



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)*
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity.

Bins available in: Blue Red Yellow ***(One color per unit)***

Collapsable Bulk Box

Quantum's Collapsable Bulk Box provides an efficient approach to large volume or large part material handling, storage and transport. Used for heavy loads, components and even food products, these reusable and returnable containers allow you to ship, handle, pick, store and distribute your products while increasing productivity and profitability. Quantum's Collapsable Bulk Box comes in a standard pallet size footprint measuring 48"L x 45"W. It can be collapsed down to a fraction of its full height in seconds. Bulk containers stack perfectly loaded or when folded down to minimize storage space. They are designed to make the shipping of your products faster, safer and less costly while providing greater protection. Two access drop doors are able to lie flush against the container allowing easy loading and unloading. Manufactured from High Density Polyethylene, this tough container provides superior protection for products while being stored or in transit. Welded base provides greater strength while the reinforced fork openings provide easy lifting. Can withstand temperatures between -20° and 250°F. Optional lid available to cover contents inside *(Model No: **LID-4845**)*.

HANDLE, SHIP, DISTRIBUTE, REUSE



*(Lid **LID-4845** Sold separately)*

Fully expanded Bulk Box measures 48"L x 45"W x 34"H



Two access drop doors allows easy loading and unloading



Easy opening and collapsing of Bulk Box's side walls



Collapses to 12-3/4"; a fraction of it's full height



QBB-4845-34

PERFORMANCE FEATURES:

- Plastic, ergonomic latches for opening and collapsing
- Superior strength with low tare weight
- High return ratio: return 3 collapsed boxes for each bulk box distributed
- Up to 1,800 lb. load capacity for standard usage
- Large, flat labeling area on all four sides

Available in: ● Black

MODEL NO. QBB-4845-34	L (INCH/MM)	W (INCH/MM)	H (INCH/MM)
External	**48.00**/1219.2	**45.00**/1143.0	**33.9**/861.1
Internal	**44.50**/1130.3	**41.50**/1054.1	**28.2**/716.0
Usable Interior Height *(Fill line)*	-	-	**27.10**/688.3
Access Drop Door - Cut Out	-	**30.00**/762.0	**15.95**/405.1
Collapsed Height	-	-	**12.76**/324.0
Nested Height	-	-	**11.77**/299.0
Stack of 9/Collapsed *(Trailer)*	-	-	**106.93**/2716.1
Fork Tunnel - 48" Side	-	**11.00**/279.4	**3.40**/86.4
Fork Tunnel - 45" Side	-	**11.38**/288.9	**3.40**/86.4
Ship wgt. - 118 lbs			

RackBin 42" Containers

- These extra large bins offer a generous 42" *(3-1/2 Feet)* in length to store your larger items
- 42" length ensures no wasted space on 42" deep pallet rack
- Heavy-duty front, back and side grips allow for easy handling
- Wide stacking ledge and anti-slide lock keep stack bins steady and prevent forward shifting
- Have eight ¼" drill hole pattern on bottom of bin for easy hole insertion for drainage and air circulation if needed
- Waterproof bins are corrosion free

RACKBIN 42"™





AL-35
3" x 5"
Adhesive clear label holder and inserts. Package of 24
(Sold separately)

Smooth label area


Up to 180 lb.
STACK CAPACITY PER BIN

Available in: Blue Gray

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CTN QTY	CTN WGT
QRB166	41-7/8" x 16-1/2" x 17-1/2"	40-1/8" x 14" x 16-1/2"	35"	1	16 lbs
QRB176MOB*	41-7/8" x 16-1/2" x 17-1/2"	40-1/8" x 14" x 16-1/2"	35"	1	18 lbs
QRB206	41-7/8" x 19-7/8" x 17-1/2"	40-1/8" x 17-3/8" x 16-1/2"	35"	1	17 lbs
QRB216MOB*	41-7/8" x 19-7/8" x 17-1/2"	40-1/8" x 17-3/8" x 16-1/2"	35"	1	19 lbs
QRB246	41-7/8" x 23-7/8" x 17-1/2"	40-1/8" x 21-1/2" x 16-1/2"	35"	1	19 lbs
QRB256MOB*	41-7/8" x 23-7/8" x 17-1/2"	40-1/8" x 21-1/2" x 16-1/2"	35"	1	21 lbs

*With caster, overall height for mobile container will be increased by 3"

Bin Dimensions Guide
L *(length)* **W** *(width)*
H *(height)* **X** *(inside length)*



6 SIZES AND 2 COLORS AVAILABLE





THE FIRST AND ONLY BIN DESIGNED
SPECIFICALLY TO FIT PALLET RACK

RackBin 42" Container Wire Shelving Systems - *Complete Packages*



WRA86-2142C-206



WRA86-2136C-166

RACKBIN 42" ™

COMPLETE PACKAGES
WITH BINS

Bins available in: Blue Gray *(One color per unit)*

MODEL NO.	DIMENSIONS W" x L" x H"	NO. OF CONTAINERS	CONTAINER SIZE L" x W" x H"	SHIP WGT
WRA86-2136C-166	42" x 36" x 86"	8 QRB166	41-7/8" x 16-1/2" x 17-1/2"	272 lbs
WRA86-2142C-206	42" x 42" x 86"	8 QRB206	41-7/8" x 19-7/8" x 17-1/2"	290 lbs
WRA86-2154C-166	42" x 54" x 86"	12 QRB166	41-7/8" x 16-1/2" x 17-1/2"	386 lbs

5 SIZES AND 6 COLORS AVAILABLE

CLEAR VIEW BINS AVAILABLE

QGH700

QGH800

QGH600



Smooth label area



AL-23
2" x 3-1/2" Adhesive clear label holder and inserts. Package of 24 *(Sold separately)*



Curved lip and corners provide added strength


Large label holder allows for quick part identification
LTR-700
Clear label holders and laser label inserts slide into front label slot of all bins. *(Sold in packages of 25)*



Large and comfortable side grip handles allow for easy carrying and handling

Ribs on side of bin provide added stability when stacked

Up to 150 lb. STACK CAPACITY PER BIN



Bin Dimensions Guide
L *(length)* **W** *(width)*
H *(height)* **X** *(inside length)*

Giant Stack Containers

Multipurpose, wide open hopper front provides easy access for large part storage. Ideal for multiple applications in recycling, storing parts and components. This bin will stack up to 6 bins high creating a sturdy, tall storage system. Bins are injection molded from high density polypropylene, easy to clean, resist corrosion and are impervious to most chemicals. Large label holder allows for quick identification. Optional clear window front increases storage capacity and allows for quick identification of parts. Six 1/4" drill hole pattern on bottom of bin allow for easy hole insertion for drainage and air circulation.

QGH700 available in: Blue Ivory Red Black Gray Clear
QGH600 and QGH800 available in: Blue Red Gray Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CAP CU FT	CTN QTY	CTN WGT	WINDOW	CTN QTY
QGH600	17-1/2" x 10-7/8" x 12-1/2"	15-5/8" x 8" x 12-1/4"	13-1/2"	0.98	4	12 lbs	WGH600	4
QGH700*	15-1/4" x 19-7/8" x 12-7/16"	13-5/8" x 17-1/2" x 12-1/4"	11-1/2"	1.7	3	13 lbs	WGH700	3
QGH800	17-1/2" x 16-1/2" x 12-1/2"	15-5/8" x 13-3/4" x 12-1/4"	13-1/2"	1.6	2	8 lbs	WGH800	2

To order a full carton add **CS** suffix to Model No. QGH600BL**CS**. **Note:** Bins must be ordered in carton quantities only.

PERFORMANCE FEATURES:

- Extra thick side walls with reinforced ribs designed for strength, allowing for up to 150 lb. stack capacity per bin
- Large side grip handles
- Stacks 6 bins high
- Six 1/4" drill hole pattern on bottom of bin allows for easy hole insertion for drainage

Mobile Giant Stack Containers

- Ideal for transport of heavy and bulky parts
- Container comes with 4 swivel, 3" polyurethane casters, all with brakes, allowing for up to 250 lb. mobile load capacity
- Containers can stack with casters in place

QGH705MOB



QGH805MOB



QGH705MOB available in: Blue Ivory Red Black Gray Clear
QGH805MOB available in: Blue Red Gray Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CAP CU FT	CTN QTY	CTN WGT	WINDOW	CTN QTY
QGH705MOB*	15-1/4" x 19-7/8" x 12-7/16"	13-5/8" x 17-1/2" x 12-1/4"	11-1/2"	1.7	3	22 lbs	WGH700	3
QGH805MOB*	17-1/2" x 16-1/2" x 12-1/2"	15-5/8" x 13-3/4" x 12-1/4"	13-1/2"	1.6	2	17 lbs	WGH800	2

*With caster, overall height for mobile container will be increased by 3". To order a full carton add **CS** suffix to Model No. QGH705MOBBL**CS**. **Note:** Bins must be ordered in carton quantities only.



CLEAR PLASTIC WINDOW FRONT
Increases bin capacity and provides a quick view of the bin contents. *(Sold separately)*

Giant Stack Container Wire Shelving Systems - *Complete Packages*



WR5-600
18"W x 36"L x 74"H
5 shelves and **12 QGH600**
17-1/2"L x 10-7/8"W x 12-1/2"H bins

COMPLETE PACKAGES
WITH BINS

CLEAR VIEW BINS AVAILABLE



WR5-600800
18"W x 36"L x 74"H
5 shelves and **6 QGH600** 17-1/2"L x 10-7/8"W x 12-1/2"H bins and
4 QGH800 17-1/2"L x 16-1/2"W x 12-1/2"H bins

Up to 800 lb.
STACK CAPACITY PER SHELF



WR5-800
18"W x 36"L x 74"H
5 shelves and **8 QGH800**
17-1/2"L x 16-1/2"W x 12-1/2"H bins



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)*
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity.



WR5-700
18"W x 42"L x 74"H
5 shelves and **8 QGH700**
15-1/4"L x 19-7/8"W x 12-7/16"H bins

QGH700 available in: Blue Ivory Red Black Gray Clear

QGH600 and QGH800 available in: Blue Red Gray Clear *(One color per unit)*



6 SIZES AND 5 COLORS AVAILABLE



MAGNUM

PERFORMANCE FEATURES:

- Available in 6 sizes and 5 colors *(Blue, Green, Red, Yellow and Black)* for inventory control and color code efficiency
- These heavy-duty containers are injection molded from high density polypropylene and are ideal for storage and transport of large and heavy parts
- Extra heavy, double wall thickness allow containers to stack securely
- Up to 150 lb. stack capacity

MAGNUM Bins - *Super Strong and Durable*

Heavy-duty, extra strong injection molded, high density polypropylene bins are ideal for transportation and storage of large and heavy parts. Open hopper front allows immediate access and visibility. Ribbed reinforced walls ensure extra strength. Double wall thickness with preformed lip allows bin to interlock and provides up to 150 lb. stack capacity. Transport these bins easily with rear molded handle. Molded in label slot. Impervious to most solvents, corrosion, rust and rot resistant. Resists temperatures from -40°F to 250°F. Optional window front maximizes storage and prevents spillage. Optional dividers maximize flexibility and keeps contents organized.

Available in: Blue Green Red Yellow Black

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	X"	CTN QTY	CTN WGT	DIVIDERS	CTN QTY	WINDOW	CTN QTY
QMS531	19-3/4" x 12-3/8" x 5-7/8"	17" x 11" x 5"	17"	6	19 lbs	**DMS531**	6	**WMS531**	6
QMS532	19-3/4" x 12-3/8" x 7-7/8"	16-3/4" x 11" x 7-1/4"	16-3/4"	6	23 lbs	**DMS532**	6	**WMS532**	6
QMS533	19-3/4" x 12-3/8" x 11-7/8"	16-5/8" x 10-1/4" x 11-1/8"	16-5/8"	3	15 lbs	**DMS533**	3	**WMS533**	3
QMS543	19-3/4" x 18-3/8" x 11-7/8"	16-5/8" x 16-3/4" x 11"	16-5/8"	1	8 lbs	**DMS543**	1	**WMS543**	1
QMS743*	29" x 18-3/8" x 11-7/8"	25-1/2" x 16-3/4" x 11"	23"	1	10 lbs	-	-	-	-
QMS843MOB*	29" x 18-3/8" x 14-7/8"	25-1/2" x 16-3/4" x 11"	23"	1	12 lbs	-	-	-	-

*Includes heavy-duty spread bar for extra strength and support. To order a full carton add **CS** suffix to Model No. QMS531BL**CS**. **Note:** Bins must be ordered in carton quantities only.



LTR-1754
Clear Label Holder and Insert
Fits all Magnum bin sizes.
Package of 25.



Up to 150 lb.
STACK CAPACITY PER BIN

COMFORT HANDLE
for easy gripping and handling



ATTACHED PULL RING
allows dolly to be pulled with ease

QMS743 and QMS843MOB
Includes heavy-duty spread bar for extra strength and support



Polymer Dolly

DLY-3018 is 30"L x 18"W with padded rubber trim, available in Blue. Set of four 4" x 1-1/4" non-marking swivel poly casters. Both dollies have up to 1,000 lb. load capacity.

MODEL NO.	DESCRIPTION	CTN WGT
DLY-3018	Dolly with Padded Rubber Trim	19 lbs
HANDLE-DLY	32" Dolly Pull Rod with Handle	2 lbs

Bins sold separately



CLEAR WINDOW FRONT
Increases bin capacity and provides a quick view of the bin contents. *(Optional)*



MAGNUM BIN
Shown with optional divider

Mobile MAGNUM Bins

- Bin comes with 4 swivel 3" polyurethane casters, all with brakes, allowing for up to 250 lb. mobile capacity
- Bins can stack on each other with casters in place
- **QMS843MOB** includes heavy-duty spread bar

MAGNUM Bin Wire Shelving Systems - *Complete Packages*



WR9-531
18"W x 42"L x 74"H
9 shelves and **24 QMS531**
19-3/4"L x 12-3/8"W x 5-7/8"H bins



WR7-532
18"W x 42"L x 74"H
7 shelves and **18 QMS532**
19-3/4"L x 12-3/8"W x 7-7/8"H bins



WR5-533
18"W x 42"L x 74"H
5 shelves and **12 QMS533**
19-3/4"L x 12-3/8"W x 11-7/8"H bins



WR5-543
18"W x 42"L x 74"H
5 shelves and **8 QMS543**
19-3/4"L x 18-3/8"W x 11-7/8"H bins

Up to 800 lb.
STACK CAPACITY PER SHELF

MAGNUM

COMPLETE PACKAGES WITH BINS



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)*
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity.



WR6-13-MIX
18"W x 42"L x 74"H
6 shelves and **4 QMS543** 19-3/4"L x 18-3/8"W x 11-7/8"H bins
3 QMS533 19-3/4"L x 12-3/8"W x 11-7/8"H bins
3 QMS532 19-3/4"L x 12-3/8"W x 7-7/8"H bins
3 QMS531 19-3/4"L x 12-3/8"W x 5-7/8"H bins

Bins available in: Blue Green Red Yellow Black ***(One color per unit)***


15 SIZES AND 7 COLORS AVAILABLE

CLEAR VIEW BINS AVAILABLE



LOW COST, LONG LASTING, UNBREAKABLE, REUSABLE 4" HIGH BINS





LTR-0813
Clear Label Holder and Insert
Clear label holders and laser label inserts. Package of 25. Label holders fit all bins *(except **QSB100**)*.

Divider Label Tab

Divider Label Tabs attach to existing dividers enabling sections of bin to be labeled. Tabs improve the visibility of bin labels and scanning of barcodes. Package of 6.



DLT-6

Extended Label Holders - *Simplify Identification*

Optional extended label holders are designed for larger bar code scanning or just larger labels. Label holders fit all Shelf Bins *(except **QSB100**)*.

MODEL NO.	DESCRIPTION	DIMENSIONS W" x H"	CTN QTY
ELH410	10° Angle	4" x 2-1/4"	24
ELH445	45° Angle	4" x 2-1/4"	24

Economy 4" Shelf Bins

Quantum's tough, durable, high density Economy Shelf Bins are the industry standard for quality. These durable polypropylene bins feature a molded-in label holder, built-in rear hanglock which allows bins to tilt out for complete access when on shelving. A wide hopper front allows complete access to the contents of the bin. Edges are reinforced for added strength. They are designed for 12", 18" and 24" deep shelf units, racks or standard shelving. Bins are impervious to most chemicals.

Available in: Blue Green Ivory Red Yellow Black Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	DIVIDER	CTN QTY	NO. OF BIN CUPS PER BIN QBC111	QBC112
QSB100	11-5/8" x 2-3/4" x 4"	10-1/4" x 1-5/8" x 4"	36	10 lbs	-	-	3	0
QSB101	11-5/8" x 4-1/8" x 4"	10-1/4" x 3" x 4"	36	13 lbs	**DSB101**	50	6	2
QSB102	11-5/8" x 6-5/8" x 4"	10-1/4" x 5-1/2" x 4"	30	15 lbs	**DSB102**	50	9	4
QSB107	11-5/8" x 8-3/8" x 4"	10-1/4" x 7-1/8" x 4"	20	12 lbs	**DSB107**	50	12	4
QSB109	11-5/8" x 11-1/8" x 4"	10-1/4" x 10" x 4"	8	7 lbs	**DSB109**	50	18	6
QSB118 NEW	11-5/8" x 16-1/2" x 4"	10" x 15" x 4"	6	7 lbs	**DSB118/122** **LDSB118**	24 6	27	8
QSB103	17-7/8" x 4-1/8" x 4"	16-1/2" x 3" x 4"	20	11 lbs	**DSB103**	50	9	3
QSB104	17-7/8" x 6-5/8" x 4"	16-1/2" x 5-1/2" x 4"	20	15 lbs	**DSB104**	50	15	6
QSB108	17-7/8" x 8-3/8" x 4"	16-1/2" x 7-1/8" x 4"	10	11 lbs	**DSB108**	50	19	6
QSB110	17-7/8" x 11-1/8" x 4"	16-1/2" x 10" x 4"	8	10 lbs	**DSB110**	50	29	8
QSB122 NEW	17-7/8" x 16-1/2" x 4"	16" x 15" x 4"	6	10 lbs	**DSB118/122** **LDSB122**	24 6	41	15
QSB105	23-5/8" x 4-1/8" x 4"	22-1/8" x 3" x 4"	16	13 lbs	**DSB105**	50	13	4
QSB106	23-5/8" x 6-5/8" x 4"	22-1/8" x 5-1/2" x 4"	8	9 lbs	**DSB106**	50	21	8
QSB114	23-5/8" x 8-3/8" x 4"	22-1/8" x 7-1/8" x 4"	6	8 lbs	**DSB114**	50	24	8
QSB116	23-5/8" x 11-1/8" x 4"	22-1/8" x 10" x 4"	6	9 lbs	**DSB116**	50	35	16

To order a full carton add **CS** suffix to Model No. QSB100BL**CS**. **Note:** Bins must be ordered in carton quantities only.



Dividers and Bin Cups

Optional dividers fit snugly, horizontally across bins and are uniquely designed to allow for easy part labeling via individual label slots. All bins can accommodate up to 7 dividers.
Bin cups have a raised, slotted label holder for easy parts identification. The entire bin cup may be removed for easy part retrieval. Available in 2 sizes and 2 colors.

Available in: Blue Yellow

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QBC111	3-1/4" x 1-3/4" x 3"	48	4 lbs
QBC112	5-1/8" x 2-3/4" x 3"	48	7 lbs



WR12-101

COMPLETE PACKAGES WITH BINS

CLEAR VIEW BINS AVAILABLE

Up to 800 lb. STACK CAPACITY PER SHELF



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)**
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Up to 1,200 lb. load capacity.
**Mobile kits recommended only for shelves 18" and deeper.*

Economy 4" Shelf Bin Wire Shelving Systems - *Complete Packages*

Bins available in: Blue, Green, Ivory, Red, Yellow, Black, Clear *(One color per unit)*

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
12"W x 36"L x 74"H - 12 Shelf Systems			
WR12-101	88 QSB101	11-5/8" x 4-1/8" x 4"	120 lbs
WR12-102	55 QSB102	11-5/8" x 6-5/8" x 4"	116 lbs
WR12-107	44 QSB107	11-5/8" x 8-3/8" x 4"	117 lbs
WR12-109	33 QSB109	11-5/8" x 11-1/8" x 4"	119 lbs
18"W x 36"L x 74"H - 12 Shelf Systems			
WR12-103	88 QSB103	17-7/8" x 4-1/8" x 4"	176 lbs
WR12-104	55 QSB104	17-7/8" x 6-5/8" x 4"	165 lbs
WR12-108	44 QSB108	17-7/8" x 8-3/8" x 4"	170 lbs
WR12-110	33 QSB110	17-7/8" x 11-1/8" x 4"	168 lbs
24"W x 36"L x 74"H - 12 Shelf Systems			
WR12-105	88 QSB105	23-5/8" x 4-1/8" x 4"	228 lbs
WR12-106	55 QSB106	23-5/8" x 6-5/8" x 4"	218 lbs
WR12-114	44 QSB114	23-5/8" x 8-3/8" x 4"	222 lbs
WR12-116	33 QSB116	23-5/8" x 11-1/8" x 4"	206 lbs

Economy 4" Complete Bin Center

Complete bin systems are available with 4 different size bin options on a 12"W x 36"L x 36"H unit. This all-purpose bin center is an economical high density storage system that provides easy visibility to stored contents.

- Easy boltless assembly
- Wire allows air to circulate as well as provides ideal product visibility
- Durable chrome finish ensures years of heavy-duty dependability and service

Bins available in: Blue, Green, Ivory, Red, Yellow, Black, Clear *(One color per unit)*

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
12"W x 36"L x 36"H - 6 Shelf Systems			
WR6-36-1236-101	40 QSB101	11-5/8" x 4-1/8" x 4"	63 lbs
WR6-36-1236-102	25 QSB102	11-5/8" x 6-5/8" x 4"	50 lbs
WR6-36-1236-107	20 QSB107	11-5/8" x 8-3/8" x 4"	62 lbs
WR6-36-1236-109	15 QSB109	11-5/8" x 11-1/8" x 4"	64 lbs



WR12-102



WR12-107



WR6-36-1236-102

High Density Wire Shelving Systems

CLEAR VIEW BINS AVAILABLE

- Wire Storage Systems with bins available in 48", 60" and 72" lengths
- All units in chart below utilize 74" posts and include 12 shelves
- Non-marring thermoplastic resin caster kit **WR-00H** *(sold separately)*



WR74-2448-66106



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)**
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Up to 1,200 lb. load capacity.
**Mobile kits recommended only for shelves 18" and deeper.*



WR74-2448-66106
Shown with optional Mobile Kit


Up to 600-800 lb.
LOAD CAPACITY PER SHELF

Bins available in: Blue Green Ivory Red Yellow Black Clear *(One color per unit)*

	HIGH DENSITY WIRE SYSTEMS								
	48"L SYSTEMS			60"L SYSTEMS			72"L SYSTEMS		
BIN DIMENSIONS L" x W" x H"	MODEL NO.	NO. OF BINS	SHIP WGT	MODEL NO.	NO. OF BINS	SHIP WGT	MODEL NO.	NO. OF BINS	SHIP WGT
	12"W x 48"L - Systems			12"W x 60"L - Systems			12"W x 72"L - Systems		
11-5/8" x 4-1/8" x 4"	**WR74-1248-110101**	110 QSB101	152 lbs	**WR74-1260-143101**	143 QSB101	208 lbs	**WR74-1272-176101**	176 QSB101	248 lbs
11-5/8" x 4-1/8" x 4" 11-5/8" x 6-5/8" x 4"	**WR74-1248-101102**	55 QSB101 36 QSB102	148 lbs	**WR74-1260-101102**	78 QSB101 40 QSB102	213 lbs	**WR74-1272-101102**	80 QSB101 60 QSB102	240 lbs
11-5/8" x 6-5/8" x 4"	**WR74-1248-66102**	66 QSB102	140 lbs	**WR74-1260-88102**	88 QSB102	193 lbs	**WR74-1272-110102**	110 QSB102	230 lbs
	18"W x 48"L - Systems			18"W x 60"L - Systems			18"W x 72"L - Systems		
17-7/8" x 4-1/8" x 4"	**WR74-1848-110103**	110 QSB103	168 lbs	**WR74-1860-143103**	143 QSB103	224 lbs	**WR74-1872-176103**	176 QSB103	264 lbs
17-7/8" x 4-1/8" x 4" 17-7/8" x 6-5/8" x 4"	**WR74-1848-103104**	55 QSB103 36 QSB104	164 lbs	**WR74-1860-103104**	78 QSB103 40 QSB104	229 lbs	**WR74-1872-103104**	80 QSB103 60 QSB104	256 lbs
17-7/8" x 6-5/8" x 4"	**WR74-1848-66104**	66 QSB104	156 lbs	**WR74-1860-88104**	88 QSB104	209 lbs	**WR74-1872-110104**	110 QSB104	246 lbs
	24"W x 48"L - Systems			24"W x 60"L - Systems			24"W x 72"L - Systems		
23-5/8" x 4-1/8" x 4"	**WR74-2448-110105**	110 QSB105	180 lbs	**WR74-2460-143105**	143 QSB105	256 lbs	**WR74-2472-176105**	176 QSB105	312 lbs
23-5/8" x 4-1/8" x 4" 23-5/8" x 6-5/8" x 4"	**WR74-2448-105106**	55 QSB105 36 QSB106	176 lbs	**WR74-2460-105106**	78 QSB105 40 QSB106	261 lbs	**WR74-2472-105106**	80 QSB105 60 QSB106	304 lbs
23-5/8" x 6-5/8" x 4"	**WR74-2448-66106**	66 QSB106	168 lbs	**WR74-2460-88106**	88 QSB106	241 lbs	**WR74-2472-110106**	110 QSB106	294 lbs
	48"L - Up to 800 lb. Capacity/Shelf			60"L - Up to 600 lb. Capacity/Shelf			72"L - Up to 600 lb. Capacity/Shelf		

CLEAR VIEW BINS AVAILABLE

14 SIZES AND 4 COLORS AVAILABLE



LOW COST, LONG LASTING, UNBREAKABLE, REUSABLE, 6" HIGH SHELF BINS



with **68%** more storage capacity over standard 4" shelf bins, Quantum's **STORE-MORE 6"** Shelf Bins are an industry first and now an industry standard

Divider Label Tab

Divider Label Tabs attach to existing dividers enabling sections of bin to be labeled. Tabs improve the visibility of bin labels and scanning of barcodes. Package of 6.



DLT-6

LTR-0813
Clear Label Holder and Insert
Clear label holders and laser label inserts. Clear label holders fit all 6" Shelf Bins. Package of 25.



Extended Label Holders - *Simplify Identification*

Optional extended label holders are designed for larger bar code scanning or just larger labels. Label holders fit all 6" Shelf Bins.

MODEL NO.	DESCRIPTION	DIMENSIONS W" x H"	CTN QTY
ELH410	10° Angle	4" x 2-1/4"	24
ELH445	45° Angle	4" x 2-1/4"	24



STORE-MORE 6" Shelf Bins

Maximize your storage space with durable, high density polypropylene bins. Quantum's STORE-MORE 6" Shelf Bins are the industry standard for quality. These bins feature a molded-in label holder, built-in rear hang-lock which allows bins to tilt out for complete access when on shelving. A wide hopper front allows complete access to the contents of the bin. Edges are reinforced for added strength. They are designed for 12", 18" and 24" deep shelf units, racks or standard shelving. Optional dividers are a perfect accessory to subdivide and keep parts separated as needed. Bins are waterproof and corrosion-free.

Available in: Blue Red Yellow Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	DIVIDER	CTN QTY	NO. OF BIN CUPS PER BIN QBC111	QBC112
QSB201	11-5/8" x 4-1/8" x 6"	10-1/6" x 3" x 6"	36	19 lbs	**DSB201**	50	6	2
QSB202	11-5/8" x 6-5/8" x 6"	10-1/6" x 5-1/2" x 6"	30	20 lbs	**DSB202**	50	9	4
QSB207	11-5/8" x 8-3/8" x 6"	10-1/6" x 7-1/8" x 6"	20	15 lbs	**DSB207**	50	12	4
QSB209	11-5/8" x 11-1/8" x 6"	10-1/6" x 10" x 6"	8	8 lbs	**DSB209**	50	18	6
QSB218 NEW	11-5/8" x 16-1/2" x 6"	10" x 15" x 6"	6	8 lbs	**DSB218/222** **LDSB218**	24 6	27	8
QSB203	17-7/8" x 4-1/8" x 6"	16-1/2" x 3" x 6"	20	18 lbs	**DSB203**	50	9	3
QSB204	17-7/8" x 6-5/8" x 6"	16-1/2" x 5-1/2" x 6"	20	22 lbs	**DSB204**	50	15	6
QSB208	17-7/8" x 8-3/8" x 6"	16-1/2" x 7-1/8" x 6"	10	13 lbs	**DSB208**	50	19	6
QSB210	17-7/8" x 11-1/8" x 6"	16-1/2" x 10" x 6"	8	12 lbs	**DSB210**	50	29	8
QSB222 NEW	17-7/8" x 16-1/2" x 6"	16" x 15" x 6"	6	12 lbs	**DSB218/222** **LDSB222**	24 6	41	15
QSB205	23-5/8" x 4-1/8" x 6"	22-1/8" x 3" x 6"	16	19 lbs	**DSB205**	50	13	4
QSB206	23-5/8" x 6-5/8" x 6"	22-1/8" x 5-1/2" x 6"	8	12 lbs	**DSB206**	50	21	8
QSB214	23-5/8" x 8-3/8" x 6"	22-1/8" x 7-1/8" x 6"	6	10 lbs	**DSB214**	50	24	8
QSB216	23-5/8" x 11-1/8" x 6"	22-1/8" x 10" x 6"	6	13 lbs	**DSB216**	50	35	16

To order a full carton add **CS** suffix to Model No. QSB201BL**CS**. **Note:** Bins must be ordered in carton quantities only.



Dividers and Bin Cups

Optional black dividers fit snugly, horizontally across bins to create compartments. Each bin accepts up to 8 dividers. Bins have a slot at the very front allowing the open hopper to be closed off creating even more storage.

Bin cups have a raised, slotted label holder for easy parts identification. The entire bin cup may be removed for easy part retrieval. Available in 2 sizes and 2 colors.

Available in: Blue Yellow

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QBC111	3-1/4" x 1-3/4" x 3"	48	4 lbs
QBC112	5-1/8" x 2-3/4" x 3"	48	7 lbs

STORE-MORE 6" Shelf Bin Wire Shelving Systems - *Complete Packages*

- Easy boltless assembly
- Wire allows air to circulate as well as provides ideal product visibility
- Durable chrome finish ensures years of heavy-duty dependability and service
- All welded shelf construction is supported with super strong wire trusses to provide up to 800 lb. capacity per shelf

Bins available in: Blue Red Yellow Clear *(One color per unit)*

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
12"W x 36"L x 74"H - 9 Shelf Systems			
WR9-201	64 QSB201	11-5/8" x 4-1/8" x 6"	108 lbs
WR9-202	40 QSB202	11-5/8" x 6-5/8" x 6"	100 lbs
WR9-207	32 QSB207	11-5/8" x 8-3/8" x 6"	98 lbs
WR9-209	24 QSB209	11-5/8" x 11-1/8" x 6"	96 lbs
18"W x 36"L x 74"H - 9 Shelf Systems			
WR9-203	64 QSB203	17-7/8" x 4-1/8" x 6"	156 lbs
WR9-204	40 QSB204	17-7/8" x 6-5/8" x 6"	142 lbs
WR9-208	32 QSB208	17-7/8" x 8-3/8" x 6"	143 lbs
WR9-210	24 QSB210	17-7/8" x 11-1/8" x 6"	140 lbs
24"W x 36"L x 74"H - 9 Shelf Systems			
WR9-205	64 QSB205	23-5/8" x 4-1/8" x 6"	182 lbs
WR9-206	40 QSB206	23-5/8" x 6-5/8" x 6"	171 lbs
WR9-214	32 QSB214	23-5/8" x 8-3/8" x 6"	165 lbs
WR9-216	24 QSB216	23-5/8" x 11-1/8" x 6"	154 lbs

COMPLETE PACKAGES WITH BINS

CLEAR VIEW BINS AVAILABLE

Up to 800 lb. LOAD CAPACITY PER SHELF



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)**
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Up to 1,200 lb. load capacity.
**Mobile kits recommended only for shelves 18" and deeper.*



WR9-202

STORE-MORE 6" Complete Bin Center

Complete bin systems are available with 4 different size bin options on a 12"W x 36"L x 39"H unit. This all-purpose bin center is an economical high density storage system that provides easy visibility to stored contents.

Bins available in: Blue Red Yellow Clear *(One color per unit)*

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
12"W x 36"L x 36"H - 5 Shelf Systems			
WR5-39-1236-201	32 QSB201	11-5/8" x 4-3/8" x 6"	61 lbs
WR5-39-1236-202	20 QSB202	11-5/8" x 6-5/8" x 6"	57 lbs
WR5-39-1236-207	16 QSB207	11-5/8" x 8-3/8" x 6"	56 lbs
WR5-39-1236-209	12 QSB209	11-5/8" x 11-1/8" x 6"	55 lbs



WR5-39-1236-201



WR9-207



WR9-209

12 SIZES AND 4 COLORS AVAILABLE



LOW COST, LONG LASTING, UNBREAKABLE, REUSABLE, 8" HIGH BINS



LTR-1253
Clear Label Holder and Insert
Clear label holders and laser label inserts.
Clear label holders fit all 8" Shelf Bins.
Package of 25.



DLT-6

Divider Label Tab

Divider Label Tabs attach to existing dividers enabling sections of bin to be labeled. Tabs improve the visibility of bin labels and scanning of barcodes. Package of 6.

STORE-MAX 8" Shelf Bins

Our 8" high bins offer 95% more storage capacity when compared to the standard 4" high bins and 65% more than the 6" high bins. The new STORE-MAX 8" Bins will truly maximize and organize your space. Manufactured from high density polypropylene, STORE-MAX 8" Shelf Bins are the industry standard for quality. These bins feature a molded-in label holder, built-in rear hang-lock which allows bins to tilt out for complete access when on shelving. A wide hopper front allows complete access to the contents of the bin. Edges are reinforced for added strength. They are designed for 12", 18" and 24" deep shelf units, racks, or standard shelving. Optional dividers are a perfect accessory to subdivide and keep parts separated as needed.

Available in: Blue Red Yellow Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	DIVIDER	CTN QTY	NO. OF BIN CUPS PER BIN QBC111	QBC112
QSB801	11-5/8" x 4-1/8" x 8"	10-1/6" x 3" x 8"	36	27 lbs	**DSB801**	50	6	2
QSB802	11-5/8" x 6-5/8" x 8"	10-1/6" x 5-1/2" x 8"	30	26 lbs	**DSB802**	50	9	4
QSB807	11-5/8" x 8-3/8" x 8"	10-1/6" x 7-1/8" x 8"	20	21 lbs	**DSB807**	50	12	4
QSB809	11-5/8" x 11-1/8" x 8"	10-1/6" x 10" x 8"	8	11 lbs	**DSB809**	50	18	6
QSB803	17-7/8" x 4-1/8" x 8"	16-1/2" x 3" x 8"	20	22 lbs	**DSB803**	50	9	3
QSB804	17-7/8" x 6-5/8" x 8"	16-1/2" x 5-1/2" x 8"	20	26 lbs	**DSB804**	50	15	6
QSB808	17-7/8" x 8-3/8" x 8"	16-1/2" x 7-1/8" x 8"	10	15 lbs	**DSB808**	50	19	6
QSB810	17-7/8" x 11-1/8" x 8"	16-1/2" x 10" x 8"	8	17 lbs	**DSB810**	50	29	8
QSB805	23-5/8" x 4-1/8" x 8"	22-1/8" x 3" x 8"	16	24 lbs	**DSB805**	50	13	4
QSB806	23-5/8" x 6-5/8" x 8"	22-1/8" x 5-1/2" x 8"	8	13 lbs	**DSB806**	50	21	8
QSB814	23-5/8" x 8-3/8" x 8"	22-1/8" x 7-1/8" x 8"	6	12 lbs	**DSB814**	50	24	8
QSB816	23-5/8" x 11-1/8" x 8"	22-1/8" x 10" x 8"	6	14 lbs	**DSB816**	50	35	16

To order a full carton add **CS** suffix to Model No. QSB801BL**CS**. **Note:** Bins must be ordered in carton quantities only.



Dividers and Bin Cups

Optional black dividers fit snugly, horizontally across bins to create compartments. Each bin accepts up to 7 dividers.
Bin cups have a raised, slotted label holder for easy parts identification. The entire bin cup may be removed for easy part retrieval. Available in 2 sizes and 2 colors.

Available in: Blue Yellow

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QBC111	3-1/4" x 1-3/4" x 3"	48	4 lbs
QBC112	5-1/8" x 2-3/4" x 3"	48	7 lbs



WR8-801

COMPLETE PACKAGES WITH BINS

CLEAR VIEW BINS AVAILABLE

Up to 800 lb. LOAD CAPACITY PER SHELF



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)**
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Up to 1,200 lb. load capacity.
**Mobile kits recommended only for shelves 18" and deeper.*

STORE-MAX 8" Shelf Bin Wire Shelving Systems - *Complete Packages*

- Easy boltless assembly
- Wire allows air to circulate as well as provides ideal product visibility
- Durable chrome finish ensures years of heavy-duty dependability and service
- All welded shelf construction is supported with super strong wire trusses to provide up to 800 lb. capacity per shelf

Bins available in: Blue Red Yellow Clear *(One color per unit)*

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
12"W x 36"L x 74"H - 8 Shelf Systems			
WR8-801	49 QSB801	11-5/8" x 4-3/8" x 8"	100 lbs
WR8-802	35 QSB802	11-5/8" x 6-5/8" x 8"	103 lbs
WR8-807	28 QSB807	11-5/8" x 8-3/8" x 8"	102 lbs
WR8-809	21 QSB809	11-5/8" x 11-1/8" x 8"	101 lbs
18"W x 36"L x 74"H - 8 Shelf Systems			
WR8-803	49 QSB803	17-7/8" x 4-3/8" x 8"	150 lbs
WR8-804	35 QSB804	17-7/8" x 6-5/8" x 8"	142 lbs
WR8-808	28 QSB808	17-7/8" x 8-3/8" x 8"	138 lbs
WR8-810	21 QSB810	17-7/8" x 11-1/8" x 8"	141 lbs
24"W x 36"L x 74"H - 8 Shelf Systems			
WR8-805	49 QSB805	23-5/8" x 4-3/8" x 8"	194 lbs
WR8-806	35 QSB806	23-5/8" x 6-5/8" x 8"	177 lbs
WR8-814	28 QSB814	23-5/8" x 8-3/8" x 8"	176 lbs
WR8-816	21 QSB816	23-5/8" x 11-1/8" x 8"	169 lbs



WR8-802



WR8-809

STORE-MAX 8" Complete Bin Center


Complete bin systems are available with 4 different size bin options on a 12"W x 36"L x 39"H unit. This all-purpose bin center is an economical high density storage system that provides easy visibility to stored contents.

Bins available in: Blue Red Yellow Clear *(One color per unit)*

MODEL NO.	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
12"W x 36"L x 39"H - 4 Shelf Systems			
WR4-39-1236-801	21 QSB801	11-5/8" x 4-3/8" x 8"	80 lbs
WR4-39-1236-802	15 QSB802	11-5/8" x 6-5/8" x 8"	78 lbs
WR4-39-1236-807	12 QSB807	11-5/8" x 8-3/8" x 8"	77 lbs
WR4-39-1236-809	9 QSB809	11-5/8" x 11-1/8" x 8"	77 lbs



WR4-39-1236-807



STACK 'EM **NEST 'EM** **CROSS STACK 'EM**

QP1265
Shown with optional Dividers **CD1265/LD1265**

QuickPick Bin

6 SIZES AND 3 COLORS AVAILABLE

These heavy-duty, polypropylene storage bins provide an open hopper front and back, allowing double sided access to stored parts. Bins stack one on top of the other, both vertically and cross-wise, and nest when empty for space efficiency. Optional dividers may be used front to back, side to side, or both at the same time, dividing the bin into four sections. A molded in label holder on both the front and back of the bin allows for easy parts identification. Bins can be used on standard metal or wire shelving as well as on desks, bench tops or work stations.

Available in: Blue Red Yellow

MODEL NO.	DIMENSIONS L" x W" x H"	X"*	CTN QTY	CTN WGT	CROSS DIVIDER	CTN QTY	LENGTH DIVIDER	CTN QTY	CLEAR LABEL HOLDER & INSERT
QP965	9-1/2" x 6-5/8" x 5"	6"	20	15 lbs	**CD965**	10	**LD965**	10	**LTR-1253**
QP1265	12-1/2" x 6-5/8" x 5"	9"	20	19 lbs	**CD1265**	10	**LD1265**	10	**LTR-1253**
QP1285	12-1/2" x 8-3/8" x 5"	9"	20	22 lbs	**CD1285**	10	**LD1285**	10	**LTR-1253**
QP1496	14" x 9-1/4" x 6-1/2"	8-1/8"	20	26 lbs	**CD1496**	10	**LD1496**	10	**LTR-1253**
QP1867	18-1/2" x 6-5/8" x 7"	13-1/8"	10	16 lbs	**CD1867**	10	**LD1867**	10	**LTR-1253**
QP1887	18-1/2" x 8-3/8" x 7"	13-1/8"	10	18 lbs	**CD1887**	10	**LD1887**	10	**LTR-1253**

***"X"** dimensions is inside flat bottom length. To order a full carton add **CS** suffix to Model No. QP965BL**CS**. **Note:** Bins must be ordered in carton quantities only.



LTR-1253
Clear Label Holder & Insert
Clear label holders and laser label inserts. Fits all QuickPick Bins. Package of 25.

Dividers

Optional dividers may be used front to back, side to side or both at the same time, dividing the bin into four sections.

THE MOST VERSATILE BIN IN THE INDUSTRY WITH DOUBLE SIDED ACCESS



WRC3-1836-1867

QuickPick Bin Mobile Wire Cart

Carts are available in a 2 or 3 shelf configuration complete with four casters *(all swivel, two with brakes)*. Overall dimensions: 18"W x 36"L x 37-1/2"H. Mobile cart is easy to assemble. One color per cart.

Bins available in: Blue Red Yellow *(One color per unit)*

MODEL NO.	NO. OF BINS	DIMENSIONS L" x W" x H"	CTN WGT
WRC2-1836-1265	10 QP1265	12-1/2" x 6-5/8" x 5"	49 lbs
WRC3-1836-1265	15 QP1265	12-1/2" x 6-5/8" x 5"	64 lbs
WRC2-1836-1285	8 QP1285	12-1/2" x 8-3/8" x 5"	48 lbs
WRC3-1836-1285	12 QP1285	12-1/2" x 8-3/8" x 5"	63 lbs
WRC2-1836-1867	10 QP1867	18-1/2" x 6-5/8" x 7"	55 lbs
WRC3-1836-1867	15 QP1867	18-1/2" x 6-5/8" x 7"	73 lbs
WRC2-1836-1887	8 QP1887	18-1/2" x 8-3/8" x 7"	54 lbs
WRC3-1836-1887	12 QP1887	18-1/2" x 8-3/8" x 7"	72 lbs

Heavy-Duty Wire Shelving with QuickPick Bins - *Complete Packages*

Up to 800 lb. LOAD CAPACITY PER SHELF

These unique shelving packages provide double sided access to stored parts. QuickPick Bins allow two users to access stored product at the same time. This ergonomic, space efficient work station is the ultimate space saver. Shelving systems measure 18"W x 36"L x 74"H and may be ordered with or without a mobile kit. These heavy-duty systems offer up to 800 lb. capacity per shelf. Optional dividers may be used front to back, side to side or both at the same time, dividing the bin into four sections. A molded in label holder on both the front and back of the bin allows for easy part identification.

Bins available in: Blue Red Yellow *(One color per unit)*

MODEL NO.	NO. OF BINS	DIMENSIONS L" x W" x H"	SHIP WGT
W7-12-30	30 QP1265	12-1/2" x 6-5/8" x 5"	110 lbs
W7-12-26	10 QP1265 16 QP1285	12-1/2" x 6-5/8" x 5" 12-1/2" x 8-3/8" x 5"	107 lbs
W7-12-28	20 QP1265 8 QP1285	12-1/2" x 6-5/8" x 5" 12-1/2" x 8-3/8" x 5"	109 lbs
W7-12-24	24 QP1285	12-1/2" x 8-3/8" x 5"	106 lbs
W7-14-18	18 QP1496	14" x 9-1/4" x 6-1/2"	105 lbs
W7-18-30	30 QP1867	18-1/2" x 6-5/8" x 7"	128 lbs
W7-18-26	10 QP1867 16 QP1887	18-1/2" x 6-5/8" x 7" 18-1/2" x 8-3/8" x 7"	125 lbs
W7-18-28	20 QP1867 8 QP1887	18-1/2" x 6-5/8" x 7" 18-1/2" x 8-3/8" x 7"	127 lbs
W7-18-24	24 QP1887	18-1/2" x 8-3/8" x 7"	124 lbs
Mobile Kit			
WR-00H*	Mobilizes Wire Shelving Unit		14 lbs

*Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. 1,200 lb. load capacity. Mobile kits recommended only for shelves 18" and deeper.



W7-12-26

Latch Containers & Wire Shelving System - *Complete Packages*

Quantum's new Latch Containers feature heavy-duty latches on each end that snap lock providing a tight and secure fit. Once latch is engaged parts inside are fully protected from dirt or getting wet. These durable and ultra-strong containers can hold up to 75 lbs. Injection molded from durable, high impact polypropylene. Lids feature reinforced ribs that allow totes to safely and securely stack on top of each other.

Available in: ●Black ○Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE TOP DIMENSIONS L" x W" x H"	INSIDE BOTTOM DIMENSIONS L" x W"	CAP GAL	CTN QTY	CTN WGT	LID	CTN QTY
LC191507	21" x 15-7/8" x 7-3/4"	18-3/8" x 14-5/8" x 7-1/4"	15-7/8" x 12-7/8"	7.03	6	12 lbs	**LID1915**	6
LC191507CL	21" x 15-7/8" x 7-3/4"	18-3/8" x 14-5/8" x 7-1/4"	15-7/8" x 12-7/8"	7.03	6	12 lbs	**LID1915CL**	6

To order a full carton add **CS** suffix to Model No. LC191507BK**CS**. **Note:** Bins must be ordered in carton quantities only.



LID1915 and LID1915CL
Latch Container Lid



LC191507CL and LID1915CL

CONTAINERS HOLD
Up to 75 lbs.



LC191507 and LID1915



LC191507CL
Containers Nesting



LC191507CL and LID1915CL
Containers Stacked with Lid



WR6-191507CL
21"W x 36"L x 74"H
6 shelves with **12 LC191507CL** and **12 LID1915CL**



WR6-191507
21"W x 36"L x 74"H
6 shelves with **12 LC191507** and **12 LID1915**



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)**
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,200 lb. load capacity. **Mobile kits recommended only for shelves 18" and deeper.*


11 SIZES AND 4 COLORS AVAILABLE



DG92060
Shown with optional Clear Label Holder



DIVIDERS
Containers can be divided by length and/or width allowing a subdivision down to a 1-1/8" square compartment size.
Available in Gray.



SNAP ON COVERS
Snap on covers protect contents from damage or dust during shipping and storage.



CLEAR LABEL HOLDER
Fits any size container. Three sizes to choose from. Attach via Velcro fastening.

Dividable Grid Containers

Heavy-duty Dividable Grid Containers can be used in industrial, commercial, electronic and health care industries for storage, assembly, fabrication and distribution applications. These containers offer the safest and most efficient method for compartmentalizing and protecting small to medium sized parts. Dividers allow you to customize the container's interior to meet your exact needs. Containers and covers are available in 4 colors.

Available in: Blue Gray Red Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT	LONG DIVIDER	CTN QTY	SHORT DIVIDER	CTN QTY	COVER	CTN QTY
DG91025	10-7/8" x 8-1/4" x 2-1/2"	9-3/16" x 6-9/16" x 2"	20	16 lbs	**DL91025**	6	**DS91025**	6	**COV91000**	10
DG91035	10-7/8" x 8-1/4" x 3-1/2"	9-3/16" x 6-9/16" x 3"	20	24 lbs	**DL91035**	6	**DS91035**	6	**COV91000**	10
DG91050	10-7/8" x 8-1/4" x 5"	9-3/16" x 6-9/16" x 4-1/2"	20	32 lbs	**DL91050**	6	**DS91050**	6	**COV91000**	10
DG92035	16-1/2" x 10-7/8" x 3-1/2"	14-7/8" x 9-1/4" x 3"	12	23 lbs	**DL92035**	6	**DS92035**	6	**COV92000**	4
DG92050	16-1/2" x 10-7/8" x 5"	14-7/8" x 9-1/4" x 4-1/2"	12	25 lbs	**DL92050**	6	**DS92050**	6	**COV92000**	4
DG92060	16-1/2" x 10-7/8" x 6"	14-7/8" x 9-1/4" x 5-1/2"	8	20 lbs	**DL92060**	6	**DS92060**	6	**COV92000**	4
DG92080	16-1/2" x 10-7/8" x 8"	14-7/8" x 9-1/4" x 7-1/2"	8	27 lbs	**DL92080**	6	**DS92080**	6	**COV92000**	4
DG93030	22-1/2" x 17-1/2" x 3"	20-5/8" x 15-5/8" x 2-1/2"	6	20 lbs	**DL93030**	6	**DS93030**	6	**COV93000**	3
DG93060	22-1/2" x 17-1/2" x 6"	20-5/8" x 15-5/8" x 5-1/2"	3	16 lbs	**DL93060**	6	**DS93060**	6	**COV93000**	3
DG93080	22-1/2" x 17-1/2" x 8"	20-5/8" x 15-5/8" x 7-1/2"	3	19 lbs	**DL93080**	6	**DS93080**	6	**COV93000**	3
DG93120	22-1/2" x 17-1/2" x 12"	20-5/8" x 15-5/8" x 11-1/2"	3	23 lbs	**DL93120**	6	**DS93120**	6	**COV93000**	3

To order a full carton add **CS** suffix to Model No. DG91025BL**CS**. **Note:** Bins must be ordered in carton quantities only.

CLEAR VIEW BINS AVAILABLE



DG92060
Shown with optional Clear Dust Cover Acrylic Inlay

Clear Dust Cover Acrylic Inlays

Clear Acrylic Dust Cover Inlays keep stored items visible while protecting against airborne dust and other contaminants. Cover lays inside on recessed rim of container.

MODEL NO.	FITS BIN MODEL NO.	CTN QTY
DDC91000CL	DG91025, DG91035, DG91050	10
DDC92000CL	DG92035, DG92050, DG92060, DG92080	4
DDC93000CL	DG93030, DG93060, DG93080, DG93120	3



DG92060 and DG93060
Shown with optional Dividers and Clear Covers

Clear Label Holders

MODEL NO.	DIMENSIONS H" x W"	FITS BIN MODEL NO.	CTN QTY
LBL2X8	2" x 8"	DG91025, DG91035, DG92035, DG93030	6
LBL3X5	3" x 5"	DG91050, DG92050, DG92060, DG93060	6
LBL5X8	5" x 8"	DG92080, DG93080, DG93120	6

Clear Covers

MODEL NO.	FITS BIN MODEL NO.	CTN QTY
COV91000CL	DG91025, DG91035, DG91050	10
COV92000CL	DG92035, DG92050, DG92060, DG92080	4
COV93000CL	DG93030, DG93060, DG93080, DG93120	3

9 SIZES AND 4 COLORS AVAILABLE


CLEAR VIEW BINS AVAILABLE



Genuine stack and nest totes

These heavy-duty, tough, and dependable stack and nest totes are the ultimate reusable container for storing and transporting your valuable items in any application. These proven containers are available in nine sizes and three colors for efficiency and inventory control.





Bin Inside Dimensions Guide
A *(top width)* **B** *(top length)* **E** *(height)*
C *(bottom length)* **D** *(bottom width)*

Available in: Blue Gray Red Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS A	B	C	D	E	CAPACITY (CU FT)	CTN QTY	CTN WGT	LID	CTN QTY
snt180	18" x 11" x 6"	10"	16"	15-1/4"	9-3/8"	5-7/8"	0.50	6	12 lbs	**LID181**	6
snt185	18" x 11" x 9"	10"	16"	15-1/8"	9-1/8"	8-7/8"	0.76	6	15 lbs	**LID181**	6
snt190	19-1/2" x 15-1/2" x 10"	14-1/2"	17"	16"	13-1/4"	9-7/8"	1.20	6	23 lbs	**LID191**	6
snt195	19-1/2" x 15-1/2" x 13"	14-1/2"	17"	15-7/8"	13-3/8"	12-7/8"	1.70	6	26 lbs	**LID191**	6
snt200	19-1/2" x 13-1/2" x 8"	12-3/8"	17-7/8"	16-3/8"	11-1/2"	7-7/8"	0.80	6	19 lbs	**LID201**	6
snt225	23-1/2" x 19-1/2" x 10"	18-1/4"	20-7/8"	19-3/8"	16-7/8"	9-7/8"	2.00	3	18 lbs	**LID231**	3
snt230	23-1/2" x 19-1/2" x 13"	18-1/8"	20-7/8"	19-1/2"	16-7/8"	12-7/8"	2.60	3	22 lbs	**LID231**	3
snt240	23-1/2" x 15-1/2" x 12"	14-1/4"	20-7/8"	19-5/8"	13"	11-7/8"	1.70	3	18 lbs	**LID241**	3
snt300	29-1/2" x 19-1/2" x 15"	18-1/4"	26-5/8"	25-1/8"	16-5/8"	14-7/8"	3.70	3	31 lbs	**LID301**	3
snh010	Clear Label Holder - 3" x 5" *(Fits all tote sizes)*							6	1 lb	-	-

To order a full carton add **CS** suffix to Model No. snt180BL**CS**. **Note:** Bins must be ordered in carton quantities only.



snh010
All nine sizes of totes have ability to use our optional 3" x 5" clear label holder. It securely attaches to tote with or without lid for easy part identification.



AL-35
3" x 5" Clear Adhesive Label Holder and Inserts attaches securely to container for easy part identification. Package of 24.



Optional lid snaps on tightly and securely to protect container contents. As pictured, lids can be fastened and locked for added security.

stack and nest totes PERFORMANCE FEATURES:

- Available in 9 sizes
- Standard colors: Blue,Gray, Red and Clear
- Totes are injection molded from high-density polypropylene material and are manufactured from FDA and USDA approved materials
- stack and nest totes will not corrode, bend out of shape, are unaffected by chemicals and are waterproof
- Reusable container will stack with or without lids for maximum storage and shipping
- snt's have the unique ability to stack or they can be turned 180° to nest when empty saving valuable space
- Optional lids for totes can be secured with nylon ties
- Textured bottoms ensure safe and easy, non-slip grip in transit on conveyors

LIGHTWEIGHT, HEAVY-DUTY HDPE SIMPLE SNAP-TOGETHER DESIGN

Up to 500-2,700 lb. LOAD CAPACITY

Polymer Dunnage Rack

MODEL NO.	DIMENSIONS W" x L" x H"	SHIP WGT
Ventilated Top		
362412DPP	24" x 36" x 12"	13 lbs
363612DPP	36" x 36" x 12"	22 lbs
482412DPP	24" x 48" x 12"	19 lbs
662412DPP	24" x 66" x 12"	23 lbs
663612DPP	36" x 66" x 12"	37 lbs
962412DPP	24" x 96" x 12"	34 lbs
963612DPP	36" x 96" x 12"	53 lbs
Solid Top		
362412DPS	24" x 36" x 12"	17 lbs
363612DPS	36" x 36" x 12"	26 lbs
482412DPS	24" x 48" x 12"	21 lbs
662412DPS	24" x 66" x 12"	28 lbs
663612DPS	36" x 66" x 12"	49 lbs
962412DPS	24" x 96" x 12"	41 lbs
963612DPS	36" x 96" x 12"	64 lbs



Polymer Dunnage Rack

For more detailed info
See *pg. 71*



Chrome Wire Shelving System with Genuine stack and nest totes

CLEAR VIEW BINS AVAILABLE

Offering up to 600-800 lb. load capacity per shelf, this chrome wire shelving system with totes is a must have for archival storage, heavy-duty parts organization or inventory control applications. With three packages to choose from offering three colors choices for the bins, this system can be used just about anywhere. System may be made mobile with the addition of the **WR-00H** mobile kit. See ***pg. 124*** for additional information and to order optional accessories.

Up to 600-800 lb. LOAD CAPACITY PER SHELF

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
18"W x 48"L x 74"H - Wire Shelving Systems with stack and nest totes - Totes are available in Gray, Blue, Red and Clear				
WR9-36180	9	36 snt180	18" x 11" x 6"	178 lbs
WR6-24185	6	24 snt185	18" x 11" x 9"	136 lbs
24"W x 66"L x 63"H - Wire Shelving System with stack and nest totes - Totes are available in Gray, Blue, Red and Clear				
WR4-12225	4	12 snt225	23-1/2" x 19-1/2" x 10"	170 lbs

WR9-36180
Shown with optional lid and label holders
(Sold separately)



MOBILIZE YOUR WIRE SHELVING

DB - Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact.

WR-00H *(Mobile Kit)*
Set of four swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. Up to 1,200 lb. load capacity.

Chrome Mobile Wire Shelving Systems with Cross Stack Tubs & QuanTub Nesting Tote

These unique packages provide a storage solution for large, bulky items. These heavy-duty tubs provide easy access to stored parts for assembly areas, picking stations or inventory control. With three packages to choose from, these strong durable totes provide a durable solution for most applications. See ***pg. 85*** for more information.

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
24"W x 60"L x 69"H - Mobile, Wire Shelving System with QuanTub Totes - Totes are available in Gray and Blue				
MWR4-2419-9	4	12 TUB2419-9	24-1/2" x 19" x 9-1/2"	175 lbs
18"W x 36"L x 69"H - Mobile, Wire Shelving System with Cross Stack Tubs - Tubs are available in Gray, Blue and White				
MWR7-1711-8	7	24 TUB1711-8	17-1/4" x 11" x 8"	151 lbs
MWR5-1711-12	5	15 TUB1711-12	17-1/4" x 11" x 12"	118 lbs



MWR4-2419-9
These heavy-duty tubs provide easy access to stored parts for assembly areas



COMPLETE PACKAGES WITH BINS

WR7-92080
Allow for multiple compartment configurations within each bin

Chrome Wire Shelving System with Dividable Grid Containers

CLEAR VIEW BINS AVAILABLE

Same durable chrome wire shelving combined with Quantum's Dividable Grid Containers. These containers allow for multiple compartment configurations within each bin. Offering four different packages, these systems are ideal for small and medium parts storage. System may be made mobile with the addition of the **WR-00H** mobile kit. See ***pg. 123*** for additional container information and to order optional container accessories.

Up to 600-800 lb. LOAD CAPACITY PER SHELF

MODEL NO.	NO. OF SHELVES	NO. OF BINS	BIN DIMENSIONS L" x W" x H"	SHIP WGT
18"W x 48"L x 74"H - Wire Shelving Systems with Dividable Grid Containers - Containers are available in Gray, Blue, Red and Clear				
WR9-92060	9	36 DG92060	16-1/2" x 10-7/8" x 6"	210 lbs
WR7-92080	7	24 DG92080	16-1/2" x 10-7/8" x 8"	174 lbs
24"W x 60"L x 63"H - Wire Shelving System with Dividable Grid Containers - Containers are available in Gray, Blue, Red and Clear				
WR12-93030	12	36 DG93030	22-1/2" x 17-1/2" x 3"	274 lbs
24"W x 60"L x 74"H - Wire Shelving System with Dividable Grid Containers - Containers are available in Gray, Blue, Red and Clear				
WR9-93060	9	24 DG93060	22-1/2" x 17-1/2" x 6"	254 lbs


Stackers - Heavy-Duty Straight Wall Stacking Container

Heavy-duty, straight wall containers maximize your space when used for shipping, storage or work-in progress. Greater strength and durability provided by reinforced corners allowing this strong container to hold the heaviest of parts. Containers are injection molded from high-density polyethylene. Straight wall design allows for modular stacking of all sizes on standard pallets. Hand grips on two sides make the container easy to handle and carry. Up to 175 lb. stack capacity.

Available in: Gray


MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	INSIDE DIMENSIONS L" x W" x H"	CTN QTY	VOLUME (CU FT)	SHIP WGT	LID
RS01207-5	12" x 7-1/2" x 5"	9-3/4" x 5-1/2" x 4-7/8"	1	0.1	2 lbs	-
RS01215-5	12" x 15" x 5"	9-1/2" x 13" x 4-7/8"	1	0.3	2 lbs	**LID1215**
RS01215-7	12"x 15" x 7-1/2"	9-1/2"x 13" x 7"	1	0.5	3 lbs	**LID1215**
RS02415-5	24" x 15" x 5"	21-1/2" x 13" x 4-7/8"	1	0.7	4 lbs	**LID2415**
RS02415-7	24" x 15" x 7-1/2"	21-1/2" x 13" x 7"	1	1.1	5 lbs	**LID2415**
RS02415-9	24" x 15" x 9-1/2"	21-1/2" x 13" x 9"	1	1.4	5 lbs	**LID2415**
RS02422-11*	24" x 22-1/2" x 11"	21-1/2" x 20-1/2" x 10-1/4"	1	3.5	8 lbs	-

*Cannot be used on **DLY-2415**. Use with **DLY-3018** Dolly.



Straight Wall container shown with optional lid **LID2415** *(Sold separately)*

7 SIZES AVAILABLE



MOBILIZE YOUR BINS

Polymer Dollies

DLY-2415 is 24"L x 15"W with 1" Ledge, available in Black.
DLY-3018 is 30"L x 18"W with padded rubber trim, available in Blue.
Set of four 4" x 1-1/4" non-marking swivel poly casters.
Both dollies have up to 1,000 lb. load capacity.

MODEL NO.	DESCRIPTION	CTN WGT
DLY-2415	Dolly with 1" Ledge	14 lbs
DLY-3018	Dolly with Padded Rubber Trim	19 lbs

Bins sold separately




DLY-2415
Interior Dimensions 24"L x 15"W
Exterior Dimensions 28"L x 18-1/2"W



Stronger corner design means increased durability which translates to fewer damaged containers

Secure plastic hinges make containers safer to handle and easier to recycle at end-of-life



Enhanced nesting lug increases strength when stacking nested containers

Redesigned lid features additional ribbing in critical impact areas

9 SIZES AVAILABLE

QDC2115-12



PLASTIC HINGE
generation plastic hinge



QDC2115-9

QDC2115-17

STRONG, RELIABLE, REUSABLE TOTES

QDC2012-7

QDC2213-12

QDC2420-12

QDC2820-15

QDC2515-14

QDC2717-12



Polymer Dolly

DLY-2415 Dolly with 1" Ledge, available in Black. Up to 1,000 lb. load capacity.
Interior Dimensions 24"L x 15"W
Exterior Dimensions 28"L x 18-1/2"W

MODEL NO.	DESCRIPTION	CTN WGT
DLY-2415	Dolly with 1" Ledge	14 lbs

Bins sold separately



QDL-2115
Distribution container has an optional 3" x 5" adhesive clear label holder and insert which attaches securely for easy part identification. Package of 24.

Heavy-Duty Attached Top Containers - *Perfect for distribution and supply centers*

Strong, reliable and reusable totes are ideal for storage, distribution and order picking. Tops are permanently attached with hinges that interlock for stacking strength and security. Stack for maximized storage and nest when empty. Textured, non-slip bottom ensures smooth conveying. Ergonomically designed handles allow for easy lifting. Recessed lids ensure maximum load stability. Padlock eye provides security option allowing lids to be fastened and/or locked. Molded from high density, FDA approved polyethylene. Lids close securely to protect parts from dust or damage.

Available in: Gray Custom

MODEL NO.	OUTSIDE DIMENSIONS TOP L" x W"	OUTSIDE DIMENSIONS BOTTOM L" x W"	INSIDE DIMENSIONS TOP L" x W"	INSIDE DIMENSIONS BOTTOM L" x W"	CONTAINER HEIGHT	VOLUME (CU FT)	CAPACITY GAL	STACK CAP/ QTY STACKED	SHIP WGT
QDC2012-7	19-5/8" x 11-9/16"	17" x 9-1/4"	17-9/16" x 9-13/16"	16-1/4" x 8-5/8"	7-1/2"	0.50	8.75	45 lbs/7	4 lbs
QDC2115-9	21-3/4" x 14-7/8"	18-15/16" x 13-1/8"	19-5/8" x 14"	18-3/8" x 12-9/16	9-5/8"	1.27	9.50	65 lbs/5	6 lbs
QDC2115-12	21-3/4" x 15"	18-9/16" x 12-5/8"	19-3/4" x 14"	18" x 12-1/4"	12-3/4"	1.67	12.50	75 lbs/5	7 lbs
QDC2115-17	21-7/8" x 15-1/8"	18-3/8" x 12-7/8"	20" x 14-1/2"	17-7/8" x 12-1/2"	17-1/4"	2.31	17.25	100 lbs/3	8 lbs
QDC2213-12**	22-1/8" x 12-5/8"	18-7/8" x 10-7/8"	19-7/8" x 12"	18-1/2" x 10-1/8"	11-7/8"	1.42	12.25	75 lbs/5	6 lbs
QDC2420-12*	23-7/8" x 19-3/8"	21-1/4" x 17-5/16"	22-1/4" x 18"	20-5/8" x 16-5/8"	12-1/2"	2.44	18.25	85 lbs/5	8 lbs
QDC2717-12	27-5/16" x 16-9/16"	24-1/4" x 14-1/2"	25-1/8" x 15-3/8"	23-3/8" x 13-3/4"	12-1/2"	2.50	18.75	100 lbs/4	8 lbs
QDC2515-14	25-3/8" x 16-1/4"	22-1/4" x 13-1/4"	23-1/8" x 14-1/4"	21-5/8" x 12-5/8"	14-1/8"	2.20	16.50	100 lbs/4	8 lbs
QDC2820-15*	28-1/8" x 20-5/8"	25-3/8" x 18-3/4"	25-7/8" x 19-3/4"	25-1/8" x 18"	15-5/8"	4.00	29.92	100 lbs/4	13 lbs

*Cannot be used on **DLY-2415**, use with **DLY-3018** Dolly **Manufactured with metal hinge



CUSTOM COLORS AVAILABLE

call for details



HOT STAMPING AVAILABLE

call for details

Bin, Tote and Container Labels

Labels facilitate parts identification and bar coding of the bin contents. Label sizes and availability vary per product. Correct labeling option(s) are specified alongside products details shown throughout the catalog.

INSERTS INCLUDED

Clear Label Holders and Inserts

Clear Label Holders easily slide into molded-in label slot on bin to protect label. Laser and inkjet compatible inserts come in 8-1/2" x 11" perforated sheets. Each package includes 25 clear holders and corresponding printer friendly sheet labels.

6 MODELS AVAILABLE





LTR-700, LTR-0813, LTR-1253, LTR-1300, LTR-1754, LTR-2400

Adhesive Label Holders and Inserts

Adhesive Label Holders are designed to work with bins without molded-in label slots. These label holders will attach securely to a flat surface. Laser and inkjet compatible inserts come in 8-1/2" x 11" perforated sheets. Each package includes 24 adhesive holders and corresponding printer friendly sheet labels.



AL-23



AL-35

Bin Rear Label Holder

New Rear Bin Label Holder clips to the back portion of any plastic bin. Creates a vertical extension for a 1" x 3" label or barcode making it easy to identify the contents of that bin. Each package includes 12 clear holders and corresponding printer friendly sheet labels.





RLH1X3C

INSERTS NOT INCLUDED

Label Holders for Dividable Grid Containers

Label Holders are available for standard and conductive dividable grid containers. Three sizes to choose from *(2" x 8", 3" x 5" and 5" x 8")*. Package of 6.



CLEAR LABEL HOLDER



CONDUCTIVE LABEL HOLDER

Clear Hanging Label Holder

3" x 5" Clear Hanging Label Holder securely attaches to all sizes of stack and nest totes and cross stack tubs. Label holder can be used on totes and tubs with or without lids for easy part identification. Package of 6.



FITS ALL CROSS STACK TUBS


snh010



FITS ALL stack and nest TOTES

Extended Label Holders


Extended Label Holders are designed to slide into the molded label slot of bins to allow for larger bar code scanning or just larger labels. Label holders fit all 4", 6" and 8" Shelf Bins. Provides a 4" x 2-1/4" flat angled surface. Package of 24.



ELH410 and ELH445

Divider Label Tab

Divider Label Tabs attach directly to existing dividers enabling sections of bin to be labeled. Multiple tabs improve the visibility of bin labels and scanning of barcodes. Package of 6.



DLT-6

Plastic Drawer Cabinets

- Heavy-duty reinforced construction.
- Each see through drawer includes a divider.
- Stable stacking and easy wall mounting with pre-configured holes on rear side.
- Drawer stops on each drawer prevents spills.
- Textured drawer pull surface.
- Durable high impact polypropylene frame with clear polypropylene drawers and bins.

Available in: Black and Gray

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	DRAWER QTY	DRAWER DIMENSIONS L" x W" x H"	PKG QTY	PKG WGT
PDC-12BK	6-1/4" x 10-1/2" x 10-1/4"	8 Drawers 4 Drawers	5-1/2" x 2" x 1-1/4" 5-1/2" x 4-1/4" x 2"	1	3 lbs
PDC-18BK	6-1/4" x 15" x 18-3/4"	18 Drawers	5-1/2" x 4-1/4" x 2"	1	5 lbs
PDC-22BK	6-1/4" x 19-1/2" x 10"	14 Drawers 8 Drawers	5-1/2" x 2" x 1-1/4" 5-1/2" x 4-1/4" x 2"	1	5 lbs
PDC-39BK	6-1/4" x 15" x 18-3/4"	30 Drawers 9 Drawers	5-1/2" x 2" x 1-1/4" 5-1/2" x 4-1/4" x 2"	1	6 lbs
PDC-60BK	6-1/4" x 15" x 18-3/4"	60 Drawers	5-1/2" x 2" x 1-1/4"	1	7 lbs
PDC-930BK	6-1/4" x 15" x 18-3/4"	30 Drawers 9 Bins	5-1/2" x 2" x 1-1/4" 5-1/2" x 4-1/4" x 2-3/4"	1	6 lbs



PDC-12BK



PDC-18BK

EASY TO IDENTIFY ITEMS INSIDE



PDC-22BK



PDC-39BK


PDC-60BK



PDC-930BK

Clear Compartment Storage Boxes

Utility boxes offer compartments for small and medium parts storage. Manufactured of clear, see-through polypropylene.

Available in: Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
	Removable Dividers		
QB200	5-1/2" x 2-3/4" x 1-1/4"	12	2 lbs
QB300	6-3/4" x 4-3/4" x 2-1/4"	12	4 lbs
QB400	7-3/4" x 5-1/2" x 1-3/4"	12	5 lbs
QB600	9-1/4" x 6-1/4" x 2-1/5"	6	4 lbs
QB800	11-3/4" x 7-3/4" x 2-1/5"	6	5 lbs
	Fixed Dividers		
QB900	10-1/4" x 13" x 2-3/8"	6	8 lbs

To order a full carton add **CS** suffix to Model No. QB200**CS**. **Note:** Bins must be ordered in carton quantities only.



QB900
- Organizer has 10 fixed compartments



QB200
- Includes 2 fixed and 6 removable dividers creating 3-8 compartments



QB300
- Includes 5 removable dividers creating 1-6 compartments

COMPARTMENTS FOR SMALL AND MEDIUM SIZED PARTS



QB400
- Includes 1 fixed and 6 removable dividers creating 2-8 compartments



QB600
- Includes removable tray and 3 removable dividers creating 1-8 compartments



QB800
- Includes 6 removable dividers creating 1-10 compartments

Organizers

Clear lid design allows quick identification of parts inside. Unique latch design enables lid to close and latch tight and secure. Dividers prevent parts from migrating between various compartments. Organizers manufactured from industrial grade polypropylene.

Available in: Black, Red and Clear

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
Single Sided			
ORG80032	12-1/2" x 10" x 2-1/4"	6	7 lbs
ORG81532	15" x 12-1/4" x 2-3/4"	6	11 lbs
ORG81832	18" x 14" x 3"	4	10 lbs
Double Sided			
ORG80322	12-1/4" x 10-1/4" x 3"	5	9 lbs

To order a full carton add **CS** suffix to Model No.ORG80032**CS**. **Note:** Bins must be ordered in carton quantities only.



ORG80032
Single Sided Organizer

- Offers up to 17 storage compartments
- Includes 12 dividers allowing you to customize the size of the desired compartments inside

SINGLE SIDED



ORG81532
Single Sided Organizer

- Offers up to 23 storage compartments
- Includes 18 dividers allowing you to customize the size of the desired compartments inside

SINGLE SIDED



ORG81832
Single Sided Organizer

- Offers up to 26 storage compartments
- Includes 21 dividers allowing you to customize the size of the desired compartments inside

SINGLE SIDED



ORG80322
Double Sided Organizer

- Offers up to 32 storage compartments
- Includes 24 dividers allowing you to customize the size of the desired compartments inside

DOUBLE SIDED



DIVIDERS INCLUDED

Clear Tip Out Bins

THE ORIGINAL AND INDUSTRY STANDARD

Space saving bin units keep small and medium sized parts organized, sorted and easy to find. These clear, break resistant injection molded plastic containers tip open smoothly to a 45° angle and are completely removable for easy access and refilling. Molded handle with slots for labels provided. Bins are easily cleaned with soap and water. Polystyrene cabinet can be stacked or wall mounted. Exterior available in 3 colors. Cups are clear. Optional dividers, locking rod and louvered panel bracket also available.

Available in: Ivory Gray White

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CUP DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QTB301	11-3/4" x 11-13/16" x 13-7/8"	8-7/8" x 11-1/16" x 13-5/8"	1	7 lbs
QTB302	11-3/4" x 23-5/8" x 13-7/8"	8-7/8" x 11-1/16" x 13-5/8"	1	14 lbs
QTB303	7-3/4" x 23-5/8" x 9-1/2"	5-7/8" x 7-3/8" x 8-5/8"	1	9 lbs
QTB304	6-5/8" x 23-5/8" x 8-1/8"	5" x 5-5/8" x 7-1/2"	1	7 lbs
QTB305	5-1/4" x 23-5/8" x 6-1/2"	3-3/4" x 4-1/4" x 5-3/4"	1	5 lbs
QTB306	3-5/8" x 23-5/8" x 4-1/2"	2-5/8" x 3-1/2" x 3-3/4"	1	2 lbs
QTB309	2-1/2" x 23-5/8" x 3-1/8"	1-3/4" x 2-3/16" x 2-1/2"	1	2 lbs
DIV303	3 Dividers for QTB303		3	2 lbs
DIV304	4 Dividers for QTB304		4	1 lb
QLR500	Locking Rod for 23-5/8"W Tip Out Bins		1	1 lb
QTB-LP-BKT	Louvered Panel Bracket Pair for Tip Out Bins *(Sold as a pair)*		2	1 lb



DIV303 and DIV304
QTB303 and **QTB304** cup can use optional divider, as shown.



QTB-LP-BKT
Louvered Panel Bracket
Hang 23-5/8"W bin on louvered panel using bracket. Available in Beige or Gray. Panels available on ***pg. 76***.



QLR500
Locking Rod
Keeps bins from tilting open. Can be used with 23-5/8"W bins.

TIP OUT BIN CLEAR COMPARTMENTS KEEP SMALL ITEMS SORTED AND EASY TO FIND



QTB309
QTB306
QTB305
QTB304
QTB303



QTB309



QTB306



QTB305



QTB304



QTB303



QTB302



QTB301

CLEAR TIP OUT BIN SYSTEMS

CAN BE USED IN ANY APPLICATION



INDUSTRIAL, MECHANICAL AND PLUMBING SUPPLIES
Very handy for the garage, tool shed, service vehicle, factory, hardware and home center facilities.



MEDICAL
Very efficient when it comes to organizing and keeping an effective inventory in hospitals, pharmacies, labs or clinics.



PLAYROOM
The smartest organizer after a hard day's play. It will help keep your child's room in order.

Individual Tip Out Bins

These unique bins have the ability to interlock horizontally or vertically. Available in three popular sizes, these bins allow you to create your own customized Tip Out Bin storage system perfect for color coding.

QTB405 and QTB406 available in: Ivory Gray White
QTB409 available in: Blue Red Yellow White

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QTB405	5-1/4" x 4-3/4" x 6-1/4"	5	6 lbs
QTB406	3-5/8" x 4-1/16" x 4-1/4"	6	4 lbs
QTB409	2-3/8" x 2-13/16" x 3"	9	3 lbs

To order a full carton add **CS** suffix to Model No. QTB405BL**CS**. **Note:** Bins must be ordered in carton quantities only.



BINS INTERLOCK VERTICALLY AND HORIZONTALLY





QTB409 **QTB406** **QTB405**

Dividable Tip Out Bins

These bins feature removable and adjustable dividers so that the clear bin can be partitioned into smaller compartments. Ideal for larger or longer items, these clear Tip Out Bins are molded from the same strong and flexible material as our standard bins. The flexibility of bins allow the user to determine the size and volume of each storage compartment. Exterior available in 3 colors. Cups are clear.

Available in: Ivory Gray White

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CTN QTY	CTN WGT
QTB410	5-1/4" x 11-7/8" x 5-15/16"	1	3 lbs
DIV400	Divider for Dividable Tip Out Bins	4	1 lb

PERFORMANCE FEATURES:

- Bins can be stacked as modular units or used individually
- Exterior housing is injection molded from high impact Polystyrene
- Clear bin cups are injection molded from a custom blend of Phillips K Resin and Crystal Styrene for clarity and durability
- Compartments tip open smoothly to a 45° angle and provide comfortable and complete access to stored items
- The flexibility of the system allows you to customize your own system to meet your specific needs



QTB410
QTB410 is a one bin design, 12" wide
Each **QTB410** comes with **3 DIV400** clear dividers*

***Note:** Dividers shown in white color for clarity*

TIP OUT BIN

21 Compartment Tip Out Bin Set


- 21 clear cups inside one unit
- Clear cups with blue handles

Available in: Gray

MODEL NO.	OUTSIDE DIMENSIONS L" x W" x H"	CUP DIMENSIONS L" x W" x H"	CUP QTY	PKG QTY	PKG WGT
QTB669	3-5/8" x 23-5/8" x 11-1/6"	2-5/8" x 3-1/2" x 3-3/4" 1-3/4" x 2-3/16" x 2-1/2"	12 9	4	24 lbs



QTB669



3D MODEL VIEW

Layout & Design Services

Design assistance is available for all your major projects from room layouts to shelving or cart design. We'll create and develop an integrated system around your requirements. Layouts can be created to accommodate your space with the appropriate product mix consisting of:

- **Wire Shelving**
- **Stationary Shelving**
- **Bins**
- **Wall Systems**
- **Baskets**
- **Containers**
- **Hi-Density Mobile Track Systems**
- **Overhead Track Systems**

Quantum Storage offers the most complete package of storage products to satisfy all your requirements. Let us review your next project to maximize your storage space.


- **Industry Exclusive 3D Modeling**
- **Revit Blueprint and AutoCAD Compatible**
- **Space Utilization and Maximization**
- **Plan-o-grams**

TO ACHIEVE THE BEST RESULTS, PLEASE PROVIDE THE FOLLOWING INFORMATION:

- *Room dimensions with door locations and door clearances, column locations (L x W) and ceiling height*
- *For shelving units, provide the number of shelf tiers, post height and indicate stationary or mobile*
- *If bins are required, indicate the appropriate size and whether they are to be used on shelving or wall mounted louvered panels*

DESIGN ASSISTANCE
AVAILABLE

2D PLAN VIEW





***Prices subject to change without notice.**
Visit us online to view our complete product offering.



TERMS:
Net 30 days upon credit approval. *(Additional cash discounts are not permitted.)*
Prices are F.O.B. Shipping Point.

MINIMUM ORDER:
One carton of any bin item. **NO MINIMUM ORDER ON WIRE SHELVING**.

METHODS OF SHIPMENT:
Where no special instructions are specified, Quantum Food Service will exercise its best judgement in as far as the type of carrier and routing, shipping prepaid and add, but will accept no liability for shipping charges incurred. Freight and delivery estimates are available upon request but are not guaranteed.

PRODUCT RETURNS:
Product must be returned in original unused cartons and made within 30 days from date of shipment. All returns must have prior written authorization issued by Quantum Food Service. Returned goods are subject to a 25% restock charge. All freight on returned goods must be prepaid by the shipper unless prior written arrangements have been made by Quantum Food Service. Only full cartons can be returned for credit. Items made for special orders *(special color, mobile bins, hot stamping, etc.)* are not returnable for credit.

DAMAGED GOODS:
Instruct your drayman not to accept goods from the Transportation Company unless the goods are in perfect condition and the number of pieces according to the delivery receipt has been verified. If any damage is discovered, make the proper notations on the receipt before signing it. All claims may be rejected if notice not given within 5 days per I.C.C. Rule.

CONCEALED DAMAGE:
Should the damage not be discovered until after the goods are unpacked, it should be reported at once to the respective carrier agent who will make an inspection and will grant a "concealed damage" notation. This report must be made to the Agent of delivering carrier immediately upon delivery. UNLESS this is done, all goods replaced or repaired on account of damage must be at your expense. We cannot be held responsible for the carelessness or negligence of the Transportation Company and its employees as the goods leave our place of business and are signed for by the Transportation Company "in perfect condition".

ORDER CANCELLATION:
Will not be accepted without the written authorization from Quantum Food Service, FL offices. Cancellation of orders already scheduled or in process may be accepted, subject to charge for expenses incurred as a result of the cancellation.

SALES TAXES:
Local, state, and federal sales tax, if applicable, are not shown in this price list and are additional when product is resold by authorized distributors to users subject to such taxes.

LIMITED WARRANTY:
Quantum Food Service, 15800 NW 15th Avenue, Miami, FL 33169, warrants that the product contained herein will be free from defects in material or workmanship for a period of one year from the date of purchase, unless otherwise specified. If the product fails to function because of defects in material or workmanship within that period of time, and is used to fulfill the purpose for which it is designed, consistent with normal usage, Quantum Food Service, at its option, will repair or replace the unit, provided it is returned to Quantum Food Service with proof of purchase, postage prepaid.

REASONABLE VARIATIONS, in the precise electrostatic properties of the compounds described may be materially affected by the molding techniques applied and by the size and shape of the item molded. No assurance can be implied that all molded articles will have the same properties as those listed. It is the user's responsibility to determine that all Quantum Food Service's bins, containers and metal products meet all specifications required before intended use and assumes all risks related to such determination and usage.



SUPPORT

SALES SUPPORT
Sample Requests, Catalogs/Literature, Vendor Forms, Credit Applications, Pricing, CAD, Inventory, Product Inquiries, Freight Estimates, Lead Time, Quotes, Marketing & General Sales Support
sales@quantumfoodservice.com

ORDER SUPPORT
Submit Purchase Orders
orders@quantumfoodservice.com

CUSTOMER SERVICE
Existing Order Updates, Tracking, Lead Times, Order Changes, Scheduled Deliveries, Delivery Instructions
customerservice@quantumfoodservice.com

ACCOUNTING
Credit Application Submission, Outstanding Invoices, Credit Hold, Payment Options
accountsreceivable@quantumfoodservice.com



MODEL NO. ..... PG.
1006DHB - 1006DHB-SQ 74
1017HBC - 1047HBC 74, 75
1224BK - 1272BK 24
1224C - 1272C 24
1224GY - 1772GY 24
1224P - 1272P 24
1224RCSBK - 1260RCSBK 52
1224RCSGY - 1260RCSGY 52
1224RCSP - 1260RCSP 52
1236S - 1272S 52
1275-423 - 1275-445 101
1424BK - 1472BK 24
1424C - 1472C 24
1424GY - 1472GY 24
1424P - 1472P 24
1424WPM - 1472WPM 20
1424WPMS - 1472WPMS 20
1430S - 1472S 24
1430SS - 1472SS 37
1436-74BWSEC - 1436-74MIXSECBK 81
1436BC - 1448BC 66
1436SG - 1472SG 37
1436WSBK - 1448WSBK 80
1436WSC - 1448WSC 80
1448-74BWSEC - 1448-74MIXSECBK 81
1606DHB - 1606DHB-SQ 74
1617HBC - 1647HBC 74, 75
182414DGY - 186014DGY 72
182434DGY - 182454DGY 73
1824BK - 1872BK 24
1824C - 1872C 24
1824DSGY - 2460DSGY 52
1824FGY - 1860FGY 53
1824GY - 1872GY 24
1824P - 1872P 24
1824S - 1872S 24
1824SG - 1872SG 37
1824SS - 1872SS 37
1824WPM - 1872WPM 20
1824WPMS - 1872WPMS 20
1826ESD - 1826TR 86
183034DGY - 183054DGY 73
183614PC - 183614PP 72
183634DGY - 183654DGY 73
183660EPC - 183660EPP 50
1836-63SEC - 1836-63SECP-2 50
1836COV 34
1836CRNC - 1836CRNP 51
1836DS - 2460DS 52
1836FC - 1860FC 53
1836FP - 1860FP 53
1836FS - 1860FS 53
1836SL - 1848SL 53
1836SL6C - 1848SL6C 78
1836SM 34
184234DGY - 184254DGY 73
184814PC - 184814PP 72
184834DGY - 184854DGY 73
184860EPC - 184860EPP 50
1848-63SEC - 1848-63SECP-2 50
1848COV 34
1848SM 34
186014PC - 186014PP 72
186034DGY - 186054DGY 73
186060EPC - 186060EPP 50
1860-63SEC - 1860-63SECP-2 50
1860COV 34
1860SM 34
1872COV 34
1872SM 34
1875-461 - 1875-465 101
18TB -36TB 31
2026ESD - 2026TR 86
203612BC - 204812BC 66
2036BC - 2048BC 66
2124BK - 2472BK 24
2124C - 2472C 24
2124GY - 2472GY 24
2124P - 2472P 24
2124S - 2472S 24
2124SG - 2172SG 37
2124SS - 2172SS 37
2124WPM - 2172WPM 20
2124WPMS - 2172WPMS 20
213660EPC - 213660EPP 50
2136-63SEC - 2136-63SECP-2 50
214860EPC - 214860EPP 50
2148-63SEC - 2148-63SECP-2 50
2148FSGY - 2160FSGY 53
216060EPC - 216060EPP 50
2160-63SEC - 2160-63SECP-2 50
242414DGY - 246014DGY 72
2424BK - 2472BK 24
2424C - 2472C 24
2424FGY - 2460FGY 53
2424GY - 2472GY 24
2424P - 2472P 24
2424S - 2472S 24
2424SG - 2472SG 37
2424SS - 2472SS 37
2424WPM - 2472WPM 20
2424WPMS - 2472WPMS 20
243034DGY - 243054DGY 73
2430SSTOP - 3072SSTOP 69
243614PC - 243614PP 72
243634DGY - 243654DGY 73
243660EPC - 243660EPP 50
2436-63SEC - 2436-63SECP-2 50
2436COV 34
2436FC - 2460FC 53
2436FP - 2460FP 53
2436FS - 2460FS 53
2436SL - 2448SL 53
2436SL6C - 2448SL6C 78
2436SM 34
244234DGY - 244254DGY 73
2442CRNC - 2442CRNP 51
244814PC - 244814PP 72
244834DGY - 244854DGY 73
244860EPC - 244860EPP 50
2448-63SEC - 2448-63SECP-2 50
2448COV 34
2448SM 34
246014PC - 246014PP 72
246034DGY - 246054DGY 73
246060EPC - 246060EPP 50
2460-63SEC - 2460-63SEC-2 50
2460-63SECP - 2460-63SECP-2 50
2460CHD 24
2460COV 34
2460SM 34
2472CHD 24
2472COV 34
2472SM 34
2475-483 - 2475-485 101
24BH - 60BH 53
3030GY - 3072GY 24
3036BK - 3072BK 24
3036C - 3072C 24
3036P - 3072P 24
3036S - 3072S 24
362412DPP - 363612DPS 71, 124
3636BK - 363672BK 24
3636C - 363672C 24
3636GY - 363672GY 24
3636P - 363672P 24
3636S - 363672S 24
482412DPP - 482412DPS 71, 124
4X3HBD - 4X15HBD 76
52RT - 84RT 43
662412DPP - 663612DPS 71, 124
962412DPP - 963612DPS 71, 124

A

AD54-1236BK - AD54-1272BK-5 26
AD54-1236C - AD54-1272C-5 26
AD54-1236GY - AD54-1272GY-5 26
AD54-1236P - AD54-1272P-5 26
AD54-1236S - AD54-1272S-5 26
AD54-1424BK - AD54-1472BK-5 26
AD54-1424C - AD54-1472C-5 26
AD54-1424GY - AD54-1472GY-5 26
AD54-1424P - AD54-1472P-5 26
AD54-1430S - AD54-1472S-5 26
AD54-1436SG - AD54-1472SG 38
AD54-1436SG-5 - AD54-1472SG-5 39
AD54-1824BK - AD54-1872BK-5 26
AD54-1824C - AD54-1872C-5 26
AD54-1824GY - AD54-1872GY-5 26
AD54-1824P - AD54-1872P-5 26
AD54-1824S - AD54-1872S-5 26
AD54-1836SG - AD54-1872SG 38
AD54-1836SG-5 - AD54-1872SG-5 39
AD54-2124BK - AD54-2172BK-5 26
AD54-2124C - AD54-2172C-5 26
AD54-2124GY - AD54-2172GY-5 26
AD54-2124P - AD54-2172P-5 26
AD54-2124S - AD54-2172S-5 26
AD54-2136SG - AD54-2172SG 38
AD54-2136SG-5 - AD54-2172SG-5 39
AD54-2424BK - AD54-2472BK-5 26
AD54-2424C - AD54-2472C-5 26
AD54-2424GY - AD54-2472GY-5 26
AD54-2424P - AD54-2472P-5 26
AD54-2424S - AD54-2472S-5 26
AD54-2436SG - AD54-2472SG 38
AD54-2436SG-5 - AD54-2472SG-5 39
AD54-3036BK - AD54-3072BK-5 26
AD54-3036C - AD54-3072C-5 26
AD54-3036GY - AD54-3072GY-5 26
AD54-3036P - AD54-3072P-5 26
AD54-3036S - AD54-3072S-5 26
AD54-3636BK - AD54-3672BK-5 26
AD54-3636C - AD54-3672C-5 26
AD54-3636GY - AD54-3672GY-5 26
AD54-3636P - AD54-3672P-5 26
AD54-3636S - AD54-3672S-5 26
AD63-1236BK - AD63-1272BK-5 27
AD63-1236C - AD63-1272C-5 27
AD63-1236GY - AD63-1272GY-5 27
AD63-1236P - AD63-1272P-5 27
AD63-1236S - AD63-1272S-5 27
AD63-1424BK - AD63-1472BK-5 27
AD63-1424C - AD63-1472C-5 27
AD63-1424GY - AD63-1472GY-5 27
AD63-1424P - AD63-1472P-5 27
AD63-1430S - AD63-1472S-5 27
AD63-1436SG - AD63-1472SG 38
AD63-1436SG-5 - AD63-1472SG-5 39
AD63-1824BK - AD63-1872BK-5 27
AD63-1824C - AD63-1872C-5 27
AD63-1824GY - AD63-1872GY-5 27
AD63-1824P - AD63-1872P-5 27
AD63-1824S - AD63-1872S-5 27
AD63-1836SG - AD63-1872SG 38
AD63-1836SG-5 - AD63-1872SG-5 39
AD63-2124BK - AD63-2172BK-5 27
AD63-2124C - AD63-2172C-5 27
AD63-2124GY - AD63-2172GY-5 27
AD63-2124P - AD63-2172P-5 27
AD63-2124S - AD63-2172S-5 27
AD63-2136SG - AD63-2172SG 38
AD63-2136SG-5 - AD63-2172SG-5 39
AD63-2424BK - AD63-2472BK-5 27
AD63-2424C - AD63-2472C-5 27
AD63-2424GY - AD63-2472GY-5 27
AD63-2424P - AD63-2472P-5 27
AD63-2424S - AD63-2472S-5 27
AD63-2436SG - AD63-2472SG 38
AD63-2436SG-5 - AD63-2472SG-5 39
AD63-3036BK - AD63-3072BK-5 27
AD63-3036C - AD63-3072C-5 27
AD63-3036GY - AD63-3072GY-5 27
AD63-3036P - AD63-3072P-5 27
AD63-3036S - AD63-3072S-5 27
AD63-3636BK - AD63-3672BK-5 27
AD63-3636C - AD63-3672C-5 27
AD63-3636GY - AD63-3672GY-5 27
AD63-3636P - AD63-3672P-5 27
AD63-3636S - AD63-3672S-5 27
AD74-1236BK - AD74-1272BK-5 28
AD74-1236C - AD74-1272C-5 28
AD74-1236GY - AD74-1272GY-5 28
AD74-1236P - AD74-1272P-5 28
AD74-1236S - AD74-1272S-5 28
AD74-1424BK - AD74-1472BK-5 28
AD74-1424C - AD74-1472C-5 28
AD74-1424GY - AD74-1472GY-5 28
AD74-1424P - AD74-1472P-5 28
AD74-1430S - AD74-1472S-5 28
AD74-1436SG - AD74-1472SG 38
AD74-1436SG-5 - AD74-1472SG-5 39
AD74-1824BK - AD74-1872BK-5 28
AD74-1824C - AD74-1872C-5 28
AD74-1824GY - AD74-1872GY-5 28
AD74-1824P - AD74-1872P-5 28
AD74-1824S - AD74-1872S-5 28
AD74-1836SG - AD74-1872SG 38
AD74-1836SG-5 - AD74-1872SG-5 39
AD74-2124BK - AD74-2172BK-5 28
AD74-2124C - AD74-2172C-5 28
AD74-2124GY - AD74-2172GY-5 28
AD74-2124P - AD74-2172P-5 28
AD74-2124S - AD74-2172S-5 28
AD74-2136SG - AD74-2172SG 38
AD74-2136SG-5 - AD74-2172SG-5 39
AD74-2424BK - AD74-2472BK-5 28
AD74-2424C - AD74-2472C-5 28
AD74-2424GY - AD74-2472GY-5 28
AD74-2424P - AD74-2472P-5 28
AD74-2424S - AD74-2472S-5 28
AD74-2436SG - AD74-2472SG 38
AD74-2436SG-5 - AD74-2472SG-5 39
AD74-3036BK - AD74-3072BK-5 28
AD74-3036C - AD74-3072C-5 28
AD74-3036GY - AD74-3072GY-5 28
AD74-3036P - AD74-3072P-5 28
AD74-3036S - AD74-3072S-5 28
AD74-3636BK - AD74-3672BK-5 28
AD74-3636C - AD74-3672C-5 28
AD74-3636GY - AD74-3672GY-5 28
AD74-3636P - AD74-3672P-5 28
AD74-3636S - AD74-3672S-5 28
AD86-1236BK - AD86-1272BK-5 29
AD86-1236C - AD86-1272C-5 29
AD86-1236GY - AD86-1272GY-5 29
AD86-1236P - AD86-1272P-5 29
AD86-1236S - AD86-1272S-5 29
AD86-1424BK - AD86-1472BK-5 29
AD86-1424C - AD86-1472C-5 29
AD86-1424GY - AD86-1472GY-5 29
AD86-1424P - AD86-1472P-5 29
AD86-1430S - AD86-1472S-5 29
AD86-1436SG - AD86-1472SG 38
AD86-1436SG-5 - AD86-1472SG-5 39
AD86-1824BK - AD86-1872BK-5 29
AD86-1824C - AD86-1872C-5 29
AD86-1824GY - AD86-1872GY-5 29
AD86-1824P - AD86-1872P-5 29
AD86-1824S - AD86-1872S-5 29
AD86-1836SG - AD86-1872SG 38
AD86-1836SG-5 - AD86-1872SG-5 39
AD86-2124BK - AD86-2172BK-5 29
AD86-2124C - AD86-2172C-5 29
AD86-2124GY - AD86-2172GY-5 29
AD86-2124P - AD86-2172P-5 29
AD86-2124S - AD86-2172S-5 29
AD86-2136SG - AD86-2172SG 38
AD86-2136SG-5 - AD86-2172SG-5 39
AD86-2424BK - AD86-2472BK-5 29
AD86-2424C - AD86-2472C-5 29
AD86-2424GY - AD86-2472GY-5 29
AD86-2424P - AD86-2472P-5 29
AD86-2424S - AD86-2472S-5 29
AD86-2436SG - AD86-2472SG 38
AD86-2436SG-5 - AD86-2472SG-5 39
AD86-3036BK - AD86-3072BK-5 29
AD86-3036C - AD86-3072C-5 29
AD86-3036GY - AD86-3072GY-5 29
AD86-3036P - AD86-3072P-5 29
AD86-3036S - AD86-3072S-5 29
AD86-3636BK - AD86-3672BK-5 29
AD86-3636C - AD86-3672C-5 29
AD86-3636GY - AD86-3672GY-5 29
AD86-3636P - AD86-3672P-5 29
AD86-3636S - AD86-3672S-5 29
AL-23 - AL-35 128

B

BC212434M1 77
BC212439M2 - BC212439M7 77
BC212469M - BC212469M11 77
BL36 - BL72S 31
BLH3C - BLH56C 35
BSK1824C - BSK2460C 58

C

CAN-34-1436BC-PWB - CAN-34-204812BC-PWB 66
CB12 - CB24P 65
CC183663 - CC187274 46
CC243663 - CC247274 46
CD965 - CD1887 121
COV210 - COV248 93
COV91000 - COV93000 123
CR24GY 23
CRDUS238 - CRDUS270 93
CRDUS957 102
CT27-1824GY-230 - CT27-1836GY-230 83

D

DB 33
DB1836C - DB2460S 30
DB1836C-PT - DB2460S-PT 30
DCB12 - DCB24P 65
DDC91000CL - DDC93000CL 123
DDS-24 30
DG91025 123
DG91035 123
DG91050 123
DG92035 ..... 78, 123
DG92050 123
DG92060 ..... 78, 123
DG92080 ..... 78, 123
DG93030 ..... 123, 125
DG93060 ..... 77, 123
DG93080 123
DG93120 123
DH8 34
DIV12 - DIV36 31
DIV12BK - DIV36BK 31
DIV12GY - DIV36GY 31
DIV12P - DIV36P 31
DIV12S - DIV36S 31
DIV18SL - DIV24SL 53
DIV24X21GY 31
DIV24X3SW 31
DIV24X6 31
DIV303 - DIV304 132
DIV304 132
DIV401 97
DIV501/604 97
DIV6123 97
DIV701/606 97
DIV801 97
DL91025 - DL93120 123
DLT-6 128
DLY-2415 ..... 126, 127
DLY-3018 ..... 85, 92
DMB510C - DMB565C 98
DMS531 - DMS543 112
DS18-24 ..... 30, 77
DS91025 - DS93120 123
DSB101 - DSB118/122 114
DSB201 - DSB218/222 117
DSB801 - DSB816 119
DSK18 - DSK24 58
DSS401 - DSS405 100
DUS210 - DUS270 93
DWB12 - DWB24P 65
DWBD12 - DWBD24P 65

E

EL-12406 71
ELH410 - ELH445 ..... 114, 117
EP126 - EP228S 30
EP126-CUT - EP228S-CUT 30
EP-CLIP 30

F

FG 20, 23, 32
FP 20, 23, 32
FSB-1295 87
FSB-1544 87
FSB-20113 87
FSB-20155 87
FSB-20155R 87
FSB-21155 87
FSB-21155R 87
FSB-21157 87
FSB-21157R 87
FSB-21165 87
FSB-22175 87
FSB-22177R 87
FSB-DL1813 84
FSB-DT18133 84
FSB-L2016 87
FSB-L2115 87
FSB-L2115R 87
FSB-L2216 87
FSB-L2217 87
FSB-MD3LP3L 84
FSB-PL2618 84
FSB-PT26183 84
FSB-PT26186 84
FSB-PTDLY 84

G

GR24 - GR72S 30

H

HANDLE-DLY 85, 92
HB14C - HB60S 30
HBL165C - HBL465C 35, 74, 76
HBL3C 35, 76, 98
HD18 - HD36 56
HD18-2 - HD36-3 57
HD18-2DR - HD36-3DR 57
HMB510C - HMB565C 98

K

KEYBD 30

L

LBL2X8 - LBL5X8 ..... 123, 128
LBL2X8CO - LBL5X8CO 128
LC191507 122
LD965 - LD1887 121
LDSB118 - LDSB122 114
LDSB218 - LDSB222 117
LH3B - LH69C 35
LHA3C - LHA24C 35
LHE3X5C 35
LHI-3 - LHI-6 35
LID1215 126
LID1711 85
LID181 - LID301 124
LID1915 122
LID2415 126
LID2417 85
LID2516-8 85
LID-4845 107
LTR-0813 ..... 114, 128
LTR-1253 ..... 93, 128
LTR-1300 ..... 93, 128
LTR-1754 ..... 93, 128
LTR-2400 ..... 93, 128
LTR-700 ..... 110, 128

M

M1436-69BWSEC - M1448-69BWSECBK 81
M1436-69MIXSEC - M1448-69MIXSECBK 81
M18246DGY - M18606DGY 72
M1836-69SEC - M1836-69SEC-2 50
M1836-69SECP - M1836-69SECP-2 50
M1836BK46 - M1860BK46-5 42
M1836BK47 - M1860BK47-5 42
M1836C46 - M1860C46-5 42
M1836C46RE - M1860C46RE-5 43
M1836C47 - M1860C47-5 42
M1836C47RE - M1860C47RE-5 43
M1836CG46 - M1860CG46-5 42
M1836CG46RE - M1860CG46RE-5 44
M1836CG47 - M1860CG47-5 42
M1836CG47RE - M1860CG47RE-5 44



M1836GY46 - M1860GY46-5 42
M1836GY47 - M1860GY47-5 42
M1836P46 - M1860P46-5 42
M1836P47 - M1860P47-5 42
M1836SG46 - M1860SG46-5 45
M1836SG47 - M1860SG47-5 45
M1836SL34C 78
M1836SL6C 78
M1836SS46 - M1860SS46-5 42
M1836SS47 - M1860SS47-5 42
M1848SL34C 78
M1848SL6C 78
M24246DGY - M24606DGY 72
M2436BK46 - M2460BK46-5 42
M2436BK47 - M2460BK47-5 42
M2436C46 - M2460C46-5 42
M2436C46E - M2460C46E-5 45
M2436C46RE - M2460C46RE-5 43
M2436C47 - M2460C47-5 42
M2436C47RE - M2460C47RE-5 43
M2436CG46 - M2460CG46-5 42
M2436CG46RE - M2460CG46RE-5 44
M2436CG47 - M2460CG47-5 42
M2436CG47RE - M2460CG47RE-5 44
M2436GY46 - M2460GY46-5 42
M2436GY47 - M2460GY47-5 42
M2436P46 - M2460P46-5 42
M2436P46E - M2460P46E-5 45
M2436P47 - M2460P47-5 42
M2436SG46 - M2460SG46-5 45
M2436SG47 - M2460SG47-5 45
M2436SL34C 78
M2436SL6C 78
M2436SS46 - M2460SS46-5 42
M2436SS47 - M2460SS47-5 42
M2436W46DR 22, 90
M2448SL34C 78
M2448SL6C 78
M2448W46DR 22, 90
M2460W46DR 22, 90
MD1836-70SEC - MD2460-70SEC-2 50
MD1836-70SECP - MD2460-70SECP-2 50
MD1836C46RE - MD1860C46RE-5 43
MD1836C47RE - MD1860C47RE-5 43
MD1836CG46RE - MD1860CG46RE-5 44
MD1836CG47RE - MD1860CG47RE-5 44
MD2436C46RE - MD2460C46RE-5 43
MD2436C47RE - MD2460C47RE-5 43
MD2436CG46RE - MD2460CG46RE-5 44
MD2436CG47RE - MD2460CG47RE-5 44
MWR4-2419-9 125
MWR5-1711-12 125
MWR7-1711-8 125
MWRS-5-92035 - MWRS-5-92080 78
MWRS-7-103 - MWRS-7-110 78
MWRS-7-602 - MWRS-7-606 78

N

NPB1076 91

O

ORG80032 - ORG81832 131

P

P6BK 25
P6C 25, 37
P6GY 25
P6P 20, 25
P6S 25, 37
P14BK 25
P14C 25, 37
P14GY 25
P14P 20, 25
P14S 25, 37
P34BK 25
P34C 25, 37
P34GY 25
P34P 20, 25
P34S 25, 37
P36C 25
P39BK 25
P39C 25, 37
P42S 25, 37
P54BK 25
P54C 25, 37
P54GY 25
P54P 20, 25
P54S 25, 37
P63BK 25
P63C 25, 37
P63GY 25
P63P 20, 25
P63S 25, 37
P74BK 25
P74C 25, 37
P74GY 25
P74P 20, 25
P74S 25, 37
P86BK 25
P86C 25, 37
P86GY 25
P86P 20, 25
P86S 25, 37
P96BK 25
P96C 25, 37
P96GY 25
P96P 20, 25
P96S 25, 37
PC3518-33 - PC3518-33-3 89
PC3518SHELF 89
PC4026-33 - PC4026-33-3 89
PC4026SHELF 89
PC-CAS-RG 89
PC-CAS-SW 89
PCL1 - PCL2 31
PDC-12BK - PDC-930BK 129
PFTC4026-33-2 - PFTC4026-33-3 89
PH18 - PH36S 31
PLH1X6C - PLH2X4C 25, 37
PSC-5S 33
PS-LH3 ..... 35, 98
PT-NR 33
PT-NS 33
PT-PR 33
PT-PR6 33
PT-PR-S 33
PT-PS 33
PT-PS6 33
PT-PSB 33
PT-PSB6 33
PT-PSB-S 33
PT-PS-S 33
PWB 65

Q

QAT 43
QB200 - QB900 130
QBB-4845-34 107
QBC111 - QBC112 ..... 114, 117
QBRK 56
QDC2012-7 - QDC2820-15 127
QDL-2115 127
QED401 - QED801 97
QESTP 56
QFSD-2236 - QFSD-2260 70
QGH600 ..... 110, 111
QGH700 ..... 110, 111
QGH705MOB 110
QGH800 110
QGH805MOB 110
QLP-1861HC - QLP-4861HC 75, 76
QLR500 132
QMB510C - QMB570C 98
QMS531 - QMS843MOB 112
QP965 121
QP1265 121
QP1285 121
QP1496 121
QP182450SS-4 - QP182450SS-5 14
QP182450VS-4 - QP182450VS-5 13
QP182462SS-4 - QP182462SS-5 14
QP182462V3S1 - QP182462V4S1 15
QP182462VS-4 - QP182462VS-5 13
QP182474SS-4 - QP182474SS-5 14
QP182474V3S1 - QP182474V4S1 15
QP182474VS-4 - QP182474VS-5 13
QP182486SS-4 - QP182486SS-5 14
QP182486V3S1 - QP182486V4S1 15
QP182486VS-4 - QP182486VS-5 13
QP1824SS - QP1824VS 12
QP183050SS-4 - QP183050SS-5 14
QP183050VS-4 - QP183050VS-5 13
QP183062SS-4 - QP183062SS-5 14
QP183062V3S1 - QP183062V4S1 15
QP183062VS-4 - QP183062VS-5 13
QP183074SS-4 - QP183074SS-5 14
QP183074V3S1 - QP183074V4S1 15
QP183074VS-4 - QP183074VS-5 13
QP183086SS-4 - QP183086SS-5 14
QP183086V3S1 - QP183086V4S1 15
QP183086VS-4 - QP183086VS-5 13
QP1830SS - QP1830VS 12
QP183614SP - QP183614VP 17
QP183650SS-4 - QP183650SS-5 14
QP183650VS-4 - QP183650VS-5 13
QP183662SS-4 - QP183662SS-5 14
QP183662V3S1 - QP183662V4S1 15
QP183662VS-4 - QP183662VS-5 13
QP183674SS-4 - QP183674SS-5 14
QP183674V3S1 - QP183674V4S1 15
QP183674VS-4 - QP183674VS-5 13
QP183686SS-4 - QP183686SS-5 14
QP183686V3S1 - QP183686V4S1 15
QP183686VS-4 - QP183686VS-5 13
QP1836SS - QP1836VS 12
QP184250SS-4 - QP184250SS-5 14
QP184250VS-4 - QP184250VS-5 13
QP184262SS-4 - QP184262SS-5 14
QP184262V3S1 - QP184262V4S1 15
QP184262VS-4 - QP184262VS-5 13
QP184274SS-4 - QP184274SS-5 14
QP184274V3S1 - QP184274V4S1 15
QP184274VS-4 - QP184274VS-5 13
QP184286SS-4 - QP184286SS-5 14
QP184286V3S1 - QP184286V4S1 15
QP184286VS-4 - QP184286VS-5 13
QP1842SS - QP1842VS 12
QP184814SP - QP184814VP 17
QP184850SS-4 - QP184850SS-5 14
QP184850VS-4 - QP184850VS-5 13
QP184862SS-4 - QP184862SS-5 14
QP184862V3S1 - QP184862V4S1 15
QP184862VS-4 - QP184862VS-5 13
QP184874SS-4 - QP184874SS-5 14
QP184874V3S1 - QP184874V4S1 15
QP184874VS-4 - QP184874VS-5 13
QP184886SS-4 - QP184886SS-5 14
QP184886V3S1 - QP184886V4S1 15
QP184886VS-4 - QP184886VS-5 13
QP1848SS - QP1848VS 12
QP185450SS-4 - QP185450SS-5 14
QP185450VS-4 - QP185450VS-5 13
QP185462SS-4 - QP185462SS-5 14
QP185462V3S1 - QP185462V4S1 15
QP185462VS-4 - QP185462VS-5 13
QP185474SS-4 - QP185474SS-5 14
QP185474V3S1 - QP185474V4S1 15
QP185474VS-4 - QP185474VS-5 13
QP185486SS-4 - QP185486SS-5 14
QP185486V3S1 - QP185486V4S1 15
QP185486VS-4 - QP185486VS-5 13
QP1854SS - QP1854VS 12
QP186014SP - QP186014VP 17
QP186050SS-4 - QP186050SS-5 14
QP186050VS-4 - QP186050VS-5 13
QP186062SS-4 - QP186062SS-5 14
QP186062V3S1 - QP186062V4S1 15
QP186062VS-4 - QP186062VS-5 13
QP186074SS-4 - QP186074SS-5 14
QP186074V3S1 - QP186074V4S1 15
QP186074VS-4 - QP186074VS-5 13
QP186086SS-4 - QP186086SS-5 14
QP186086V3S1 - QP186086V4S1 15
QP186086VS-4 - QP186086VS-5 13
QP1860SS - QP1860VS 12
QP1867 121
QP187250SS-4 - QP187250SS-5 14
QP187250VS-4 - QP187250VS-5 13
QP187262SS-4 - QP187262SS-5 14
QP187262V3S1 - QP187262V4S1 15
QP187262VS-4 - QP187262VS-5 13
QP187274SS-4 - QP187274SS-5 14
QP187274V3S1 - QP187274V4S1 15
QP187274VS-4 - QP187274VS-5 13
QP187286SS-4 - QP187286SS-5 14
QP187286V3S1 - QP187286V4S1 15
QP187286VS-4 - QP187286VS-5 13
QP1872SS 12
QP1872VS 12
QP1887 121
QP212450SS-4 - QP212450SS-5 14
QP212450VS-4 - QP212450VS-5 13
QP212462SS-4 - QP212462SS-5 14
QP212462V3S1 - QP212462V4S1 15
QP212462VS-4 - QP212462VS-5 13
QP212474SS-4 - QP212474SS-5 14
QP212474V3S1 - QP212474V4S1 15
QP212474VS-4 - QP212474VS-5 13
QP212486SS-4 - QP212486SS-5 14
QP212486V3S1 - QP212486V4S1 15
QP212486VS-4 - QP212486VS-5 13
QP2124SS - QP2124VS 12
QP213050SS-4 - QP213050SS-5 14
QP213050VS-4 - QP213050VS-5 13
QP213062SS-4 - QP213062SS-5 14
QP213062V3S1 - QP213062V4S1 15
QP213062VS-4 - QP213062VS-5 13
QP213074SS-4 - QP213074SS-5 14
QP213074V3S1 - QP213074V4S1 15
QP213074VS-4 - QP213074VS-5 13
QP213086SS-4 - QP213086SS-5 14
QP213086V3S1 - QP213086V4S1 15
QP213086VS-4 - QP213086VS-5 13
QP2130SS - QP2130VS 12
QP213650SS-4 - QP213650SS-5 14
QP213650VS-4 - QP213650VS-5 13
QP213662SS-4 - QP213662SS-5 14
QP213662V3S1 - QP213662V4S1 15
QP213662VS-4 - QP213662VS-5 13
QP213674SS-4 - QP213674SS-5 14
QP213674V3S1 - QP213674V4S1 15
QP213674VS-4 - QP213674VS-5 13
QP213686SS-4 - QP213686SS-5 14
QP213686V3S1 - QP213686V4S1 15
QP213686VS-4 - QP213686VS-5 13
QP2136SS - QP2136VS 12
QP214250SS-4 - QP214250SS-5 14
QP214250VS-4 - QP214250VS-5 13
QP214262SS-4 - QP214262SS-5 14
QP214262V3S1 - QP214262V4S1 15
QP214262VS-4 - QP214262VS-5 13
QP214274SS-4 - QP214274SS-5 14
QP214274V3S1 - QP214274V4S1 15
QP214274VS-4 - QP214274VS-5 13
QP214286SS-4 - QP214286SS-5 14
QP214286V3S1 - QP214286V4S1 15
QP214286VS-4 - QP214286VS-5 13
QP2142SS - QP2142VS 12
QP214850SS-4 - QP214850SS-5 14
QP214850VS-4 - QP214850VS-5 13
QP214862SS-4 - QP214862SS-5 14
QP214862V3S1 - QP214862V4S1 15
QP214862VS-4 - QP214862VS-5 13
QP214874SS-4 - QP214874SS-5 14
QP214874V3S1 - QP214874V4S1 15
QP214874VS-4 - QP214874VS-5 13
QP214886SS-4 - QP214886SS-5 14
QP214886V3S1 - QP214886V4S1 15
QP214886VS-4 - QP214886VS-5 13
QP2148SS - QP2148VS 12
QP215450SS-4 - QP215450SS-5 14
QP215450VS-4 - QP215450VS-5 13
QP215462SS-4 - QP215462SS-5 14
QP215462V3S1 - QP215462V4S1 15
QP215462VS-4 - QP215462VS-5 13
QP215474SS-4 - QP215474SS-5 14
QP215474V3S1 - QP215474V4S1 15
QP215474VS-4 - QP215474VS-5 13
QP215486SS-4 - QP215486SS-5 14
QP215486V3S1 - QP215486V4S1 15
QP215486VS-4 - QP215486VS-5 13
QP2154SS - QP2154VS 12
QP216050SS-4 - QP216050SS-5 14
QP216050VS-4 - QP216050VS-5 13
QP216062SS-4 - QP216062SS-5 14
QP216062V3S1 - QP216062V4S1 15
QP216062VS-4 - QP216062VS-5 13
QP216074SS-4 - QP216074SS-5 14
QP216074V3S1 - QP216074V4S1 15
QP216074VS-4 - QP216074VS-5 13
QP216086SS-4 - QP216086SS-5 14
QP216086V3S1 - QP216086V4S1 15
QP216086VS-4 - QP216086VS-5 13
QP2160SS - QP2160VS 12
QP217250SS-4 - QP217250SS-5 14
QP217250VS-4 - QP217250VS-5 13
QP217262SS-4 - QP217262SS-5 14
QP217262V3S1 - QP217262V4S1 15
QP217262VS-4 - QP217262VS-5 13
QP217274SS-4 - QP217274SS-5 14
QP217274V3S1 - QP217274V4S1 15
QP217274VS-4 - QP217274VS-5 13
QP217286SS-4 - QP217286SS-5 14
QP217286V3S1 - QP217286V4S1 15
QP217286VS-4 - QP217286VS-5 13
QP2172SS - QP2172VS 12
QP242450SS-4 - QP242450SS-5 14
QP242450VS-4 - QP242450VS-5 13
QP242462SS-4 - QP242462SS-5 14
QP242462V3S1 - QP242462V4S1 15
QP242462VS-4 - QP242462VS-5 13
QP242474SS-4 - QP242474SS-5 14
QP242474V3S1 - QP242474V4S1 15
QP242474VS-4 - QP242474VS-5 13
QP242486SS-4 - QP242486SS-5 14
QP242486V3S1 - QP242486V4S1 15
QP242486VS-4 - QP242486VS-5 13
QP2424SS - QP2424VS 12
QP243050SS-4 - QP243050SS-5 14
QP243050VS-4 - QP243050VS-5 13
QP243062SS-4 - QP243062SS-5 14
QP243062V3S1 - QP243062V4S1 15
QP243062VS-4 - QP243062VS-5 13
QP243074SS-4 - QP243074SS-5 14
QP243074V3S1 - QP243074V4S1 15
QP243074VS-4 - QP243074VS-5 13
QP243086SS-4 - QP243086SS-5 14
QP243086V3S1 - QP243086V4S1 15
QP243086VS-4 - QP243086VS-5 13
QP2430F 18
QP2430SS - QP2430VS 12
QP243614SP - QP243614VP 17
QP243650SS-4 - QP243650SS-5 14
QP243650VS-4 - QP243650VS-5 13
QP243662SS-4 - QP243662SS-5 14
QP243662V3S1 - QP243662V4S1 15
QP243662VS-4 - QP243662VS-5 13
QP243674SS-4 - QP243674SS-5 14
QP243674V3S1 - QP243674V4S1 15
QP243674VS-4 - QP243674VS-5 13
QP243686SS-4 - QP243686SS-5 14
QP243686V3S1 - QP243686V4S1 15
QP243686VS-4 - QP243686VS-5 13
QP2436SS - QP2436VS 12
QP244250SS-4 - QP244250SS-5 14
QP244250VS-4 - QP244250VS-5 13
QP244262SS-4 - QP244262SS-5 14
QP244262V3S1 - QP244262V4S1 15
QP244262VS-4 - QP244262VS-5 13
QP244274SS-4 - QP244274SS-5 14
QP244274V3S1 - QP244274V4S1 15
QP244274VS-4 - QP244274VS-5 13
QP244286SS-4 - QP244286SS-5 14
QP244286V3S1 - QP244286V4S1 15
QP244286VS-4 - QP244286VS-5 13
QP2442F 18
QP2442SS - QP2442VS 12
QP244814SP - QP244814VP 17
QP244850SS-4 - QP244850SS-5 14
QP244850VS-4 - QP244850VS-5 13
QP244862SS-4 - QP244862SS-5 14
QP244862V3S1 - QP244862V4S1 15
QP244862VS-4 - QP244862VS-5 13
QP244874SS-4 - QP244874SS-5 14
QP244874V3S1 - QP244874V4S1 15
QP244874VS-4 - QP244874VS-5 13
QP244886SS-4 - QP244886SS-5 14
QP244886V3S1 - QP244886V4S1 15
QP244886VS-4 - QP244886VS-5 13
QP2448SS - QP2448VS 12
QP245450SS-4 - QP245450SS-5 14
QP245450VS-4 - QP245450VS-5 13
QP245462SS-4 - QP245462SS-5 14
QP245462V3S1 - QP245462V4S1 15
QP245462VS-4 - QP245462VS-5 13
QP245474SS-4 - QP245474SS-5 14
QP245474V3S1 - QP245474V4S1 15
QP245474VS-4 - QP245474VS-5 13
QP245486SS-4 - QP245486SS-5 14
QP245486V3S1 - QP245486V4S1 15
QP245486VS-4 - QP245486VS-5 13
QP2454F 18
QP2454SS - QP2454VS 12
QP246014SP - QP246014VP 17
QP246050SS-4 - QP246050SS-5 14
QP246050VS-4 - QP246050VS-5 13
QP246062SS-4 - QP246062SS-5 14
QP246062V3S1 - QP246062V4S1 15
QP246062VS-4 - QP246062VS-5 13
QP246074SS-4 - QP246074SS-5 14
QP246074V3S1 - QP246074V4S1 15
QP246074VS-4 - QP246074VS-5 13
QP246086SS-4 - QP246086SS-5 14
QP246086V3S1 - QP246086V4S1 15
QP246086VS-4 - QP246086VS-5 13
QP2460SS - QP2460VS 12
QP247250SS-4 - QP247250SS-5 14
QP247250VS-4 - QP247250VS-5 13
QP247262SS-4 - QP247262SS-5 14
QP247262V3S1 - QP247262V4S1 15
QP247262VS-4 - QP247262VS-5 13
QP247274SS-4 - QP247274SS-5 14
QP247274V3S1 - QP247274V4S1 15
QP247274VS-4 - QP247274VS-5 13
QP247286SS-4 - QP247286SS-5 14
QP247286V3S1 - QP247286V4S1 15
QP247286VS-4 - QP247286VS-5 13
QP2472SS - QP2472VS 12
QP-ADC 16
QPDIV18 - QPDIV24 16
QPDR1 - QPDR2 18
QPDS 17
QPFA 12
QPG 12, 17
QPL18 - QPL72 16
QPL21 16
QPL72 16
QPLH5C - QPLH65C 16
QPLHI-3 - QPLHI-5 16
QPM243068DR - QPM243068WDR 18, 90
QPM244268DR - QPM244268WDR 18, 90
QPM245468DR - QPM245468WDR 18, 90
QPP14 - QPP98 12
QPPC 12
QPPSC-5S 13-16, 48
QPS-HOOK 16
QPSS 12
QPWDR 18
QP-WMB 17
QRB166 108
QRB176MOB 108
QRB206 108
QRB216MOB 108
QRB246 108
QRB256MOB 108
QSB100 114
QSB101 114
QSB102 114
QSB103 114



QSB104....114
QSB105....114
QSB106....114
QSB107....114
QSB108....114
QSB109....114
QSB110....114
QSB114....114
QSB116....114
QSB118....114
QSB122....114
QSB201....117
QSB202....117
QSB203....117
QSB204....117
QSB205....117
QSB206....117
QSB207....117
QSB208....117
QSB209....117
QSB210....117
QSB214....117
QSB216....117
QSB218....117
QSB222....117
QSB801....119
QSB802....119
QSB803....119
QSB804....119
QSB805....119
QSB806....119
QSB807....119
QSB808....119
QSB809....119
QSB810....119
QSB814....119
QSB816....119
QSBU-230240 - QSBU-270....94
QSMC....38-41
QSRT....43
QTB301....132
QTB302....132
QTB303....132
QTB304....132
QTB305....132
QTB306....132
QTB309....132
QTB405....133
QTB406....133
QTB409....133
QTB410....133
QTB669GY....133
QTB-LP-BKT....75, 132
QTG63-1824BK - QTG63-1860BK....83
QUS210....93
QUS210CC....93, 96
QUS220....93
QUS220CC....93, 96
QUS221....93
QUS224....93
QUS230....93
QUS230CC....93, 96
QUS232....93
QUS234....93
QUS235....93
QUS236....93
QUS238....93
QUS239....93
QUS240....93,
QUS240CC....93, 96
QUS241....93
QUS242....93
QUS245....93
QUS248....93
QUS250....93
QUS255....93
QUS260....93
QUS265....93
QUS270....93
QUS275MOB....93
QUS950....102
QUS951....102
QUS952....102
QUS953....102
QUS954....102
QUS955....102
QUS957....102
QUS964MOB....102
QUS965MOB....102
QUS967MOB....102
QUS970....104
QUS973....104
QUS974....104
QUS975....104
QUS976....104
QUS984MOB....104
QUS985MOB....104
QUS986MOB....104
QUS993....104
QUS994MOB....104
QUS995....104
QUS996MOB....104
QUS997....104
QUS998MOB....104
QVTRK....56
QVTRK-2-72EST - QVTRK-2-240EST....57
QVTRK-3-72EST - QVTRK-3-240EST....57

R

RLH1X3C....128
RS01207-5 - RS02422-11....126
RWR72-1830LD - RWR72-2448LD....47

S

SCH1 - SCH1-5....32
SD36-18C - SD60-24P....50
SG-1830GY....59
SG-1830P....59
SG-1836GY....59
SG-1836P....59
SG-1848GY....59
SG-1848P....59
SG-1860GY....59
SG-1860P....59
SG-2430GY....59
SG-2430P....59
SG-2436GY....59
SG-2436P....59
SG-2448GY....59
SG-2448P....59
SG-3036GY....59
SG-3036P....59
SG-3048GY....59
SG-3048P....59
SG-3354GY....59
SG-3354P....59
SG-A1 - SG-A2....63
SG-B1357GY....64
SG-B1357P....64
SG-B17710GY....64
SG-B17710P....64
SG-B1775GY....64
SG-B1775P....64
SG-BH29GY....64
SG-BH29P....64
SG-BR6GY....64
SG-BR6P....64
SG-CD14GY....59
SG-CD14P....59
SG-CD18GY....59
SG-CD18P....59
SG-CD21GY....59
SG-CD21P....59
SG-CD24GY....59
SG-CD24P....59
SG-CH....64
SG-CMBGY....64
SG-CMBP....64
SG-CS14GY....59
SG-CS14P....59
SG-CS18GY....59
SG-CS18P....59
SG-CS21GY....59
SG-CS21P....59
SG-CS24GY....59
SG-CS24P....59
SG-DWB....59
SG-GBHGY....64
SG-GBHP....64
SG-HA5P....64
SG-HFF....64
SG-HOLDERGY....64
SG-HOLDERP....64
SG-HOOK6GY-2....64
SG-HOOK6P-2....64
SG-HOOKDB....64
SG-HOOKDBGY....64
SG-HOOKLG-2....64
SG-HOOKLGGY-2....64
SG-HOOKSM-2....64
SG-HOOKSMGY-2....64
SG-IPH....64
SGK-2448-1GY....60
SGK-2448-1P....60
SGK-3036-1GY....60
SGK-3036-1P....60
SGK-401836-1GY....60
SGK-401836-1P....60
SGK-401836-2GY....60
SGK-401836-2P....60
SGK-401836-3GY....61
SGK-401836-3P....61
SGK-401836-4GY....61
SGK-401836-4P....61
SGK-402436-1P....61
SGK-403036-1GY....61
SGK-403036-1P....61
SGK-403036-2GY....62
SGK-403036-2P....62
SGK-403036-3GY....62
SGK-403036-3P....62
SGK-562448-1GY....62
SGK-562448-1P....62
SGK-563048-1GY....62
SGK-563048-1P....62
SGK-721830-1GY....63
SGK-721830-1P....63
SGK-723036-1GY....63
SGK-723036-1P....63
SGK-803036-1GY....63
SGK-803036-1P....63
SGK-961830-1GY....63
SGK-961830-1P....63
SG-LGBH....64
SG-LH1384GY....64
SG-LH1384P....64
SG-LS1436GY....64
SG-LS1436P....64
SG-LS1448GY....64
SG-LS1448P....64
SG-LS1830GY....64
SG-LS1830P....64
SG-LS1836GY....64
SG-LS1836P....64
SG-LS1848GY....64
SG-LS1848P....64
SG-PWM....59
SG-S1224GY....64
SG-S1224P....64
SG-S1616GY....64
SG-S1616P....64
SG-S918GY....64
SG-S918P....64
SG-SBH....64
SG-SLH201412GY....64
SG-SLH201412P....64
SG-SMBH....64
SG-SR2254GY....64
SG-SR2254P....64
SG-TDR341410GY....64
SG-TDR341410P....64
SG-TDR461410GY....64
SG-TDR461410P....64
SG-U16GY....59
SG-U16P....59
SG-U31GY....59
SG-U31P....59
SG-U44GY....59
SG-U44P....59
SG-UH10GY....64
SG-UH10P....64
SG-UH4GY....64
SG-UH4P....64
SG-WT40GY....59
SG-WT40P....59
SG-WT56GY....59
SG-WT56P....59
SG-WT72GY....59
SG-WT72P....59
SG-WTBGY....59
SG-WTBS....59
S-HOOK - S-HOOKSS....32
S-HOOKWPM....20, 23
SK....56
SL12 - SL30....31
SL12BK - SL30BK....31
SL12GY - SL30GY....31
SL12P - SL30P....31
SL12S - SL30S....31
SNH010....124, 128
SNT180....124, 125
SNT185....124, 125
SNT190....124
SNT195....124
SNT200....124
SNT225....124, 125
SNT230....124
SNT240....124
SNT300....124
SSB423....100
SSB425....100
SSB441....100
SSB443....100
SSB445....100
SSB461....100
SSB463....100
SSB465....100
SSB483....100
SSB485....100
SST-2436U - SST-2472U....68
SST-MOB....68

T

TB12....91
TC-19 - TC-39....86
TC-500....91
TC-EL38....86
TDR24361GY - TDR24603GY....23
TK-2 - TK-7....54
TK-CA....54
TK-CBW....54
TK-DTB18 - TK-DTB24....54
TK-EP....54
TK-STB18 - TK-STB24....54
TR1-2516-8 - TR12-2516-8....85
TS18C - TS62C....86
TTK-8 - TTK21....55
TTK-C18 - TTK-C24....55
TTK-E18 - TTK-E24....55
TTK-M18 - TTK-M24....55
TUB1711-12....85, 125
TUB1711-8....85, 125
TUB2417-12....85
TUB2417-8....85
TUB2419-9....85, 125
TUB2516-8....85

U

UB10....34
UH18 - UH24S....31
ULH3C - ULH69C....23, 34

W

W7-12-24 - W7-18-30....121
WC14-1436WBK - WC14-1448WC-2....81
WC14-CB1224BK - WC14-CB2472P....67
WC34-1436WBK-2 - WC34-1448WC-6....81
WC34-CB1224BK - WC34-CB2472P....67
WC34-CB1224C - WC34-CB2472P....67
WC54-1436WBK-4 - WC54-1448WC-8....81
WC54-CB1224BK - WC54-CB2472P....67
WCSD-1814 - WCSD-2420....31
WDWB1224BK....66
WDWB1224C....66
WDWB1224GY....66
WDWB1224P....66
WDWB1230BK....66
WDWB1230C....66
WDWB1230GY....66
WDWB1230P....66
WDWB1236BK....66
WDWB1236C....66
WDWB1236GY....66
WDWB1236P....66
WDWB1242BK....66
WDWB1242C....66
WDWB1242GY....66
WDWB1242P....66
WDWB1248BK....66
WDWB1248C....66
WDWB1248GY....66
WDWB1248P....66
WDWB1260BK....66
WDWB1260C....66
WDWB1260GY....66
WDWB1260P....66
WDWB1272BK....66
WDWB1272C....66
WDWB1272GY....66
WDWB1272P....66
WDWB1424BK....66
WDWB1424C....66
WDWB1424GY....66
WDWB1424P....66
WDWB1430BK....66
WDWB1430C....66
WDWB1430GY....66
WDWB1430P....66
WDWB1436BK....66
WDWB1436C....66
WDWB1436GY....66
WDWB1436P....66
WDWB1442BK....66
WDWB1442C....66
WDWB1442GY....66
WDWB1442P....66
WDWB1448BK....66
WDWB1448C....66
WDWB1448GY....66
WDWB1448P....66
WDWB1454BK....66
WDWB1454C....66
WDWB1454GY....66
WDWB1454P....66
WDWB1460BK....66
WDWB1460C....66
WDWB1460GY....66
WDWB1460P....66
WDWB1472BK....66
WDWB1472C....66
WDWB1472GY....66
WDWB1472P....66
WDWB1824BK....66
WDWB1824C....66
WDWB1824GY....66
WDWB1824P....66
WDWB1830BK....66
WDWB1830C....66
WDWB1830GY....66
WDWB1830P....66
WDWB1836BK....66
WDWB1836C....66
WDWB1836GY....66
WDWB1836P....66
WDWB1842BK....66
WDWB1842C....66
WDWB1842GY....66
WDWB1842P....66
WDWB1848BK....66
WDWB1848C....66
WDWB1848GY....66
WDWB1848P....66
WDWB1854BK....66
WDWB1854C....66
WDWB1854GY....66
WDWB1854P....66
WDWB1860BK....66
WDWB1860C....66
WDWB1860GY....66
WDWB1860P....66
WDWB1872BK....66
WDWB1872C....66
WDWB1872GY....66
WDWB1872P....66
WDWB2124BK....66
WDWB2124C....66
WDWB2124GY....66
WDWB2124P....66
WDWB2130BK....66
WDWB2130C....66
WDWB2130GY....66
WDWB2130P....66
WDWB2136BK....66
WDWB2136C....66
WDWB2136GY....66
WDWB2136P....66
WDWB2142BK....66
WDWB2142C....66
WDWB2142GY....66
WDWB2142P....66
WDWB2148BK....66
WDWB2148C....66
WDWB2148GY....66
WDWB2148P....66
WDWB2154BK....66
WDWB2154C....66
WDWB2154GY....66
WDWB2154P....66
WDWB2160BK....66
WDWB2160C....66
WDWB2160GY....66
WDWB2160P....66
WDWB2172BK....66
WDWB2172C....66
WDWB2172GY....66
WDWB2172P....66
WDWB2424BK....66
WDWB2424C....66
WDWB2424GY....66
WDWB2424P....66
WDWB2430BK....66
WDWB2430C....66
WDWB2430GY....66
WDWB2430P....66
WDWB2436BK....66
WDWB2436C....66
WDWB2436GY....66
WDWB2436P....66
WDWB2442BK....66
WDWB2442C....66
WDWB2442GY....66
WDWB2442P....66
WDWB2448BK....66
WDWB2448C....66
WDWB2448GY....66
WDWB2448P....66
WDWB2454BK....66
WDWB2454C....66
WDWB2454GY....66
WDWB2454P....66
WDWB2460BK....66
WDWB2460C....66
WDWB2460GY....66
WDWB2460P....66
WDWB2472BK....66
WDWB2472C....66
WDWB2472GY....66
WDWB2472P....66
WGH600 - WGH800....110
WH-15....91



WK 56
WLP-1836C - WLP-3048C 99
WLP-DMC 99
WLP-OSC 99
WMS531 - WMS543 112
W-PC 20, 25, 37
W-PC-STUD 20, 25, 37
W-PLB 20, 25, 37
W-PLI 20, 25, 37
WR-00C0 33
WR-00H 33
WR-00H-5 51
WR-00H-HD 33
WR-00HS 33
WR10-230240 95
WR12-101 - WR12-116 115
WR12-93030 125
WR-3 ..... 33, 47
WR4-12225 125
WR4-39-1236-801 - WR4-39-1236-809 120
WR5-270 95
WR5-39-1236-201 - WR5-39-1236-209 118
WR54-1236BK - WR54-1272BK-5 26
WR54-1236C - WR54-1272C-5 26
WR54-1236GY - WR54-1272GY-5 26
WR54-1236P - WR54-1272P-5 26
WR54-1236S - WR54-1272S-5 26
WR54-1424BK - WR54-1472BK-5 26
WR54-1424C - WR54-1472C-5 26
WR54-1424GY - WR54-1472GY-5 26
WR54-1424P - WR54-1472P-5 26
WR54-1430S - WR54-1472S-5 26
WR54-1436SG - WR54-1472SG 38
WR54-1436SG-5 - WR54-1472SG-5 39
WR54-1824BK - WR54-1872BK-5 26
WR54-1824C - WR54-1872C-5 26
WR54-1824GY - WR54-1872GY-5 26
WR54-1824P - WR54-1872P-5 26
WR54-1824S - WR54-1872S-5 26
WR54-1836SG - WR54-1872SG 38
WR54-1836SG-5 - WR54-1872SG-5 39
WR54-2124BK - WR54-2172BK-5 26
WR54-2124C - WR54-2172C-5 26
WR54-2124GY - WR54-2172GY-5 26
WR54-2124P - WR54-2172P-5 26
WR54-2124S - WR54-2172S-5 26
WR54-2136SG - WR54-2172SG 38
WR54-2136SG-5 - WR54-2172SG-5 39
WR54-2424BK - WR54-2472BK-5 26
WR54-2424C - WR54-2472C-5 26
WR54-2424GY - WR54-2472GY-5 26
WR54-2424P - WR54-2472P-5 26
WR54-2424S - WR54-2472S-5 26
WR54-2436SG - WR54-2472SG 38
WR54-2436SG-5 - WR54-2472SG-5 39
WR54-3036BK - WR54-3072BK-5 26
WR54-3036C - WR54-3072C-5 26
WR54-3036GY - WR54-3072GY-5 26
WR54-3036P - WR54-3072P-5 26
WR54-3036S - WR54-3072S-5 26
WR54-3636BK - WR54-3672BK-5 26
WR54-3636C - WR54-3672C-5 26
WR54-3636GY - WR54-3672GY-5 26
WR54-3636P - WR54-3672P-5 26
WR54-3636S - WR54-3672S-5 26
WR5-533 113
WR5-543 113
WR5-600 111
WR5-600800 111
WR5-700 111
WR5-800 111
WR5-955 103
WR5-975 105
WR5-993 106
WR5-995 106
WR5-997 106
WR6-13-MIX 113
WR6-191507 122
WR6-24185 125
WR6-260 95
WR6-265 95
WR63-1236BK - WR63-1272BK-5 27
WR63-1236C - WR63-1272C-5 27
WR63-1236GY - WR63-1272GY-5 27
WR63-1236P - WR63-1272P-5 27
WR63-1236S - WR63-1272S-5 27
WR63-1424BK - WR63-1472BK-5 27
WR63-1424C - WR63-1472C-5 27
WR63-1424GY - WR63-1472GY-5 27
WR63-1424P - WR63-1472P-5 27
WR63-1424WPM - WR63-2472WPM 21
WR63-1424WPMS - WR63-2472WPMS .. 21
WR63-1430S - WR63-1472S-5 27
WR63-1436SG - WR63-1472SG 38
WR63-1436SG-5 - WR63-1472SG-5 39
WR63-1824BK - WR63-1872BK-5 27
WR63-1824C - WR63-1872C-5 27
WR63-1824GY - WR63-1872GY-5 27
WR63-1824P - WR63-1872P-5 27
WR63-1824S - WR63-1872S-5 27
WR63-1836SG - WR63-1872SG 38
WR63-1836SG-5 - WR63-1872SG-5 39
WR63-2124BK - WR63-2172BK-5 27
WR63-2124C - WR63-2172C-5 27
WR63-2124GY - WR63-2172GY-5 27
WR63-2124P - WR63-2172P-5 27
WR63-2124S - WR63-2172S-5 27
WR63-2136SG - WR63-2172SG 38
WR63-2136SG-5 - WR63-2172SG-5 39
WR63-2424BK - WR63-2472BK-5 27
WR63-2424C - WR63-2472C-5 27
WR63-2424GY - WR63-2472GY-5 27
WR63-2424P - WR63-2472P-5 27
WR63-2424S - WR63-2472S-5 27
WR63-2436SG - WR63-2472SG 38
WR63-2436SG-5 - WR63-2472SG-5 39
WR63-3036BK - WR63-3072BK-5 27
WR63-3036C - WR63-3072C-5 27
WR63-3036GY - WR63-3072GY-5 27
WR63-3036P - WR63-3072P-5 27
WR63-3036S - WR63-3072S-5 27
WR63-3636BK - WR63-3672BK-5 27
WR63-3636C - WR63-3672C-5 27
WR63-3636GY - WR63-3672GY-5 27
WR63-3636P - WR63-3672P-5 27
WR63-3636S - WR63-3672S-5 27
WR6-36-1236-101 115
WR6-36-1236-102 115
WR6-36-1236-107 115
WR6-36-1236-109 115
WR6-953 103
WR6-954 103
WR6-957 103
WR6-973 105
WR6-973974 105
WR6-974 105
WR7-20-MIX 103
WR74-1236BK - WR74-1272BK-5 28
WR74-1236C - WR74-1272C-5 28
WR74-1236GY - WR74-1272GY-5 28
WR74-1236P - WR74-1272P-5 28
WR74-1236S - WR74-1272S-5 28
WR74-1248-101102 116
WR74-1248-110101 116
WR74-1248-66102 116
WR74-1260-101102 116
WR74-1260-143101 116
WR74-1260-88102 116
WR74-1272-101102 116
WR74-1272-110102 116
WR74-1272-176101 116
WR74-1424BK - WR74-1472BK-5 28
WR74-1424C - WR74-1472C-5 28
WR74-1424GY - WR74-1472GY-5 28
WR74-1424P - WR74-1472P-5 28
WR74-1424WPM - WR74-1472WPM-5 ... 21
WR74-1424WPMS - WR74-1472WPMS-5 21
WR74-1430S - WR74-1472S-5 28
WR74-1436SG - WR74-1472SG 38
WR74-1436SG-5 - WR74-1472SG-5 39
WR74-1448WSBK - WR74-1448WSC 80
WR74-1824BK - WR74-1872BK-5 28
WR74-1824C - WR74-1872C-5 28
WR74-1824GY - WR74-1872GY-5 28
WR74-1824P - WR74-1872P-5 28
WR74-1824S - WR74-1872S-5 28
WR74-1824WPM - WR74-1872WPM-5 ... 21
WR74-1824WPMS - WR74-1872WPMS-5 21
WR74-1836CRNC - WR74-1836CRNP-5 . 51
WR74-1836SG - WR74-1872SG 38
WR74-1836SG-5 - WR74-1872SG-5 39
WR74-1848-103104 116
WR74-1848-110103 116
WR74-1848-66104 116
WR74-1860-103104 116
WR74-1860-143103 116
WR74-1860-88104 116
WR74-1872-103104 116
WR74-1872-110104 116
WR74-1872-176103 116
WR74-2124BK - WR74-2172BK-5 28
WR74-2124C - WR74-2172C-5 28
WR74-2124GY - WR74-2172GY-5 28
WR74-2124P - WR74-2172P-5 28
WR74-2124S - WR74-2172S-5 28
WR74-2124WPM - WR74-2172WPM-5 ... 21
WR74-2124WPMS - WR74-2172WPMS-5 21
WR74-2136SG - WR74-2172SG 38
WR74-2136SG-5 - WR74-2172SG-5 39
WR74-2424BK - WR74-2472BK-5 28
WR74-2424C - WR74-2472C-5 28
WR74-2424GY - WR74-2472GY-5 28
WR74-2424P - WR74-2472P-5 28
WR74-2424S - WR74-2472S-5 28
WR74-2424WPM - WR74-2472WPM-5 ... 21
WR74-2424WPMS - WR74-2472WPMS-5 21
WR74-2436SG - WR74-2472SG 38
WR74-2436SG-5 - WR74-2472SG-5 39
WR74-2442CRNC - WR74-2442CRNP-5 . 51
WR74-2448-105106 116
WR74-2448-110105 116
WR74-2448-66106 116
WR74-2460-105106 116
WR74-2460-143105 116
WR74-2460-88106 116
WR74-2472-105106 116
WR74-2472-110106 116
WR74-2472-176105 116
WR74-3036BK - WR74-3072BK-5 28
WR74-3036C - WR74-3072C-5 28
WR74-3036GY - WR74-3072GY-5 28
WR74-3036P - WR74-3072P-5 28
WR74-3036S - WR74-3072S-5 28
WR74-3636BK - WR74-3672BK-5 28
WR74-3636C - WR74-3672C-5 28
WR74-3636GY - WR74-3672GY-5 28
WR74-3636P - WR74-3672P-5 28
WR74-3636S - WR74-3672S-5 28
WR74-BW1436BK - WR74-BW1448C 81
WR74-CR2436WPM - WR74-CR2448WPM 22
WR74-DT2436P - WR74-DT2460P 69
WR7-532 113
WR7-92080 125
WR7-951 103
WR8-239 - WR8-255 95
WR8-423 - WR8-483485 101
WR86-1236BK - WR86-1272BK-5 29
WR86-1236C - WR86-1272C-5 29
WR86-1236GY - WR86-1272GY-5 29
WR86-1236P - WR86-1272P-5 29
WR86-1236S - WR86-1272S-5 29
WR86-1424BK - WR86-1472BK-5 29
WR86-1424C - WR86-1472C-5 29
WR86-1424GY - WR86-1472GY-5 29
WR86-1424P - WR86-1472P-5 29
WR86-1424WPM - WR86-2472WPM-5 ... 21
WR86-1424WPMS - WR86-2472WPMS-5 21
WR86-1430S - WR86-1472S-5 29
WR86-1436SG - WR86-1472SG 38
WR86-1436SG-5 - WR86-1472SG-5 39
WR86-1824BK - WR86-1872BK-5 29
WR86-1824C - WR86-1872C-5 29
WR86-1824GY - WR86-1872GY-5 29
WR86-1824P - WR86-1872P-5 29
WR86-1824S - WR86-1872S-5 29
WR86-1836SG - WR86-1872SG 38
WR86-1836SG-5 - WR86-1872SG-5 39
WR86-2124BK - WR86-2172BK-5 29
WR86-2124C - WR86-2172C-5 29
WR86-2124GY - WR86-2172GY-5 29
WR86-2124P - WR86-2172P-5 29
WR86-2124S - WR86-2172S-5 29
WR86-2136SG - WR86-2172SG 38
WR86-2136SG-5 - WR86-2172SG-5 39
WR86-2424BK - WR86-2472BK-5 29
WR86-2424C - WR86-2472C-5 29
WR86-2424GY - WR86-2472GY-5 29
WR86-2424P - WR86-2472P-5 29
WR86-2424S - WR86-2472S-5 29
WR86-2436SG - WR86-2472SG 38
WR86-2436SG-5 - WR86-2472SG-5 39
WR86-3036BK - WR86-3072BK-5 29
WR86-3036C - WR86-3072C-5 29
WR86-3036GY - WR86-3072GY-5 29
WR86-3036P - WR86-3072P-5 29
WR86-3036S - WR86-3072S-5 29
WR86-3636BK - WR86-3672BK-5 29
WR86-3636C - WR86-3672C-5 29
WR86-3636GY - WR86-3672GY-5 29
WR86-3636P - WR86-3672P-5 29
WR86-3636S - WR86-3672S-5 29
WR8-801 - WR8-816 120
WR8-950 - WR8-970 103
WR9-201 - WR9-216 118
WR9-36180 125
WR9-531 113
WR9-92060 - WR9-93060 125
WRA86-2136C-166 - WRA86-2154C-166 109
WRC-1436WSBK - WRC-1448WSC-1SS . 80
WRC-1830-2 - WRC-1872-3 88
WRC-1830-2CG - WRC-1872-3CG 88
WRC-1830-2G - WRC-1872-3G 88
WRC-1830BK-2 - WRC-1872BK-3 88
WRC-1830GY-2 - WRC-1872GY-3 88
WRC-1830P-2 - WRC-1872P-3 88
WRC-2130-2 - WRC-2172-3 88
WRC-2130-2CG - WRC-2172-3CG 88
WRC-2130-2G - WRC-2172-3G 88
WRC-2130GY-2 - WRC-2172GY-3 88
WRC-2130P-2 - WRC-2172P-3 88
WRC2-1836-1265 - WRC2-1836-1887 ... 121
WRC-2430-2 - WRC-2472-3 88
WRC-2430-2CG - WRC-2472-3CG 88
WRC-2430-2G - WRC-2472-3G 88
WRC-2430BK-2 - WRC-2472BK-3 88
WRC-2430GY-2 - WRC-2472GY-3 88
WRC-2430P-2 - WRC-2472P-3 88
WRC3-1836-1265 - WRC3-1836-1887 ... 121
WRC5-63-2436-93060 -
WRC5-63-2460-93060 77
WRC74-BSK1824C-5 - WRC74-BSK2460C-5 58
WRC-CC1430GY - WRC-CC1836GY 83
WRCGR-63-2436 - WRCGR-63-2460 82
WRCP-1830-2 - WRCP-1860-3 89
WRCP-1830-2CG - WRCP-1860-3CG 89
WRCP-1830-2G - WRCP-1860-3G 89
WRCP-1830BK-2 - WRCP-1860BK-3 89
WRCP-1830GY-2 - WRCP-1860GY-3 89
WRCP-1830P-2 - WRCP-1860P-3 89
WRCP-2130-2 - WRCP-2160-3 89
WRCP-2130-2CG - WRCP-2160-3CG 89
WRCP-2130-2G - WRCP-2160-3G 89
WRCP-2130GY-2 - WRCP-2160GY-3 89
WRCP-2130P-2 - WRCP-2160P-3 89
WRCP-2430-2 - WRCP-2460-3 89
WRCP-2430-2CG - WRCP-2460-3CG 89
WRCP-2430-2G - WRCP-2460-3G 89
WRCP-2430BK-2 - WRCP-2460BK-3 89
WRCP-2430GY-2 - WRCP-2460GY-3 89
WRCP-2430P-2 - WRCP-2460P-3 89
WRCPL-63-2460 82
WRCS4-63-2436EP - WRCS4-63-2460EP-5 45
WRCS4-74-2436EP - WRCS4-74-2460EP-5 45
WRCSL5-63-1836 79
WRCSL5-63-1836-104 79
WRCSL5-63-1836EP 79
WRCSL5-63-1836EP-104 79
WRCSL5-63-1848 79
WRCSL5-63-1848-104 79
WRCSL5-63-1848EP 79
WRCSL5-63-1848EP-104 79
WRCSL5-63-2436 79
WRCSL5-63-2436-106 79
WRCSL5-63-2436EP 79
WRCSL5-63-2436EP-106 79
WRCSL5-63-2448 79
WRCSL5-63-2448-106 79
WRCSL5-63-2448EP 79
WRCSL5-63-2448EP-106 79
WRCSL5-74-1836-104220 79
WRCSL5-74-1836-104230 79
WRCSL5-74-1848-104220 79
WRCSL6-74-1848-260 78
WRCSL6-74-2448-953 78
WRDBS4-63-2436EP - WRDBS4-63-2460EP-5 45
WRDBS4-74-2436EP - WRDBS4-74-2460EP-5 45
WR-DFP 32
WRGR-63-2436 - WRGR-63-2460 82
WR-PMGP 32
WR-PS 33
WR-RG 33
WR-S24W 77
WRS4-54-1436SS - WRS4-54-1472SS ... 40
WRS4-54-1824SS - WRS4-54-1872SS ... 40
WRS4-54-2124SS - WRS4-54-2172SS ... 40
WRS4-54-2436SS - WRS4-54-2472SS ... 40
WRS4-63-1436SS - WRS4-63-1472SS ... 40
WRS4-63-1824SS - WRS4-63-1872SS ... 40
WRS4-63-2124SS - WRS4-63-2172SS ... 40
WRS4-63-2436SS - WRS4-63-2472SS ... 40
WRS4-74-1436SS - WRS4-74-1472SS ... 40
WRS4-74-1824SS - WRS4-74-1872SS ... 40
WRS4-74-2124SS - WRS4-74-2172SS ... 40
WRS4-74-2436SS - WRS4-74-2472SS ... 40
WRS4-86-1436SS - WRS4-86-1472SS ... 40
WRS4-86-1824SS - WRS4-86-1872SS ... 40
WRS4-86-2124SS - WRS4-86-2172SS ... 40
WRS4-86-2436SS - WRS4-86-2472SS ... 40
WRS5-54-1436SS - WRS5-54-1472SS ... 41
WRS5-54-1824SS - WRS5-54-1872SS ... 41
WRS5-54-2124SS - WRS5-54-2172SS ... 41
WRS5-54-2436SS - WRS5-54-2472SS ... 41
WRS5-63-1436SS - WRS5-63-1472SS ... 41
WRS5-63-1824SS - WRS5-63-1872SS ... 41
WRS5-63-2124SS - WRS5-63-2172SS ... 41
WRS5-63-2436SS - WRS5-63-2472SS ... 41
WRS5-74-1436SS - WRS5-74-1472SS ... 41
WRS5-74-1824SS - WRS5-74-1872SS ... 41
WRS5-74-2124SS - WRS5-74-2172SS ... 41
WRS5-74-2436SS - WRS5-74-2472SS ... 41
WRS5-86-1436SS - WRS5-86-1472SS ... 41
WRS5-86-1824SS - WRS5-86-1872SS ... 41
WRS5-86-2124SS - WRS5-86-2172SS ... 41
WRS5-86-2436SS - WRS5-86-2472SS ... 41
WRS-5-92035 - WRS-5-92080 78
WRS-7-103 - WRS-7-110 78
WRS-7-602 - WRS-7-606 78
WRSAD4-54-1436SS - WRSAD4-54-1472SS. 40
WRSAD4-54-1824SS - WRSAD4-54-1872SS 40
WRSAD4-54-2124SS - WRSAD4-54-2172SS. 40
WRSAD4-54-2436SS - WRSAD4-54-2472SS. 40
WRSAD4-63-1436SS - WRSAD4-63-1472SS 40
WRSAD4-63-1824SS - WRSAD4-63-1872SS. 40
WRSAD4-63-2124SS - WRSAD4-63-2172SS. 40
WRSAD4-63-2436SS - WRSAD4-63-2472SS. 40
WRSAD4-74-1436SS - WRSAD4-74-1472SS. 40
WRSAD4-74-1824SS - WRSAD4-74-1872SS. 40
WRSAD4-74-2124SS - WRSAD4-74-2172SS. 40
WRSAD4-74-2436SS - WRSAD4-74-2472SS. 40
WRSAD4-86-1436SS - WRSAD4-86-1472SS. 40
WRSAD4-86-1824SS - WRSAD4-86-1872SS. 40
WRSAD4-86-2124SS - WRSAD4-86-2172SS. 40
WRSAD4-86-2436SS - WRSAD4-86-2472SS. 40
WRSAD5-54-1436SS - WRSAD5-54-1472SS. 41
WRSAD5-54-1824SS - WRSAD5-54-1872SS. 41
WRSAD5-54-2124SS - WRSAD5-54-2172SS. 41
WRSAD5-54-2436SS - WRSAD5-54-2472SS. 41
WRSAD5-63-1436SS - WRSAD5-63-1472SS. 41
WRSAD5-63-1824SS - WRSAD5-63-1872SS. 41
WRSAD5-63-2124SS - WRSAD5-63-2172SS. 41
WRSAD5-63-2436SS - WRSAD5-63-2472SS. 41
WRSAD5-74-1436SS - WRSAD5-74-1472SS. 41
WRSAD5-74-1824SS - WRSAD5-74-1872SS. 41
WRSAD5-74-2124SS - WRSAD5-74-2172SS. 41
WRSAD5-74-2436SS - WRSAD5-74-2472SS. 41
WRSAD5-86-1436SS - WRSAD5-86-1472SS. 41
WRSAD5-86-1824SS - WRSAD5-86-1872SS. 41
WRSAD5-86-2124SS - WRSAD5-86-2172SS. 41
WRSAD5-86-2436SS - WRSAD5-86-2472SS. 41
WR-SB2R2 33
WRSC-1830-2 - WRSC-1872-3 88
WRSC-1830-2SS - WRSC-1872-3SS 88
WRSC-1830SS-2S - WRSC-1872SS-3S .. 88
WRSC-2130-2 - WRSC-2172-3 88
WRSC-2130-2SS - WRSC-2172-3SS 88
WRSC-2130SS-2S - WRSC-2172SS-3S .. 88
WRSC-2430-2 - WRSC-2472-3 88
WRSC-2430-2SS - WRSC-2472-3SS 88
WRSC-2430SS-2S - WRSC-2472SS-3S .. 88
WRSC3-42-2436FS - WRSC3-42-2460FS 88
WRSC4-54-2436FS - WRSC4-54-2460FS 88
WRSCP-1830-2 - WRSCP-1860-3 89
WRSCP-1830-2SS - WRSCP-1860-3SS .. 89
WRSCP-1830SS-2S - WRSCP-1860SS-3S . 89
WRSCP-2130-2 - WRSCP-2160-3 89
WRSCP-2130-2SS - WRSCP-2160-3SS .. 89
WRSCP-2130SS-2S - WRSCP-2160SS-3S . 89
WRSCP-2430-2 - WRSCP-2460-3 89
WRSCP-2430-2SS - WRSCP-2460-3SS .. 89
WRSCP-2430SS-2S - WRSCP-2460SS-3S . 89
WR-SFP 32
WRSL6-74-1848-260 78
WRSL6-74-2448-953 78
WR-SP 23, 32
WR-SS 20, 23, 32
WR-WMB 32
WS-1218DSHC - WS-1848DSHC 74, 75, 76
WS70-DS18ADHC - WS70-DS48ADHC 75
WS70-DS18HC -WS70-DS48HC 75
WS70-SS18-4S3L 74
WS70-SS18-7S 74
WS70-SS18AD-4S3L 74
WS70-SS18AD-7S 74
WS70-SS18ADHC 75
WS70-SS18HC 75
WS70-SS36-4S3L 74
WS70-SS36-7S 74
WS70-SS36AD-4S3L 74
WS70-SS36AD-7S 74
WS70-SS36ADHC 75
WS70-SS36HC 75
WS70-SS48-4S3L 74
WS70-SS48-7S 74
WS70-SS48AD-4S3L 74
WS70-SS48AD-7S 74
WS70-SS48ADHC 75
WS70-SS48HC 75
WS-DR10C 76
WS-HB36HC - WS-HB48HC 75, 76
WS-HBB - WS-HBBA 76
WS-HDS12 76
WS-HDS6 76
WS-HTH 76
WS-PM18HC - WS-PM48HC 75
WS-SR9C 76
WS-VTH 76
WUS221 - WUS270 93
WUS950/970 ..... 102, 104
WUS951 102
WUS952 102
WUS953/973 ..... 102, 104
WUS954/974 ..... 102, 104
WUS955/975 ..... 102, 104
WUS957 102
WUS976 104



Millenia Polymer Units



Polymer Wire Units



Mobile To Go Units



Keg Racks



Custom Stations



Polymer Drying Racks

TO VIEW OUR FULL PRODUCT LINE

VISIT US ONLINE

Great storage products, delivered quickly at the guaranteed lowest prices. Contact **Quantum Food Service** today and revolutionize the way you organize!

QuantumFoodService.com

LINKEDIN
@QUANTUM_FOODSERVICE
Check out our latest news
www.linkedIn.com/groups/14089472

INSTAGRAM
@QUANTUMFOODSERVICE
Check out our latest news
www.instagram.com/quantumfoodservice

P: **888-993-3370**
F: 954-369-3370

sales@quantumfoodservice.com

15800 NW 15th Avenue
Miami, FL 33169

CATALOG # 050124